



MOSAIC | STONE RADIANCE™



# MOSAIC | STONE RADIANCE™

*wall • decorative*

The vivacity of Daltile's Stone Radiance collection will catch your eye and capture your spirit. This beautiful product is a unique blend of stone and glass. Available in a 5/8" x 5/8" mesh-mounted mosaic as well as random linear mosaic, this line now comes in eight different trend-right color combinations. Wonderful for residential and commercial applications, this tile offers up an elegant world of stone and glass radiance to any space.

Beautiful, as well as versatile, bask in the radiant splendor of this luxurious collection.





Photo features Mushroom/Morning Sun Blend in 5/8 x 5/8 Mosaics and Mushroom/Morning Sun Blend in 5/8 Random Linear Mosaic.

wall • decorative

# MOSAIC STONE RADIANCE™

5/8 x 5/8 Mosaic



WHISPER GREEN BLEND SA51



MUSHROOM/MORNING SUN BLEND SA53



KINETIC KHAKE BLEND SA50



MORNINGSUN/TORTOISE/MUSHROOM BLEND SA52




CARAMEL TRAVERTINO BLEND SA58



BUTTERNUT EMPERADOR BLEND SA60



WISTERIA/TORTOISE BLEND SA54



GLACIER GRAY MARBLE BLEND SA59

## Random Mosaic



WHISPER GREEN BLEND SA51



MUSHROOM/MORNING SUN BLEND SA53



KINETIC KHAKI BLEND SA50



MORNINGSUN/TORTOISE/MUSHROOM BLEND SA52



CARAMEL TRAVERTINO BLEND SA58



BUTTERNUT EMPERADOR BLEND SA60



WISTERIA/TORTOISE BLEND SA54



GLACIER GRAY MARBLE BLEND SA59

## BLEND COMPONENTS

BLEND	GLASS COMPONENTS	COORDINATING NATURAL STONE
SA50	Kinetic Khaki GR09	Crema Marfil Classico M722 & Contempo White Marble M313
SA51	Whisper Green GR02	Crema Marfil Classico M722 & Contempo White Marble M313
SA52	Morning Sun P650, Mushroom P653 & Tortoise P659	Emperador Dark Marble M725 & Mediterranean Ivory Travertine T730
SA53	Morning Sun P650 & Mushroom P653	Torreon T711 & Mediterranean Ivory Travertine T730
SA54	Tortoise P659 & Wisteria P658	Emperador Dark Marble M725
SA58	Caramel Sundae GR19 & Butternut P655	Torreon T711, Mediterranean Ivory Travertine T730 & Turco Classico Travertine T324
SA59	Glacier Gray Glass color is unique to Stone Radiance	Arctic Gray Limestone L757
SA60	Butternut P655 & Caramel Sundae GR19	Emperador Dark M725 & Emperador Light Classic Marble M712

# CREATIVE IDEAS

*Color*



WHISPER GREEN BLEND  
SA51



MUSHROOM/MORNING  
SUN BLEND SA53



KINETIC KHAKI BLEND  
SA50



MORNING SUN/TORTOISE/  
MUSHROOM BLEND SA52

*Coordinating Stone*



CONTEMPORARY WHITE  
MARBLE M313



TORREON TRAVERTINE  
T711



CREMA MARFIL  
CLASSICO MARBLE M722



MEDITERRANEAN IVORY  
TRAVERTINE T730

*Color*




CARAMEL BLEND SA58



BUTTERNUT BLEND SA60



WISTERIA/TORTOISE  
BLEND SA54



GLACIER GRAY BLEND SA59

*Coordinating Stone*




TURCO CLASSICO  
TRAVERTINE T324



EMPERADOR LIGHT  
CLASSIC MARBLE M712



EMPERADOR DARK  
MARBLE M725



ARCTIC GRAY  
LIMESTONE L757

# MOSAIC STONE RADIANCE™

## SIZES

		SQ. FT. CARTON	PIECES PER CARTON
5/8 x 5/8 Mosaic (Mesh-Mounted)	Sheet: 11-3/4" x 11-3/4" (29.8 cm x 29.8 cm)	10.00	10
5/8 x Random Mosaic (mesh-mounted)	Sheet: 11-3/4" x 12-1/2" (29.8 cm x 31.8 cm)	10.00	10

## RESIDENTIAL USAGE

FLOOR	WALL	COUNTERTOPS	EXTERIOR PATIOS	EXTERIOR POOL DECKS

Suitable for exterior walls in freezing and non-freezing climates when proper installation methods are followed.

## COMMERCIAL APPLICATION

	LIGHT COMMERCIAL	COMMERCIAL	COMMERCIAL EXTERIORS
Floors			
Walls/Backsplashes	◆	◆	◆
Counters			
Pool Decking			
Pool Linings			

Suitable for exterior walls in freezing and non-freezing climates when proper installation methods are followed.

## TRIM

No trim available.

## SHADE VARIATION



HIGH (V3)

Color variation from tile to tile and within each tile.

## INSTALLATION

THICKNESS	GROUT JOINT RECOMMENDATION
5/16"	1/8" Approximately

## TEST RESULTS: For glass tile only

	ASTM#	RESULT
Water Absorption	C373	<0.1%
Breaking Strength	C648	>100 lbs
Scratch Hardness	MOHS	4.0
Chemical Resistance	C650	Resistant

## NOTES

Stone Radiance natural stone mosaics are sealed at the factory and should be resealed regularly as part of normal maintenance.

For additional information refer to "Factors to Consider" at: [www.daltile.com/CommercialFactors](http://www.daltile.com/CommercialFactors).

Natural stone products inherently lack uniformity and are subject to variation in aesthetics (color, shade, finish, etc.) and performance (hardness, strength, slip resistance, etc.). Natural stone products do not meet minimum coefficient of friction thresholds recommended by safety standard setting organizations. No warranties, express or implied, relative to merchantability or fitness for a particular purpose are made regarding the natural stone products distributed by Dal-Tile. Check local building codes prior to specification or installation to verify that product technical characteristics comply with required parameters.



# MOSAIC STONE RADIANCE™



*wall • decorative*



**daltile**  
**greenworks**  
ENVIRONMENTAL LEADERSHIP THAT WORKS

By their very design, Daltile products can help make it easier for you to earn LEED™ points and/or points towards many industry leading green home building programs. From using recycled material content to establishing manufacturing facilities within 500 miles of your project, we help ensure you don't have to compromise your design to be environmentally conscious. For detailed information, visit [daltilegreenworks.com](http://daltilegreenworks.com).



Printed using soy inks.



7834 C. F. Hawn Freeway | Dallas, TX 75217 | 214.398.1411 800.933.TILE  
For more information about Daltile products and services, visit our website at [daltile.com](http://daltile.com)

©2010 DalTile Corporation (10/10) SSDISTNR1A10