

COLORBODY™ PORCELAIN
CITY VIEW™



- 
- 
- 
- 

 **daltile**[®]
DESIGN WITH CONFIDENCE™

CITY VIEW™

COLORBODY™ PORCELAIN



floor • wall • countertop

Modern, trendy, and clean is what City View is all about. This line of ColorBody Porcelain offers a large color palette full of contemporary colors with a smooth, sleek visual. Available in large-format and regular sizes you can create intricate patterns and dimension for lofty, modern looks. Chic and stylish coordinating decorative accents and linear mosaics are available in each color for the perfect compliment to any space.



Photo features Harbor Mist 12 x 24 field tile in a staggered pattern on the floor. Featured in THE NEW AMERICAN HOME.

CITY VIEW™

COLORBODY™ PORCELAIN

floor • wall • countertop

Field Tile




HARBOUR MIST CY01




SKYLINE GRAY CY02



DOWNTOWN NITE CY04



SEASIDE BOARDWALK CY06



VILLAGE CAFÉ CY07



URBAN EVENING CY08




DISTRICT GOLD CY03



NEIGHBORHOOD PARK CY05

Mosaics



DISTRICT GOLD CY03
Random Linear Brick-joint

Available in all colors.


Decorative Accents



HARBOUR MIST CY01
3 x 12 Decorative Accent




SKYLINE GRAY CY02
3 x 12 Decorative Accent



DISTRICT GOLD CY03
3 x 12 Decorative Accent



DOWNTOWN NITE CY04
3 x 12 Decorative Accent




NEIGHBORHOOD PARK CY05
3 x 12 Decorative Accent



SEASIDE BOARDWALK CY06
3 x 12 Decorative Accent



VILLAGE CAFÉ CY07
3 x 12 Decorative Accent




URBAN EVENING CY08
3 x 12 Decorative Accent

Backsplash Ideas




Backsplash features Harbor Mist 12 x 12 field tile and 9 x 18 random linear brick-joint with coordinating Urban Metals in Bronze 3/4 x 12 Ellipse wall liner.



Backsplash features Village Café 12 x 12 field tile with District Gold 3 x 12 decorative accent.


Pattern Ideas




GRID PATTERN



DIAMOND PATTERN



GRID PATTERN WITH ACCENT



MODULAR PATTERN

SIZES

		SQ.FT. CARTON	PCS. PER CARTON
24 x 24 Field Tile	(23-1/2" x 23-1/2") (59.5 cm x 59.5 cm)	11.62	3
18 x 18 Field Tile	(17-5/8" x 17-5/8") (44.8 cm x 44.8 cm)	10.90	5
12 x 24 Field Tile	(11-5/8" x 23-1/2") (29.6 cm x 59.5 cm)	11.62	6
12 x 12 Field Tile	(11-5/8" x 11-5/8") (29.6 cm x 29.6 cm)	10.65	11
3 x 12 Decorative Accent	(2-3/4" x 11-5/8") (7.0 cm x 29.6 cm)	--	10
9 x 18 Random Linear Brick-joint (Mesh-mounted)	(Sheet 8-1/2" x 17-5/8") (Sheet 21.6 cm x 44.8 cm)	4.36	4

LINEAR OPTIONS™ SIZES

		SQ.FT. CARTON	PCS. PER CARTON
6 x 24 Field Tile	(6" x 23-1/2") (14.63 cm x 59.5 cm)	10.65	11
4 x 24 Field Tile	(4" x 23-1/2") (9.73 cm x 59.5 cm)	6.46	10
2 x 24 Field Tile	(2" x 23-1/2") (4.67 cm x 59.5 cm)	6.66	20

Additional linear and rectangular sizes are also available.

RESIDENTIAL USAGE




FLOORS	WALLS	COUNTERTOPS	EXTERIOR PATIOS	EXTERIOR POOL DECKS
F	W	C	EP	ED

COMMERCIAL USAGE

	INTERIOR			EXTERIOR	
	RESIDENTIAL	LIGHT COMMERCIAL	COMMERCIAL	RESIDENTIAL	COMMERCIAL
Floors/Patios	✓	✓	✓	✓	
Walls/Backsplashes	✓	✓	✓	✓	✓
Countertops	✓	✓	✓	✓	✓
Pool Decking					
Pool Linings	✓	✓	✓	✓	✓

Suitable for freezing and non-freezing climates when proper installation methods are followed.

TRIM

	TYPE	NUMBER	SIZE	PCS. PER CARTON
	Bullnose	S-43C9	3 x 12	30
	Cove Base	S-36C9T	6 x 12	30
	Cove Base Outcorner	SC-36C9T	1 x 6	10

SHADE VARIATION



INSTALLATION

THICKNESS	GROUT JOINT RECOMMENDATION
3/8"	1/8" (3/16" when rectangular sizes are used in a staggered brick-joint pattern, where the overlap does not exceed 33%)

SLIP RESISTANCE (WET) : 3

The higher the rating, the higher the slip resistance.

- 1 < .50
- 2 .50 - .59
- 3** ≥ .60

TEST RESULTS

	ASTM#	RESULT
Water Absorption	C373	< 3.0%
Breaking Strength	C648	250 lbs
Scratch Hardness	MOHS	8.0
Chemical Resistance	C650	Resistant
Coefficient of Friction	C1028	Wet: ≥ 0.60 Dry: ≥ 0.65

NOTES

Special care should be taken when grouting with dark pigmented colors. A grout release is recommended to prevent finely powdered pigments from lodging in the pores of the surface. Use of a latex modified thin-set is recommended for installation.

Special consideration needs to be given when installing tiles 20" and larger. Please refer to www.daltile.com/LargeTiles for more information.

Since there are variations in all fired ceramic products, tile and trim supplied for your particular installation may not match these samples. Final color selection should be made from actual tiles and trim and not from tile and trim samples or color reproductions. Manufactured in accordance with ANSI A 137.1 standards.

Water, oil, grease, etc. create slippery conditions. Floor applications with exposure to these conditions require extra caution in product selection. Not for use on ramps.

For additional information refer to "Factors to Consider" at:

www.daltile.com/CommercialFactors or www.daltile.com/ResidentialFactors.

CITY VIEW™

COLORBODY™ PORCELAIN



floor • wall • countertop



daltile
greenworks™
ENVIRONMENTAL LEADERSHIP THAT WORKS

By their very design, Daltile products can help make it easier for you to earn LEED™ points and/or points towards many industry leading green home building programs. From using recycled material content to establishing manufacturing facilities within 500 miles of your project, we help ensure you don't have to compromise your design to be environmentally conscious. For detailed information, visit daltilegreenworks.com.



PRE CONSUMER
RECYCLED MATERIALS



LINEAR
OPTIONS



TRU-EDGE



EXTERIOR
PRODUCT



Tru-Edge with Rectangular Sizes (Grout Joint Stmt) – 1/8" (3/16" when rectangular sizes are used in a staggered brick-joint pattern, where the overlap does not exceed 33%)



7834 C. F. Hawn Freeway | Dallas, TX 75217 | 214.398.1411 800.933.TILE
For more information about Daltile products and services, visit our website at daltile.com

©2012 Dal-Tile Corporation (8/12) S5DTCYVW08