# MATERIAL SAFETY DATA SHEET

## **Metal Solution Too, "The Blue Stuff"**

Identity (Trade name as used on label)

 Manufacturer
 MSDS #

 Jack's Magic Products, Inc.
 N/A

 Address
 CAS #

 12435 73rd CT
 N/A

 Date Prepared

 Largo, FL 33773
 8 /2012

 Phone # (for information)
 Prepared By

 1-800-348-1656
 N/A

Emergency Phone #

1-800-424-9300 (international 703-527-3887)

### **SECTION 1 – MATERIAL IDENTIFICATION AND INFORMATION**

COMPONENTS – Chemical Name & Common Name (Hazardous Components 1% or greater, carcinogens 0.1% or greater)	%	OSHA PEL	ACHH TLV	OTHER LIMITS RECOMMENDED
Proprietary Formulation	100			
Contains: (1-Hydroxyethylidene- 1, 1-diphosphonic Acid)				
Non-Hazardous Ingredients				
TOTAL	100			

### SECTION 2 – PHYSICAL / CHEMICAL CHARACTERISTICS

**Boiling Point** Specific Gravity (H<sub>2</sub> =1) Greater than 212 deg. F 1.19 Vapor Pressure (mm/Hg and Temperature) Melting Point Similar to water N/A Vapor Density (Air = 1) Evaporation Rate Similar to water N/A Solubility in Water Water Reactive Complete N/A

Appearance and Color

Clear blue (may turn straw-colored to light amber if dye fades) liquid; slight odor.

#### **SECTION 3 – HAZARDS IDENTIFICATION**

	Health	Flammability	Reactivity
HMIS Hazard Code	3	1	1
NFPA Hazard Code	3	1	1

#### SECTION 4 – FIRE AND EXPLOSION DATA

Non-flammable	N/A	N/A	N/A	N/A
Flash Point & Method Used	Auto Ignition Temperature	Flamability Limits in Air % by Volume	LEL	UEL

Extinguisher Media

#### Waterfog CO2, Foam, Dry Chemical

Special Fire Fighting Procedures

Eliminate ignition source. Wear self-contained breathing apparatus and complete personal protective equipment. Use water spray to cool fire, exposed structures and tanks, and to disperse vapor cloud if fire is

not present.	
Unusual Fire and Explosion Hazards	
Although this material does not meet the parameters for flammability, it will burn in the pro-	esence
of a strong ignition source after the water is removed.	
SECTION 5 – REACTIVITY HAZARD DATA	
Stability Conditions to Avoid  ☑ Stable	
Unstable Avoid contact with strong oxidizing agents.  Incompatibility (Materials to Avoid)	
Oxidizers	
Hazardous Decomposition Products	
None known.	
Hazardous Conditions to Avoid	
Polymerization	
Will Not Occur	
☐ May Occur Avoid contact with strong oxidizing agents.	
SECTION 6 – HEALTH HAZARD DATA	
Primary Routes of Entry Carcinogen Listed In	
☐ Inhalation ☐ Ingestion ☐ NTP ☐ OSHA	
☑ Skin   ☐ Not Hazardous     ☐ IARC Monograph   ☑ Not Listed	
Absorption	
Health Hazards	
Acute: May cause skin and eye burns.	
Chronic: None known.	
Chronic: None known.	
Signs and Symptoms of Exposure	
May cause skin and eye burns.	
Medical Conditions Generally Aggravated by Exposure	
None known.	
Emergency First Aid Procedures	
See below.	
Eye Contact	
Immediately flush eyes with plenty of water for at least 15 minutes. Hold eyelids open dur	ıng
washing. See a physician if irritation occurs.	
Skin Contact	
Immediately flush skin with plenty of water while removing contaminated clothing and she	bes.
Thoroughly wash before reuse or discard. See a physician if irritation occurs.  Inhalation	
Remove patient from contaminated area. Give oxygen if needed. See a physician if irritatio	n of
respiratory tract occurs.	11 01
Ingestion	
Do not induce vomiting. Drink a quart of water. (Do not give food to an unconscious person	٠)
Seek immediate medical attention.	1).
Seek illilliediate illedical attention.	
SECTION 7 – CONTROL AND PROTECTIVE MEASURES	
Respiratory Protection (Specific Type)	
None required for normal operations.	
Protective Gloves Eye Protection	
Impervious gloves Splash-proof safety goggles.	
Ventilation To Be Used  ☐ Local Exhaust ☐ Mechanical (general) ☐ Special ☐ Other (specify): <b>Normal room ventilation.</b>	
Other Protective Clothing and Equipment	
Wear protective clothing to minimize skin contact and chemical resistant safety shoes.	
Hygienic Work Practices	
Do not get in eyes, on skin, or on clothing. Avoid breathing vapor and mist. Handle with du	e
a contract of the contract of	

## **SECTION 8 – PRECAUTIONS FOR SAFE HANDLING AND USE**

Steps to be taken of material is spilled or released

Floor will become slippery. Use care. Wear splash-proof eye protection and impervious clothing. Contain spill with inert material (sand, earth, etc.) and transfer to separate containers for disposal.

Water Disposal Methods

Dispose of in accordance with all applicable local, state and federal regulations. Empty containers retain vapor or product residue and can be dangerous.

Precautions to be taken in handling and storage

Avoid contact with skin and eyes. Avoid contact with strong oxidizers. Keep out of reach of children.

Other Precautions and/or Special Hazards

N/A