

# WOODLANDS

FLORIM  
USA



**Spring Valley**



**Autumn Creek**



**Winter Hill**



1092713 - 18"x18"



1092712 - 18"x18"



1092714 - 18"x18"



1092710 - 12"x12"



1092701 - 12"x12"



1092711 - 12"x12"

**MULTI-COLOR MOSAIC**



Mosaic SV/AC 2"x2" (12"x12")  
1092873



Mosaic AC/WH 2"x2" (12"x12")  
1092874

**TRIMS**



3"x12" - 1092870  
Bullnose

**TRIMS**



3"x12" - 1092871  
Bullnose

**TRIMS**



3"x12" - 1092872  
Bullnose

## COLOR SPECIFICATIONS AND SIZES AVAILABLE

Nominal Size	SPRING VALLEY	AUTUMN CREEK	WINTER HILL	-
18"x18"	1092713	1092712	1092714	-
12"x12"	1092710	1092701	1092711	-
2"x2" Multi-Color Mosaic AC/WH (12"x12")	-	-	-	1092874
2"x2" Multi-Color Mosaic SV/AC (12"x12")	-	-	-	1092873
3"x12" Bullnose	1092870	1092871	1092872	-

## PACKAGING

NOMINAL SIZE	METRIC (CM)	THICKNESS (CM)	PIECES PER BOX	SQ. FT PER BOX	WEIGHT PER BOX	BOXES PER PALLET
18"x18"	45x45	10 mm	6	13.5	55.4 lbs	32
12"x12"	30x30	8 mm	16	16	58.4 lbs	48
2"x2" Mosaic (12"x12")	30x30	8 mm	10	10	40.6 lbs	45
3"x12" Bullnose	7.5x30	8 mm	15	3.75	15.5 lbs	168

ALL OTHER SIZES WILL BE PACKAGED AS ORDERED.  
PLEASE CONTACT FLORIM CUSTOMER SERVICE AT 877-FLORIM1 FOR PACKAGING INFORMATION.

## SHADE VARIATION



### UNIFORM APPEARANCE

Differences among pieces from the same production run are minimal.



### SLIGHT VARIATION

Clearly distinguishable differences in texture and/or pattern with similar colors.



### MODERATE VARIATION

While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece will vary significantly.



### SUBSTANTIAL VARIATION

Random color differences from tile to tile, so that one tile may have totally different colors from that on other tiles. Thus, the final installation will be unique.

## TECHNICAL SPECIFICATIONS

Surface Abrasion	PEI	IV	ASTM C1027
Water Absorption		≤ 0.5%	ASTM C373
Chemical Resistance		PASS	ASTM 650
Coefficient of Friction	(Dry)	≥ 0.70 ◆	ASTM C1028
	(Wet)	≥ 0.60 ◆	ASTM C1028
	(Dynamic)	≥ 0.42 ◆	ANSI A137.1
Breaking Strength		≥ 400 lbs (10mm) ≥ 300 lbs (8mm)	ASTM C648

ALL FLORIM USA PRODUCTS MEET OR EXCEED ALL STANDARDS IN ANSI A137.1.

◆ DUE TO THE INHERENT NATURE OF FIRED PORCELAIN TILE, IT IS IMPORTANT TO NOTE THAT THE COEFFICIENT OF FRICTION MAY VARY WITHIN AND BETWEEN PRODUCT RUNS.

## WHY PORCELAIN?

There are many reasons to choose impervious porcelain tile over other floor coverings. It offers the largest array of design options and holds its value the longest. In a comparison between the many different flooring options, porcelain tile offers one of the most durable and least expensive options over the lifespan of the building.

### Benefits of Porcelain Tile

- Impervious to water
- Easy to maintain
- Variety of design options
- Environmentally friendly
- Resistant to germs and bacteria
- Fade resistant
- Fire resistant
- Durable - best long-term value vs. other floor coverings

## HOW TO MAINTAIN YOUR PORCELAIN TILE

- Sweep or vacuum regularly.
- Wash with a household cleaner and hot water then rinse with clean water (do not use wax, oil-based, or abrasive cleaners).

Find more care, maintenance, and installation tips at [www.florimusa.com](http://www.florimusa.com)

Colors Shown in this brochure may vary from actual product.  
Final selection should be made from actual product samples.



40% RECYCLED CONTENT

PROGRESS THAT TOUCHES AND INVESTS IN THE ENTIRE SOCIETY  
As a active member of the U.S Green Building Council, Florim spreads awareness to the entire American communities and encourages towards the use of building solutions inspired by environmentally friendly practices. Using Florim products for project implementation, will positively contribute in obtaining scores and points required for earning the LEED certification (Leadership in Energy and Environmental Design).

A COMMITMENT TO THE DEVELOPMENT OF PRODUCTS FOR A CONSCIOUS BUILDING TRADE  
Florim offers products containing recycled material. The adoption of eco-compatible production systems is merit of Italian designs produced in the U.S.

TECHNICAL DEVELOPMENT THAT CONSIDERS THE NATURAL ENVIRONMENT  
Florim commits to the eco-compatible project and translates the same into an avant-guard production process, minimizing the negative impact on the environment.



LEED



**PROGRESS THAT TOUCHES AND INVESTS IN THE ENTIRE SOCIETY**

As a active member of the U.S Green Building Council, Florim spreads awareness to the entire American communities and encourages towards the use of building solutions inspired by environmentally friendly practices.

Using Florim products for project implementation, will positively contribute in obtaining scores and points required for earning the LEED certification (Leadership in Energy and Environmental Design).

**A COMMITMENT TO THE DEVELOPMENT OF PRODUCTS FOR A CONSCIOUS BUILDING TRADE**

Florim offers products containing recycled material. The adoption of eco-compatible production systems is merit of Italian designs produced in the U.S.

**TECHNICAL DEVELOPMENT THAT CONSIDERS THE NATURAL ENVIRONMENT**

Florim commits to the eco-compatible project and translates the same into an avant-guard production process, minimizing the negative impact on the environment.



300 International Blvd. Clarksville, TN 37040  
free call 877 - Florim1 (356-7461)  
tel. 931 645 5100  
[www.florimusa.com](http://www.florimusa.com)

