



made in the USA An Italian tile made in the USA An Italian til

COLOR BODY PORCELAIN
COLLECTION MADE WITH DIGITAL TECHNOLOGY
SIZES AVAILABLE:

12"X24" - 18"X18" - 12"X12" - 6"X6" - 3"X6" BRICK - MOSAICS
TRIMS: BULLNOSE - COVE BASE - INSIDE/OUTSIDE CORNERS
FLOOR / WALL
SHADE VARIATION : V4
THICKNESS: 10MM

COLOR BODY PORCELAIN
COLLECTION MADE WITH HIGH DEFINITION GRAPHICS
18"x18" - 12"x24" - 12"x12" - 6"x6" - 3"x6" brick - mosaics - trims











made in the USA An Italian tile made in the USA An Italian til

COLOR BODY PORCELAIN
COLLECTION MADE WITH DIGITAL TECHNOLOGY
SIZES AVAILABLE:

12"X24" - 18"X18" - 12"X12" - 6"X6" - 3"X6" BRICK - MOSAICS
TRIMS: BULLNOSE - COVE BASE - INSIDE/OUTSIDE CORNERS
FLOOR / WALL
SHADE VARIATION : V4
THICKNESS: 10MM

HIGH DEFINITION GRAPHICS

COLOR BODY PORCELAIN COLLECTION MADE WITH HIGH DEFINITION GRAPHICS 18"x18" - 12"x24" - 12"x12" - 6"x6" - 3"x6" brick - mosaics - trims




Light



FLOOR AND WALL
Tiles with styling and sizes suitable
for both floors and walls.



SUBSTANTIAL VARIATION
Random color differences from tile to tile, so that one tile may have totally different colors from that on other tiles. Thus, the final installation will be unique.













made in the USA An Italian tile made in the USA An Italian til

COLOR BODY PORCELAIN **COLLECTION MADE WITH DIGITAL TECHNOLOGY** SIZES AVAILABLE:

12"X24" - 18"X18" - 12"X12" - 6"X6" - 3"X6" BRICK - MOSAICS TRIMS: BULLNOSE - COVE BASE - INSIDE/OUTSIDE CORNERS FLOOR / WALL SHADE VARIATION: V4

THICKNESS: 10MM

COLOR BODY PORCELAIN COLLECTION MADE WITH HIGH DEFINITION GRAPHICS 18"x18" - 12"x24" - 12"x12" - 6"x6" - 3"x6" brick - mosaics - trims



Indigo







COLLECTION MADE WITH HIGH DEFINITION GRAPHICS

18"x18" - 12"x24" - 12"x12" - 6"x6" - 3"x6" brick - mosaics - trims

COLOR BODY PORCELAIN

SUGGESTED INSTALLATIONS

made in the USA An Italian tile made in the USA An Italian til

Moderate to heavy foot traffic

LEED Environment













1093585

















SUBSTANTIAL VARIATION

1093576 - 12"x12"





1093652

Corner

1"x6" Outside

Corner

1"x6" Inside



Nominal Size	DARK	LIGHT	INDIGO	
18"x18"	1093579	1093579 1093578		
12"x24" ♦	1093581	1093580	1094271	
12"x12"	1093577	1093576	1094270	
6"x6"	1093585	1093584	1094274	
2"x2" Mosaic (12"x12")	1093587	1093586	1094276	
3"x6" Brick	1093591	1093590	1094273	
6"x12" Cove Base	1093651	1093650	1094277	
1"x6" Inside Corner	1094154	1093652	1094278	
1"x6" Outside Corner	1094156	1094155	1094279	
3"x12" Bullnose	3"x12" Bullnose 1093583		1094275	

NOMINAL SIZE	METRIC (CM)	THICKNESS (MM)	PIECES PER BOX	SQ. FT PER BOX	WEIGHT PER BOX	BOXES PER PALLET	WEIGHT PER PALLET
18"x18"	45x45	10 mm	6	13.5	57.4	32	1887
12"x24"	30x60	10 mm	6	12	52.8	48	2584
12"x12"	30x30	10 mm	13	13	55.3	48	2796
6"x6"	15x15	10 mm	30	7.5	31.1	72	1890
2"x2" Mosaic (12"x12")	30x30	10 mm	10	10	41.0	45	1895
3"x6" Brick	7.5x15	10 mm	40	5	20.0	58	1234
6"x12" Cove Base	15x30	8 mm	10	-	17.5	-	-
1"x6" Inside Corner	2.5x15	8 mm	4	-	1.0	-	-
1"x6" Outside Corner	2.5x15	8 mm	4	-	1.0	-	-
3"x12" Bullnose	7.5x30	10 mm	12	3	12.7	168	2184

ALL OTHER SIZES WILL BE PACKAGED AS ORDERED.
PLEASE CONTACT FLORIM CUSTOMER SERVICE AT 877-FLORIM1 FOR PACKAGING INFORMATION.

♦ MINIMUM GROUT SIZE RECOMMENDED = 5 MM (OR APPROX. 3/16" IF STAGGERED TILE PLACEMENT, WE RECOMMEND USING A 30% OFFSET. IF SPECIFIED BRICK PATTERN WITH 1/2 PATTERN MANDATORY, A BIGGER GROUT IS RECOMMENDED TO HIDE IMPERFECTIONS OF INSTALLATION (MINIMUM 1/4").

Surface Abrasion	PEI	IV	ASTM C1027
Water Absorption		≤ 0.5%	ASTM C373
Chemical Resistance		CLASS A	ASTM 650
Dynamic Coefficient of Friction		≥0.42 ◆	ANSI 137.1
Stain Resistance		CLASS A	ASTM C1378
Breaking Strength		≥ 400	ASTM C648
Resistance to Freeze		RESISTANT	ASTM C1026
Scratch Hardness		≥8	MOHS


ALL FLORIM USA PRODUCTS MEET OR EXCEED ALL STANDARDS IN ANSI A137.1. ◆ DUE TO THE INHERENT NATURE OF FIRED PORCELAIN TILE, IT IS IMPORTANT TO NOTE THAT THE COEFFICENT OF FRICTION MAY VARY WITHIN AND BETWEEN PRODUCT RUNS.

SHADE VARIATION




UNIFORM APPEARANCE

MODERATE VARIATION



SLIGHT VARIATION



SUBSTANTIAL VARIATION Random color differences from tile to tile, so that one tile may have totally different colors from that on other tiles. Thus, the final installation will be unique.



WHY PORCELAIN?

There are many reasons to choose impervious porcelain tile over other floor coverings. It offers the largest array of design options and holds its value the

In a comparison between the many different flooring options, porcelain tile offers one of the most durable and least expensive options over the lifespan of the building.

- Benefits of Porcelain Tile
- Impervious to water
- Easy to maintain Variety of design options
- Environmentally friendly
- Resistant to germs and bac-
- Fade resistant
- Fire resistant Durable - best long-term
- value vs. other floor coveings

HOW TO MAINTAIN

- YOUR PORCELAIN TILE
- Sweep or vacuum regularly. Wash with a household cleaner and hot water then rinse with clean water (do not use wax, oil-based,

Find more care, maintenance, and installation tips at www.florimusa.com

or abrasive cleaners).

Colors Shown in this brochure may vary from actual product. Final selection should be made from actual product samples.













