


CeraLine™

5231 Argosy Aveune Huntington Beach, CA 92649 www.calfaucets.com 800.872.8855

Pg I

9180-XX and 9181-XX Metro Channel Drain Kit & Edge Channel Drain Kit Installation Instructions

CALIFORNIA FAUCETS RECOMMENDS THAT THIS PRODUCT BE INSTALLED BY A LICENSED PROFESSIONAL




Parts included with complete kit

Item No.	Description	Qty
l or la	Metro or Edge Trim Cover	I
2	Trim Cover Removal Key	I
3	Trim Cover Height Adjustment Pad	6*
4	Tile Trim Template	2
5	Tile Straight Edge Framing holder	2
6	Styrofoam Mudguard	I
7	Debris Strainer	I
8	Drain Body	I
9	Drain Body Height Adjustment Leg	4
10	Sleeve Adapter Insert Key	I
11	2" IPS Sleeve Adapter	I

^{*} The 48" long channel drain kits have 8 total Trim Cover Height Adjustment Pads

Installation with 2" IPS Clamping Flange Body and PVC/CPE or Hot Mop Waterproofing Trim Cover Trim Cover Pad Thin Set Strainer Body Rough Tile Flange 2" IPS Sleeve Adapter Slope 1/4" per Pea Gravel Grout Linear Foot (for weep holes) Mortar Base 2 (See NOTE 3) Support Leg PVC/CPE or 2" IPS Clamping Hot Mop Flange/Collar Mortar Base I (See NOTE I) Plywood Plywood (See NOTE 2) 2" PVC, ABS or Concrete Slab Cast Iron Drain Body Drain Pipe



NOTES:

- 1. Moisture resistant material should be used between plywood and mortar base
- 2. Floor (plywood) / joist structure should be of adequate strength to carry load from finished shower base
- 3. Mortar base thickness shall be I" minimum
- 4. Liquid membrane waterproofing compliant to ANSI A118.10 (e.g. Hydro Ban™ by Laticrete® or others)

9180-XX_ii_100301.doc Pg 2