CONTACT US



QUESTIONS? NEED PARTS? WE ARE HERE TO HELP!

TRINITY Customer Service TEL: 800.985.5506 FAX: 310.347.4134 EMAIL: customerservice@TRINITYii.com


Monday - Friday 8:00 a.m. - 5:00 p.m. (Pacific Standard Time)

Thank you for purchasing a TRINITY Double-Sided Mobile Bin Rack. In order to register your product to receive streamlined customer service, please fill out the following Product Registration Form and (1) fax the form to 310.347.4134 or (2) complete the Product Registration Form at www.TRINITYii.com or (3) scan and email the form to customerservice@TRINITYii.com. Include a copy of your original receipt with your submission.

First Name:	Last Name:
Address:	
City:	State: Zip Code:
Email Address:	Phone:
Product Model #:	Purchase Date: / /
Location of Purchase:	
Please rate the importance of each feature (1 - least important, 10 - most important) Quality Price Size/Capacity Appearance	
Comments/Suggestions:	

DOUBLE-SIDED MOBILE BIN RACK USER'S MANUAL


Please inspect box contents to ensure you have received all components.






Step 1

Attach the Casters (G) with the CASTER BOLTS (H) to the underside of the BOTTOM SHELF (A). Use the provided hex wrench to ensure that the bolts are fully tightened. Make sure to attach the CASTERS W/LOCKS on the same short side of the BOTTOM SHELF (A).





Step 6

Attach the HANGING BAR SUPPORT (F) to the HANGING BARS (E) with the BAR SUPPORT SCREWS (K). The HANGING BAR SUPPORT (F) will be flush aginst the HANGING BAR (E). The U-shape channel should be facing out.

Step 7

Fix the BINS (L) in place by pressing one thumb against the inside back of the BIN, and pressing down firmly onto the HANGING BAR (E) until the back lip of the bin is caught onto the top of the HANGING BAR. Be sure to place the rows of BINS from the bottom up.

The SMALL BINS belong on the top 4 HANGING BARS, while the LARGE BINS belong on the bottom 3 HANGING BARS. DO NOT LOAD ITEMS INTO BINS BEFORE HANGING ON RACK.

LIMITED WARRANTY

BIN RACK Model TSC-1701

We warrant to the original consumer purchaser ("Purchaser") of the TRINITY Double-Sided Bin Rack ("Product") that each Product shall be free from defects in workmanship and materials for a period of 1 year form the date of original purchase. Trinity's obligation under this warranty shall be limited to repair or replacement of, or adequate compensation for the Product which shall not be greater than the amount of the purchase price of the Product, at the option of Trinity, during the warranty period. All replaced parts and Products become the property of Trinity and must be returned to Trinity.

This warranty excludes normal wear and tear of the Product and its parts or components, and damage arising from any of the following: negligent use or misuse of the Product, use contrary to this User's Manual, or alteration by any one other than Trinity. The warranty period of 1 year shall not be extended or renewed by the repair or replacement of, or compensation for, the Product.

Except as set forth herein, there are no warranties on this Product either express or implied, and Trinity disclaims all warranties including, but not limited to, any implied warranties of merchantability, infringement or fitness for a particular purpose. No warranty or guarantee given by any person, firm, or corporation with respect to this product shall be binding on Trinity.

If your Product is defective or otherwise requires service or parts, please call TRINITY Customer Service toll-free at (800) 985-5506, between 8:00 a.m. and 5:00 p.m., PST. Please tell us which model you purchased, the date of the purchase, and the problem with your Product. A copy of your original purchase receipt must accompany your service request.

LIMITATION OF REMEDIES AND LIABILITY

Trinity shall not be liable for any incidental, consequential, special, or punitive damages for breach of any express or implied warranty on its Product. Except to the extent prohibited by applicable law, any implied warranty of merchantability or fitness for a particular purpose on this Product shall be limited to the duration of the above warranty. Neither Trinity nor anyone else who has been involved in the creation, production, delivery or sale of the Product shall be liable for any damages of any type, including but not limited to any lost profits, lost savings, loss of anticipated benefits, or any other incidental, consequential, special, or punitive damages which arise out of the purchase, use, or inability to use the Product, whether arising out of contract, negligence, strict tort, or any other legal theory on which a claim is based. Recovery of any kind against Trinity shall not be greater in amount than the purchase price of the Product. Without limiting the foregoing, Purchaser assumes all risk and liability for loss, damage or injury to Purchaser and Purchaser's property and to others and their property arising out of the use, misuse, or inability to use this Product. This limited warranty shall not extend to anyone other than the original purchaser of this product. If is nontransferable and states your exclusive remedy.

Some states do not allow the exclusion or limitation of incidental, consequential, special, or punitive damages, so the above limitation or exclusion may not apply to you. The above warranty gives you specific legal rights, and you may have other rights which vary from state to state.

Step 2

Insert one end of both POSTS (C) into the BOTTOM SHELF (A). Make sure that the tabs on the POSTS are facing the inside. Secure with SCREWS (I).

Step 3

Slide the TOP SHELF(B) onto the top of both POSTS (C) and secure it with the SCREWS (I) underneath the TOP SHELF (B).

Step 4

Secure 2 diagonal POST SUPPORTERS (D) to each side of the POSTS (C) with the SCREWS (I). Screw one end of each diagnal POST SUPPORTER (D) into the POST (C) and the other end into the BOTTOM SHELF (A) as shown in the drawing above.

Step 5

Attach the individual HANGING BARS (E) to the sides of POSTS (C) as shown on the drawing above. Make sure that the holes for the HANGING BAR SUPPORT (F) are all vertically lined up. Tighten the SCREWS (I) with the NUTS (J) to the metal tab portruding from the POSTS (C). Repeat for all 7 Hanging Bars. The metal tab should be on the back side of the HANGING BARS.

