

Steel Desks

METRO CLASSIC SERIES

MODELS in SERIES

Model #	Dimensions	Classification
P3235R	24 x 42	Flush Return
P3236L	24 x 42	Flush Return
P3253R	24 x 45	Single Pedestal Desk
P3262	30 x 60	Double Pedestal
P3261	30 x 60	Double Pedestal Desk
P3265R	30 x 66	Single Pedestal Desk
P3266L	30 x 66	Single Pedestal Desk
P3276	30 x 72	Double Pedestal
P3231	24 x 60	Credenza with Knee Space
P3251R	30 x 48	Single Pedestal

TOPS

Upper Surface:

• High Pressure Writing Surface

Core:

• 1-1/8" particleboard core

Edging:

• Self-Edged With Matching 1/32" Plastic Laminate

DIMENSIONS (Over All Height of Desk is 29-1/2", with level Screws Fully Retracted)

Pedestals:

Desk: 14-57/64" x 28-7/8"x 19" (W-D-H) Flush Return: 14-57/64" x 16-7/8"x 19" (W-D-H) Credenza: 14-57/64" x 22-7/8"x 19" (W-D-H)

Inside Drawer Dimensions:

Desks (Not Including P3261):

Letter: 12" x 27-1/8" x 9-5/8" (W-D-H) Box: 11-5/16" x 19-3/16" x 4-7/8" x (W-D-H) Center: 24-11/16" x 13-1/2" x 2-7/16" (W-D-H)

Credenza, Return, and P3261:

Letter: 12" x 20" x 9-5/8" (W-D-H) w/ Adjustable Follower

Box: 11-5/16" x 15-3/16" x 4-7/8" x (W-D-H) Center: 24-11/16" x 13-1/2" x 2-7/16" (W-D-H)

Steel Desks

METRO CLASSIC SERIES

IETRO CLASSIC SERIES

Knee Space:

Models P3253

o 27-11/16"

Models P3251R

o 30-11/16"

Models P3262, P3261, P3231

o 27-13/16"

Model P3265R/66L

o 48-11/16"

Model P3265R/66L

o 36-13/16"

CONSTRUCTION

Pedestal Construction:

- Vertical Channels: 4
- Case Slides: Suspension and Non-Suspension
- Wire Tray: HIP Black

End Panel Construction:

- Outside/ Inside steel panels
- Composite Core: Honeycomb Panel 69-33-69 (69 lb. Backers, 33 lb. Inner Medium, 69 lb. Backer)
- Adhesive: Polyurethane Reactive Hotmelt
- Level Screw: 7/8" Hex Base with 3/8" x 16" Thread Stem

Drawer Construction

DOUBLE WALL BOX DRAWER (NON-SUSPENSION)

- Operation: Nylon Rollers for Desks and Credenzas, Nylon Glides for Returns
- Rails Formed by side

LETTER DRAWER - DESK

• Rails Formed by side

LETTER DRAWER- RETURN

• Rails Formed by side

Suspension – Full triple tied cradle

Leg Assembly

- Leg Locators: Nylon Rollers
- Leg: 1 x 1 welded steel tubing painted to match color of unit
- Level Screw: 7/8" Hex Base with 3/8" x 16 Thread Stem

SPECIFICATIONS

FEATURES

Hardware:

- Injection Molded Plastic Drawer Pull and Wire Management
- Grommets in matching paint color

Follower:

- Automatic Positive Locking Side Action Follower, Adjustable on 5/8" Centers.
- Follower Slides Easily in Channels at Top of Drawer Slides

Lock:

 Overall Pedestal Locking, Controlled Paracentric Two-Point Center Drawer Lock, Lock Bar

Suspension:

• Full Cradle Triple Tied Suspension with 10 Nylon Rollers

Finish:

- Baked enamel over phosphatizing prime rust-proofing treatment.
- Sound Deadening Material on Inside of Pedestal

CARTONING

Model	Weight	Cubes	Carton #	Cartons Outside dimensions
P3235R	89 lbs.	14.47	42-3172	44-9/16" x 26-9/16" x 21-1/8" (W-D-H)
P3236L	89 lbs.	14.47	42-3172	44-9/16" x 26-9/16" x 21-1/8" (W-D-H)
P3253R	109 lbs.	15.46	42-3570	47-3/4" x 26-1/2" x 21-1/8" (W-D-H)
P3262	176 lbs.	24.83	42-3502	62-3/8" x 32-9/16" x 21-1/8" (W-D-H)
P3261	155 lbs.	24.82	42-3502	62-3/8" x 32-9/16" x 21-1/8" (W-D-H)
P3265R	162 lbs.	27.29	42-3495	68-9/16" x 32-9/16" x 21-1/8" (W-D-H)
P3266L	162 lbs.	27.29	42-3495	68-9/16" x 32-9/16" x 21-1/8" (W-D-H)
P3276	208 lbs.	35.83	42-3529	74-3/4" x 38-3/4" x 21-3/8" (W-D-H)
P3231	160 lbs.	20.25	42-3501	62-3/8" x 26-9/16" x 21-1/8" (W-D-H)
P3251R	131 lbs.	20.23	42-3509	50-13/16" x 32-9/16" x 21-1/8" (W-D-H)

REVISIONS

Number Date What was Changed Rev 2.0 5/18/05 Updated Specifications