

Lighting Your Life Since 1970

Product Specifications - 25000CLSN			
Job Name:	Job Type:		
Quantity:	Comments		



25000CLSN

Hi-Bay 2-Light Flush Mount

Finish	Glass/Shade	Product Category
Satin Nickel	Clear Halophane	Flush Mount

Measurements

N/A

N/A

N/A

No

Standard

Lamping	
Number of Bulbs	2
Light Type	Incandescent
Bulb Type	MB
Max Bulb Wattage	60
Max Fixture Wattage	120
Rated Life	±2,500 Hours
Rated Lumens	±1,344
Color Temp	±2,700 K
Bulb(s) Included	No
Light Up/Down	N/A

Beam Spread

Dimmable

Photo Cell Included

Ballast/Driver/Transformer

CRI

13.0"
4.8"
N/A
5.5 lbs
N/A
N/A
0"
0"
N/A
N/A
N/A

	Shipping	
"	Carton Weight	5.5 lbs
"	Carton Width	13'
4	Carton Height	13'
٩	Carton Length	29'
4	Carton Cubic Feet	2.76
٩	Master Pack	1
4	Master Pack Weight	N/A
٩	Master Pack Width	N/A
4	Master Pack Height	N/A
s	Master Pack Length	N/A
٩	Master Cubic Feet	N/A
4	UPS Shippable	Yes

Certification		Other		Equivalents	
UL Standard	Dry	UPC Code	783209093652	Incandescent Watts	N/A
Energy Star	No	Shades Included	N/A	Fluorescent Watts	N/A
CA Title 24	No	Crystals Included	N/A		
CA Title 20	No	Diffuser Included	N/A		
ADA	No	Conversion Kit	N/A		
Dark Sky	N/A	Material	N/A		

Maxim Lighting International and all designs, logos and images © 2010 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Products are subject to revision in design and/or construction to conform to changes in UL and/or CSA and/or ETL standards, or that which may be required by law or availability of material. Maxim Lighting International products are UL, ETL or CSA approved. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.