



12028AD

Hampton 3-Light Entry Foyer Pendant

Playfully regal, the **Hampton** collection's slender metalwork finished in **Aspen Dust** swirls around a clear resin column that mirrors ambient lights and images. Each metallic vine dangles sparkling clear crystals that reflect light from a wreath of "candles."

Finish	
Auburn	Dusk

Lamping

Number of Bulbs 3 **Light Type** Incandescent Bulb Type CA Max Wattage 60 **Rated Life** 1500 **Rated Lumens** 2,016 **Color Temp** 2500 Bulb(s) Included No Light Up/Down N/A **Beam Spread CRI**

Glass/Shade

Measurements

Width	16.0"
Height	19.5"
Length	0.0"
Exension	0"
Back Plate Width	0.0"
Back Plate Height	0.0"
HCO	0"
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	6.7 lbs

Product Category

Entry Foyer Pendant

Shipping

	Shipping	
•	Carton Weight	6.7 lbs
•	Carton Width	
•	Carton Height	
•	Carton Length	
•	Carton Cubic Feet	(
•	Master Pack	•
•	Master Pack Weight	N/A
١	Master Pack Width	N/A
١	Master Pack Height	N/A
3	Master Pack Length	N/A
	Master Cubic Feet	(
	UPS Shippable	Yes

Certification

UL/ETL/CSA	
Energy Star	No
CA Title 24	No
CA Title 20	No
ADA	No

Other

UPC Code

Equivalents

Incandescent Fluorescent

Maxim Lighting International, ET2 Contemporary Lighting and all designs, logos and images © 2010 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Products are subject to revision in design and/or construction to conform to changes in UL and/or CSA standards, or that which may be required by law or availability of material.

Maxim Lighting International products are UL and CSA approved.

Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.