

Lighting Your Life Since 1970

Product Specifications - 1026RP			
Job Name:	Job Type:		
Quantity:	Comments		



Builder Cast 1-Light Outdoor Wall Lantern

Finish Glass/Shade **Product Category** Outdoor Wall Mount Rust Patina

Lam	pıng	7	
Mirron	h ~ "	~£	р.

Number of Bulbs	1
Light Type	Incandescent
Bulb Type	MB
Max Bulb Wattage	60
Max Fixture Wattage	60
Rated Life	±2,500 Hours
Rated Lumens	±672
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard

iear			

Measurements	
Width	5.5"
Height	10.0"
Length	N/A
Extension	6"
Back Plate Width	4.5"
Back Plate Height	4.5"
HCO	2.5"
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	1.9 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Shinning

Snipping	
Carton Weight	1.9 lbs
Carton Width	7'
Carton Height	12'
Carton Length	8'
Carton Cubic Feet	0.34
Master Pack	6
Master Pack Weight	18.0 lbs
Master Pack Width	15.0
Master Pack Height	12.5
Master Pack Length	20.0
Master Cubic Feet	2.17
UPS Shippable	Yes

Certification Other **Equivalents**

o or arroad or		0 11101		=quivaronto	
Safety Rating	Wet	UPC Code	783209102637	Incandescent Watts	N/A
Energy Star	No	Shades Included	N/A	Fluorescent Watts	N/A
CA Title 24	No	Crystals Included	N/A		
CA Title 20	No	Diffuser Included	N/A		
ADA	No	Conversion Kit	N/A		
Dark Sky	N/A	Material	Die Cast Aluminum		

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.