

Lighting Your Life Since 1970

	Product Specifications - 20742CU				
	Job Name:	Job Type:			
1	Quantity:	Comments			



Richmond 3-Light Entry Foyer Pendant

Finish Colonial Umber

Lamping
Number of Bulbs

Light Type	Incandescent
Bulb Type	CA
Max Bulb Wattage	60
Max Fixture Wattage	180
Rated Life	±1,500 Hours
Rated Lumens	±2,016
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard Dimmer

Glass/Shade

- N/	lo:	20	"	ro	m	Δ	ni	te

Med3di ement3	
Width	11.0"
Height	21.5"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
НСО	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	4.7 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	36"
Wire Length	180"
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Product Category

Entry Foyer Pendant

Shipping	
Carton Weight	4.7 lbs
Carton Width	13'
Carton Height	6'
Carton Length	21'
Carton Cubic Feet	0.99
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

	4 - 6 -	4.5
e.	rtific	atıo

Safety Rating Dry **Energy Star** No CA Title 24 No CA Title 20 No **ADA** No Dark Sky N/A

Other		Equivalents	
UPC Code	783209054318	Incandescent Watts	N/A
Shades Included	N/A	Fluorescent Watts	N/A
Crystals Included	N/A		
Diffuser Included	N/A		
Conversion Kit	N/A		
Material	Steel		

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.