

Lighting Your Life Since 1970

Product Specifications - 1068BK	
Job Name:	Job Type:
Quantity:	Comments



Senator 1-Light Outdoor Wall Lantern

Finish Black

Lamping Number of Bulbs

Beam Spread

Dimmable

Photo Cell Included

Ballast/Driver/Transformer

Light Type Incandescent **Bulb Type** MB Max Bulb Wattage 100 **Max Fixture Wattage** 100 **Rated Life** ±2,500 Hours **Rated Lumens** ±1.150 **Color Temp** ±2,700 K Bulb(s) Not Included Light Up/Down N/A

Glass/Shade Seedy

N/A

N/A

N/A

No

Standard

Measurements Width

Height 22.5" Length N/A Extension 8" **Back Plate Width** 4.3" **Back Plate Height** 6.3" HCO 15.5" Min Overall Height N/A Max Overall Height N/A **Hanging Weight** 4.0 lbs **Height Adjustable** N/A Slope N/A **Chain Length** N/A Wire Length N/A **Canopy Width** N/A N/A **Canopy Height**

Product Category Outdoor Wall Mount

Shipping

7.0"

N/A

Carton Weight	4.0 lbs
Carton Width	9'
Carton Height	16'
Carton Length	9'
Carton Cubic Feet	0.74
Master Pack	6
Master Pack Weight	34.0 lbs
Master Pack Width	19.9'
Master Pack Height	17.1'
Master Pack Length	26.5
Master Cubic Feet	5.22
UPS Shippable	Yes

Certification

Safety Rating **Energy Star** No CA Title 24 No CA Title 20 No **ADA** No Dark Sky N/A

Wet UPC Code

Canopy Length

Other 783209106819 **Shades Included** N/A Crystals Included N/A Diffuser Included N/A Conversion Kit N/A Material Die Cast Aluminum

Equivalents

Incandescent Watts N/A Fluorescent Watts N/A

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.