

## Lighting Your Life Since 1970

Product Specifications - 2656WSKB		
Job Name:	Job Type:	
Quantity:	Comments	



#### **2656WSKB**

Pacific 7-Light Chandelier

**Finish** Kentucky Bronze

Lamping

Number of Bulbs	5+2
Light Type	Incandescent
Bulb Type	MB
Max Bulb Wattage	100+60
Max Fixture Wattage	620
Rated Life	±2,500 Hours
Rated Lumens	±7,094
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard

Glass/Shade	
Wilshire	

/leasurements	
Vidth	

Height	28.0"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
НСО	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	18.6 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	72"
Wire Length	180"
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

# **Product Category**

Multi-Tier Chandelier

27.0"

S	hipping	
C	arton Weight	18.6 lbs
C	arton Width	21"
C	arton Height	18"
C	arton Length	21"
C	arton Cubic Feet	4.83
М	aster Pack	1
М	aster Pack Weight	N/A
М	aster Pack Width	N/A
М	aster Pack Height	N/A
М	aster Pack Length	N/A
М	aster Cubic Feet	N/A
U	PS Shippable	Yes

Certification		Other	
Safety Rating	Dry	UPC Code	783209265684
Energy Star	No	Shades Included	N/A
CA Title 24	No	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	Iron

### **Equivalents**

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.