

Lighting Your Life Since 1970

Product Specifications - 85104BK		
Job Name:	Job Type:	
Quantity:	Comments	



Westlake EE 1-Light Outdoor Wall Lantern

Finish Black

Glass/Shade Frosted

Product Category Outdoor Wall Mount

Lamping	
Number of Bulbs	1
Light Type	Fluorescent
Bulb Type	GU24
Max Bulb Wattage	18
Max Fixture Wattage	18
Rated Life	±10,000 Hours
Rated Lumens	±1,355
Color Temp	±2,700 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	81-82
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	No

Measurements	
Width	9.5"
Height	19.0"
Length	N/A
Extension	10"
Back Plate Width	4.5"
Back Plate Height	10.0"
HCO	6.0"
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	4.4 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Shipping	
Carton Weight	4.4 lbs
Carton Width	10"
Carton Height	20"
Carton Length	11"
Carton Cubic Feet	1.36
Master Pack	4
Master Pack Weight	26.5 lbs
Master Pack Width	21.0"
Master Pack Height	21.5"
Master Pack Length	23.6"
Master Cubic Feet	6.17
UPS Shippable	Yes

_	-4:6:	4	
	rtifi	cat	ınn
-		vui	

Certification		Other	
Safety Rating	Wet	UPC Code	783209032347
Energy Star	No	Shades Included	N/A
CA Title 24	Yes	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	Die Cast Aluminum

Equivalents	Equ	iva	lents	
-------------	-----	-----	-------	--

Incandescent Watts	123
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.