

Lighting Your Life Since 1970

Product Specifications - 4456PC			
Job Name:	Job Type:		
Quantity:	Comments		

3.0 lbs 5" 2" 37" 0.22 8 29.7 lbs 10.4" 9.7" 37.2" 2.17

	100				
19E	09-	(00m	1000	dijin	(d)
	-			-	

4456PC

Essentials 6-Light Bath Vanity

N/A

Lamping Number of Bulbs	Measurements 6 Width	Shipping 36.0" Carton Weight
Polished Chrome	Glass/Snade	Bath Vanity

Lamping		Weasurements		Snipping
Number of Bulbs	6	Width	36.0"	Carton Weight
Light Type	Incandescent	Height	4.3"	Carton Width
Bulb Type	MB	Length	N/A	Carton Height
Max Bulb Wattage	60	Extension	3"	Carton Length
Max Fixture Wattage	360	Back Plate Width	4.0"	Carton Cubic Feet
Rated Life	±2,500 Hours	Back Plate Height	35.3"	Master Pack
Rated Lumens	±4,032	НСО	N/A	Master Pack Weight
Color Temp	±2,700 K	Min Overall Height	N/A	Master Pack Width
Bulb(s)	Not Included	Max Overall Height	N/A	Master Pack Height
Light Up/Down	Both	Hanging Weight	3.0 lbs	Master Pack Length
Beam Spread	N/A	Height Adjustable	N/A	Master Cubic Feet
CRI	N/A	Slope	N/A	UPS Shippable
Photo Cell Included	N/A	Chain Length	N/A	
Ballast/Driver/Transformer	No	Wire Length	N/A	
Dimmable	Standard	Canopy Width	N/A	
		Canopy Height	N/A	

Canopy Length

Certification		Other		Equivalents	
Safety Rating	Damp	UPC Code	783209445611	Incandescent Watts	N/A
Energy Star	No	Shades Included	N/A	Fluorescent Watts	N/A
CA Title 24	No	Crystals Included	N/A		
CA Title 20	No	Diffuser Included	N/A		
ADA	Yes	Conversion Kit	N/A		
Dark Sky	N/A	Material	Iron		

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.