

Lighting Your Life Since 1970

Product Specifications - 9022SWPN			
Job Name:	Job Type:		
Quantity:	Comments		



9022SWPN

Lola 2-Light Bath Vanity

N/A

Finish	Glass/Shade	Product Category
Polished Nickel	Satin White	Bath Vanity

Lamping
Number of

=ampmg	
Number of Bulbs	2
Light Type	Xenon
Bulb Type	G9 Frost
Max Bulb Wattage	60
Max Fixture Wattage	120
Rated Life	±2,000 Hours
Rated Lumens	±1,600
Color Temp	±2,900 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard

Measurements	
Width	13.8"
Height	7.0"
Length	N/A
Extension	4"
Back Plate Width	N/A
Back Plate Height	N/A
НСО	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	3.8 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A

	Shipping	
"	Carton Weight	3.8 lbs
"	Carton Width	7'
١	Carton Height	9'
"	Carton Length	16'
١	Carton Cubic Feet	0.55
١	Master Pack	1
١	Master Pack Weight	N/A
٨	Master Pack Width	N/A
١	Master Pack Height	N/A
3	Master Pack Length	N/A
١	Master Cubic Feet	N/A
١	UPS Shippable	Yes

N/A N/A

Certification		Other		Equivalents
Safety Rating	Damp	UPC Code	783209902213	Incandescen

Canopy Length

Safety Rating	Damp	UPC Code	783209902213	Incandescent Watts
Energy Star	No	Shades Included	N/A	Fluorescent Watts
CA Title 24	No	Crystals Included	N/A	
CA Title 20	No	Diffuser Included	N/A	
ADA	Yes	Conversion Kit	N/A	
Dark Sky	N/A	Material	N/A	

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.