

Lighting Your Life Since 1970

Glass/Shade

Damp UPC Code

N/A Material

No Shades Included

Yes Crystals Included

No Diffuser Included

No Conversion Kit

Product Specifications - 85812MRSN				
Job Name:	Job Type:			
Quantity:	Comments			

Product Category

Incandescent Watts

Fluorescent Watts

164

N/A



Finish

Safety Rating Energy Star

CA Title 24

CA Title 20

Dark Sky

ADA

85812MRSN

783209081567

N/A

N/A

N/A

N/A

N/A

Essentials EE 2-Light Bath Vanity

FIIIISII		Glass/Silaue		Froduct Category	
Satin Nickel		Marble		Bath Vanity	
Lamping		Measurements		Shipping	
Number of Bulbs	2	Width	18.0"	Carton Weight	3.5 lbs
Light Type	Fluorescent	Height	7.0"	Carton Width	9"
Bulb Type	GU24	Length	N/A	Carton Height	8"
Max Bulb Wattage	13	Extension	8"	Carton Length	22"
Max Fixture Wattage	26	Back Plate Width	N/A	Carton Cubic Feet	0.92
Rated Life	±10,000 Hours	Back Plate Height	N/A	Master Pack	1
Rated Lumens	±1,800	HCO	N/A	Master Pack Weight	N/A
Color Temp	±2,700 K	Min Overall Height	N/A	Master Pack Width	N/A
Bulb(s)	Included	Max Overall Height	N/A	Master Pack Height	N/A
Light Up/Down	Both	Hanging Weight	3.5 lbs	Master Pack Length	N/A
Beam Spread	N/A	Height Adjustable	N/A	Master Cubic Feet	N/A
CRI	81-82	Slope	N/A	UPS Shippable	Yes
Photo Cell Included	N/A	Chain Length	N/A		
Ballast/Driver/Transformer	No	Wire Length	N/A		
Dimmable	No	Canopy Width	N/A		
		Canopy Height	N/A		
		Canopy Length	N/A		
Certification		Other		Equivalents	

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.