



Product Specifications for E21502-09BK

Job Name:	Job Type:
Quantity:	Comments:



**E21502-09BK**

**Hydrox 1-Light Pendant**

In a ballet of fluid grace, Hydrox drips from a spiraling pendant and pools into a transparent teardrop of soft light. A frosted glass core encases the gentle incandescent source for a sheer glow that dances and sways like the natural ebb and flow of the ocean.

**Finish**  
Black

**Glass/Shade**  
Frost White

**Product Category**  
Single Pendant

**Lamping**

Number of Bulb(s)	1
Light Type	Incandescent
Bulb Type	MB
Max Bulb Wattage	150
Max Fixture Wattage	150
Rated Life	±2,500 Hours
Rated Lumens	±1,570
Color Temp	±2,700 K
Bulb(s) Included	No
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast	N/A

**Measurements**

Width	17.50"
Height	20.25"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	N/A
Max Overall Height	120.00"
Hanging Weight	14.30 lb(s)
Height Adjustable	Yes
Slope	N/A

**Shipping**

Carton Weight	N/A
Carton Width	N/A
Carton Height	N/A
Carton Length	N/A
Carton Cubic Feet	N/A
Master Pack	N/A
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

**Certification**

UL/ETL/CSA	Dry
Energy Star	No
CA Title 24	No
CA Title 20	No
ADA	No

**Other**

UPC Code	
Material	steel

**Equivalents**

Incandescent Watts	N/A
Fluorescent Watts	N/A

ET2 Contemporary Lighting and all designs, logos and images © 2010 ET2 Contemporary Lighting. All Rights Reserved. ET2 Contemporary Lighting reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Products are subject to revision in design and/or construction to conform to changes in UL and/or CSA and/or ETL standards, or that which may be required by law or availability of material. ET2 Contemporary Lighting products are UL, ETL or CSA approved. Color may vary from what is pictured above due to limitations inherent to photographic processes. Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.