

Product Specifications for E23034-83PC			
	Job Name:	Job Type:	
	0.00		
	Quantity:	Comments	

	111111	111	
		14	
	-		
			•
	1000		-
L Pull			11.0

E23034-83PC Halo 4-Light LED Pendant

FinishGlass/ShadeProduct CategoryPolished ChromeClear Acrylic

Other

**UPC Code** 

Material

Lamping	
Number of Bulb(s)	4
Light Type	LED
Bulb Type	LED
Max Bulb Wattage	3
Max Fixture Wattage	12
Rated Life	±50,000 Hours
Rated Lumens	N/A
Color Temp	±3,300 K
Bulb(s) Included	Integrated
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	Yes
Dimmable	No

Measurements	
Width	6.00"
Height	3.00"
Length	33.50"
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
НСО	N/A
Min Overall Height	N/A
Max Overall Height	65.00"
Hanging Weight	12.39 lb(s)
Height Adjustable	Yes
Slope	N/A
Chain Length	N/A
Wire Length	180.00"
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Shipping	
Carton Weight	17.01 lb(s)
Carton Width	15.75"
Carton Height	8.46"
Carton Length	37.40"
Carton Cubic Feet	N/A
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes
	Carton Weight Carton Width Carton Height Carton Length Carton Cubic Feet Master Pack Master Pack Weight Master Pack Width Master Pack Height Master Pack Length Master Cubic Feet

Certification	
Safety Rating	Dry
Energy Star	No
CA Title 24	No
CA Title 20	No
ADA	No

	Equivalents	
845094049500	Incandescent Watts	N/A
N/A	Fluorescent Watts	N/A

ET2 Contemporary Lighting and all designs, logos and images © 2013 ET2 Contemporary Lighting. All Rights Reserved. ET2 Contemporary Lighting reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes. Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.