CRC MATERIAL SAFETY DATA SHEET

Section 1: Product & Company Identification

Product Name: Screwloose® Industrial Penetrating Oil (bulk)

Product Number (s): 03062, 03064

Product Use: General Purpose Penetrant

Manufacturer / Supplier Contact Information:

In United States: CRC Industries, Inc. 885 Louis Drive Warminster, PA 18974 <u>www.crcindustries.com</u> 1-215-674-4300(General) (800) 521-3168 (Technical) (800) 272-4620 (Customer Service) In Canada: CRC Canada Co. 2-1246 Lorimar Drive Mississauga, Ontario L5S 1R2 <u>www.crc-canada.ca</u> 1-905-670-2291 In Mexico: CRC Industries Mexico Av. Benito Juárez 4055 G Colonia Orquídea San Luís Potosí, SLP CP 78394 www.crc-mexico.com 52-444-824-1666

24-Hr Emergency - CHEMTREC: (800) 424-9300 or (703) 527-3887

Section 2: Hazards Identification

Emergency Overview

DANGER: Flammable. Harmful or Fatal if Swallowed. Appearance & Odor: Light amber liquid, petroleum solvent odor

Potential Health Effects:

ACUTE EFFECTS:

- EYE: May cause mild eye irritation. Symptoms include stinging, tearing and redness.
- SKIN: Can cause skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, drying and cracking of the skin.
- INHALATION: Expected to have a low degree of toxicity by inhalation. Breathing concentrated vapors may be harmful. Symptoms of overexposure include irritation of the nose and throat, headache, dizziness, drowsiness, loss of coordination and other signs of central nervous system depression.
- INGESTION: Low degree of toxicity by ingestion. May cause irritation of digestive tract, nausea and vomiting. Main hazard is aspiration of material into lungs during swallowing or vomiting. This can lead to lung inflammation and damage.
- CHRONIC EFFECTS: Reports have associated repeated and prolonged overexposure to solvents with permanent brain and nervous system damage.

TARGET ORGANS: kidneys, central nervous system

Medical Conditions Aggravated by Exposure: skin disorders, respiratory disorders

See Section 11 for toxicology and carcinogenicity information on product ingredients.

Section 3: Composition/Information on Ingredients

COMPONENT	CAS NUMBER	% by Wt.	
Mineral spirits	8052-41-3	45 - 55	
Hydrotreated light distillates	64742-47-8	35 - 45	
Solvent refined heavy paraffinic distillates	64741-88-4	5 - 10	
Oleic acid	112-80-1	1 - 5	

Section 4: First Aid Measures

Eye Contact:	Immediately flush with plenty of water for 15 minutes. Call a physician if irritation persists.
Skin Contact:	Remove contaminated clothing and wash affected area with soap and water. Call a physician i irritation persists. Wash contaminated clothing prior to re-use.

if

- Inhalation: Remove person to fresh air. Keep person calm. If not breathing, give artificial respiration. If breathing is difficult give oxygen. Call a physician.
- Ingestion: Do NOT induce vomiting. Contact a physician immediately. If victim is drowsy or unconscious, place individual on the left side with head down.
- *Note to Physicians*: This material is an aspiration hazard. Potential danger from aspiration must be weighed against possible oral toxicity when deciding whether to induce vomiting.

Section 5: Fire-Fighting Measures

Flammable Properties: As	defined by OSHA, this prod	uct is a Class II Combustil	ole liquid.
Flash Point:	109°F / 42°C (TCC)	Upper Explosive Limit:	6.0 (estimate)
Autoignition Temperature:	ND	Lower Explosive Limit:	1.0 (estimate)

Fire and Explosion Data:

Suitable Extinguishing Media: Foam, carbon dioxide, dry chemical; Class B fire extinguishers

Products of Combustion: Oxides of carbon

- Explosion Hazards: Containers, when exposed to heat from fire, may build pressure and rupture. Vapors may accumulate in a confined space and create a flammable atmosphere.
- Protection of Fire-Fighters: Firefighters should wear self-contained, NIOSH-approved breathing apparatus for protection against suffocation and possible toxic decomposition products. Proper eye and skin protection should be provided. Use water spray to keep fire-exposed containers cool and to knock down vapors which may result from product decomposition.

Section 6: Accidental Release Measures

Personal Precautions: Use personal protection recommended in Section 8.

Environmental Precautions: Take precautions to prevent contamination of ground and surface waters. Do not flush into sewers or storm drains.

Methods for Containment & Clean-up: Dike area to contain spill. Ventilate the area with fresh air. If in confined space or limited air circulation area, clean-up workers should wear appropriate respiratory protection. Recover or absorb spilled material using an absorbent designed for chemical spills. Place used absorbents into proper waste containers.

Section 7: Handling and Storage

Handling Procedures:	Do not use near sources of ignition. Do not use on energized equipment. Use with proper ventilation. Wash hands after use and before handling food. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. For product use instructions, please see the product label.
Storage Procedures:	Store in a cool dry area out of direct sunlight. Do not store near sources of ignition. Keep containers closed when not in use.
Aerosol Storage Level:	N/A

Section 8: Exposure Controls/Personal Protection

Exposure Guidelines:

	05	SHA	AC	GIH	0	THER	
COMPONENT	TWA	STEL	TWA	STEL	TWA	SOURCE	UNIT
Mineral spirits	500	NE	100	NE	NE		ppm
Hydrotreated light distillates	NE	NE	NE	NE	NE		
Solvent refined heavy paraffinic distillates	NE	NE	NE	NE	NE		
Oleic acid	NE	NE	NE	NE	NE		
N.E. – Not Established (c) – ceiling (s) – skin (v) – vacated							

Controls and Protection:

Engineering Controls:	Area should have ventilation to provide fresh air. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at the source, preventing dispersion into the general work area. Use mechanical means if necessary to maintain vapor levels below the exposure guidelines. If working in a confined space, follow applicable OSHA regulations.
Respiratory Protection:	None required for normal work where adequate ventilation is provided. If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with organic vapor cartridge. Air monitoring is needed to determine actual employee exposure levels. Use a self-contained breathing apparatus in confined spaces and for emergencies.
Eye/face Protection:	For normal conditions, wear safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles.
Skin Protection:	Use protective gloves such as nitrile or neoprene. Also, use full protective clothing if there is prolonged or repeated contact of liquid with skin.

Section 9: Physical and Chemical Properties

Physical State: lic	quid					
Color: light amb	er					
Odor: petroleur	n solvent					
Odor Threshold:	ND					
Specific Gravity:	0.790					
Initial Boiling Point:	300°F / 148°	С				
Freezing Point:	ND					
Vapor Pressure:	ND					
Vapor Density:	> 4	(air = 1)				
Evaporation Rate:	slow					
Solubility: insolu	ble in water					
Coefficient of water/	oil distribution:	: ND				
pH: NA						
Volatile Organic Cor	npounds: <u>v</u>	<u>wt %</u> : 49.8	<u>g/L</u> :	393	<u>lbs./gal:</u>	3.28

Section 10: Stability and Reactivity

Stability:	Stable		
Conditions to	o Avoid:	Sources of i	gnition; temperature extremes
Incompatible	e Materials:	Strong oxidi	zing agents
Hazardous [Decompositio	n Products:	Oxides of carbon
Possibility of	Hazardous F	Reactions:	No

Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

Acute Toxicity:

<u>Component</u>	Oral LD50 (rat)	Dermal LD50 (rabbit)	Inhalation LC50 (rat)
Mineral spirits	> 5 g/kg	> 3 g/kg	> 1300 ppm/4H
Hydrotreated light distillates	> 5 g/kg	> 2 g/kg	> 5 mg/L/4H
Solvent refined heavy paraffinic	> 2 g/kg	> 2 g/kg	No data
distillates			
Oleic acid	25,000 mg/kg	No data	No data

Chronic Toxicity:

	OSHA	IARC	NTP		
<u>Component</u>	Carcinogen	Carcinogen	Carcinogen	Irritant	Sensitizer
Mineral spirits	No	No	No	skin	Unknown
Hydrotreated light distillates	No	No	No	No	Unknown
Solvent refined heavy paraffinic	No	No	No	No	Unknown
distillates					
Oleic acid	No	No	No	No	Unknown

Reproductive Toxicity:No information availableTeratogenicity:No information availableMutagenicity:No information availableSynergistic Effects:No information available

Section 12: Ecological Information

Ecological studies have not been conducted for this product. The following information is available for components of this product.

Ecotoxicity:No information availablePersistence / Degradability:No information availableBioaccumulation / Accumulation:No information availableMobility in Environment:No information available

Section 13: Disposal Considerations

<u>Waste Classification</u>: This product is a RCRA hazardous waste for the characteristic of ignitability with a waste code of D001. (See 40 CFR Part 261.20 – 261.33) Empty containers may be recycled.

All disposal activities must comply with federal, state, provincial and local regulations. Local regulations may be more stringent than state, provincial or national requirements.

Section 14: Transport Information

US DOT (ground):	Not Regulated*
ICAO/IATA (air):	UN1993, Flammable liquids, N.O.S. (Petroleum Distillates), 3, PGIII, Limited Quantity
IMO/IMDG (water):	UN1993, Flammable liquids, N.O.S. (Petroleum Distillates), 3, PGIII, Limited Quantity
Special Provisions:	*Per 49 CFR 173.150(f)(2), a material classed as a combustible liquid (in non-bulk packaging) is not subject to the shipping requirements of Subchapter C, including marking, placarding and shipping paper requirements. This applies to ground transportation only.

Section 15: Regulatory Information

U.S. Federal Regulations:

Toxic Substances Control Act (TSCA): All ingredients are either listed on the TSCA inventory or are exempt.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA): Reportable Quantities (RQ's) exist for the following ingredients: None

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Superfund Amendments Reauthorization Act (SARA) Title III: Section 302 Extremely Hazardous Substances (EHS): None

Section 311/312 Hazard Categories:	Fire Hazard
	Reactive Hazard
	Release of Pressure

Yes No No Acute Health Hazard Yes Chronic Health Hazard No

Section 313 Toxic Chemicals: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: None

Clean Air Act:

Section 112 Hazardous Air Pollutants (HAPs): None

Occupational Safety and Health Administration (OSHA): This product is regulated under the Hazard Communication Standard.

U.S. State Regulations:

<u>California Safe Drinking Water and Toxic Enforcement Act (Prop 65)</u>: This product may contain the following chemicals known to the state of California to cause cancer, birth defects or other reproductive harm: None

Consumer Products VOC Regulations:

In states with Consumer Products VOC regulations, this product is compliant as a penetrant.

State Right to Know:

New Jersey:	8052-41-3, 112-80-1
Pennsylvania:	8052-41-3, 112-80-1
Massachusetts:	8052-41-3, 112-80-1
Rhode Island :	8052-41-3, 112-80-1

Canadian Regulations:

Controlled Products Regulations:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Hazard Class: B3, D2B

Canadian DSL Inventory: All ingredients are either listed on the DSL Inventory or are exempt.


European Union Regulations:

<u>RoHS Compliance</u>: This product is compliant with Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003. This product does not contain any of the restricted substances as listed in Article 4(1) of the RoHS Directive.

Additional Regulatory Information: None

Section 16: Other Information

HMIS® (II)					
Health:	1				
Flammability:	2				
Reactivity:	0				
PPE:	В				



Ratings range from 0 (no hazard) to 4 (severe hazard)

Prepared By:	Michelle Rudnick		
CRC #:	575G		
Revision Date:	09/19/2012		

Changes since last revision: Section 11: Toxicological Information Section 14: Transport Information

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this MSDS consult your supervisor, a health & safety professional, or CRC Industries.

ACGIH:	American	Conference	of (Governmental	Industrial	Hygienists
--------	----------	------------	------	--------------	------------	------------

- CAS: Chemical Abstract Service
- CFR: Code of Federal Regulations
- DOT: Department of Transportation
- DSL: Domestic Substance List
- g/L: grams per Liter
- HMIS: Hazardous Materials Identification System
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- ICAO: International Civil Aviation Organization
- IMDG: International Maritime Dangerous Goods
- IMO: International Maritime Organization
- lbs./gal: pounds per gallon
- LC: Lethal Concentration
- LD: Lethal Dose

Not Applicable NA: ND: Not Determined NIOSH: National Institute of Occupational Safety & Health NFPA: National Fire Protection Association NTP: National Toxicology Program OSHA: Occupational Safety and Health Administration PMCC: Pensky-Martens Closed Cup Personal Protection Equipment PPE: Parts per Million ppm: RoHS: **Restriction of Hazardous Substances** STEL: Short Term Exposure Limit TCC: Tag Closed Cup TWA: Time Weighted Average WHMIS: Workplace Hazardous Materials Information System