



Revision Date: 03/03/2004

Issue date: 03/03/2004

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product name:** Moly Paste  
**Product type:** Lubricant  
**Company address:**  
Henkel Corporation  
1001 Trout Brook Crossing  
Rocky Hill, Connecticut 06067

**Item number:** 51145  
**Region:** United States  
**Contact Information:**  
Telephone: 860.571.5100  
Emergency telephone: 860.571.5100  
Internet: www.loctite.com

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous components</u>	<u>%</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>	<u>OTHER</u>
Molybdenum disulfide 1317-33-5	60-100	10 mg/m <sup>3</sup> TWA (inhalable fraction) 3 mg/m <sup>3</sup> TWA (respirable fraction) 5 mg/m <sup>3</sup> TWA (respirable fraction)	15 mg/m <sup>3</sup> TWA (total dust) 5 mg/m <sup>3</sup> TWA (as Mo)	None
Petroleum distillates 64742-52-5/64742-53-6	1-5	5 mg/m <sup>3</sup> TWA (mist) 10mg/m <sup>3</sup> STEL (mist)	5 mg/m <sup>3</sup> TWA (mist)	None

### 3. HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW

##### HMIS:

**Physical state:** Paste  
**Color:** Grey to Black  
**Odor:** Mild petroleum

**HEALTH:** 1  
**FLAMMABILITY:** 1  
**PHYSICAL HAZARD:** 0  
**Personal Protection:** See Section 8

**CAUTION:** MAY CAUSE EYE AND SKIN IRRITATION.

**Relevant routes of exposure:** Skin, Eyes

#### Potential Health Effects

**Inhalation:** May cause respiratory tract irritation. This product has low volatility and is not expected to cause respiratory tract irritation during normal conditions of use.  
**Skin contact:** Prolonged or repeated contact may cause irritation.  
**Eye contact:** Contact with eyes will cause irritation.  
**Ingestion:** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Principal hazard of ingestion is aspiration into the lungs and subsequent pneumonitis.

**Existing conditions aggravated by exposure:** Eye, skin, and respiratory disorders.

See Section 11 for additional toxicological information.

Item number: 51145

Product name: Moly Paste

#### 4. FIRST AID MEASURES

<b>Inhalation:</b>	Remove to fresh air. If discomfort persists seek medical attention.
<b>Skin contact:</b>	Wash with soap and water. Get medical attention if symptoms develop and persist.
<b>Eye contact:</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.
<b>Ingestion:</b>	Do not induce vomiting. Aspiration may cause pulmonary edema and pneumonitis. Obtain medical attention.

#### 5. FIRE-FIGHTING MEASURES

<b>Flash point:</b>	160°C (320°F) Tagiabue
<b>Autoignition temperature:</b>	Not determined
<b>Flammable/Explosive limits-lower %:</b>	Not determined
<b>Flammable/Explosive limits-upper %:</b>	Not determined
<b>Extinguishing media:</b>	Carbon dioxide (CO <sub>2</sub> ). Dry chemical. Foam. Water spray.
<b>Special fire fighting procedures:</b>	None
<b>Unusual fire or explosion hazards:</b>	None
<b>Hazardous combustion products:</b>	Oxides of carbon.

#### 6. ACCIDENTAL RELEASE MEASURES

<b>Environmental precautions:</b>	Do not allow material to contaminate ground water system.
<b>Clean-up methods:</b>	Scrape up as much material as possible. Clean residue with soap and water. Dispose of in accordance with local and national regulations.

#### 7. HANDLING AND STORAGE

<b>Handling:</b>	Keep container closed. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.
<b>Storage:</b>	Keep in a cool, well ventilated area.
<b>Incompatible products:</b>	Oxidizing agents.

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<b>Engineering controls:</b>	Ensure adequate ventilation. Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits.
<b>Respiratory protection:</b>	No personal respiratory protective equipment normally required. Use NIOSH approved respirator if there is potential to exceed exposure limit(s). Observe OSHA regulations for respiratory use (29 CFR 1910.134).
<b>Skin protection:</b>	Cover as much of the exposed skin area as possible with appropriate clothing.
<b>Eye/face protection:</b>	Safety glasses with side-shields. Goggles.

Item number: 51145

Product name: Moly Paste

See Section 2 for exposure limits.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical state:** Paste  
**Color:** Grey to Black  
**Odor:** Mild petroleum  
**Vapor pressure:** Not determined  
**pH:** Not applicable  
**Boiling point/range:** Not available  
**Melting point/range:** Not available  
**Specific gravity:** 1.9614  
**Vapor density:** Heavier than air  
**Evaporation rate:** Less than butyl acetate.  
**Solubility in water:** Slightly soluble  
**Partition coefficient (n-octanol/water):** Not determined  
**VOC content:** Not available

## 10. STABILITY AND REACTIVITY

**Stability:** Stable at normal conditions  
**Hazardous polymerization:** Will not occur.  
**Hazardous decomposition products:** Oxides of carbon. Hydrocarbons  
**Incompatibility:** Oxidizing agents.  
**Conditions to avoid:** None known.

## 11. TOXICOLOGICAL INFORMATION

### Carcinogen Status

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Molybdenum disulfide	No	No	No
Petroleum distillates 64742-52-5/64742-53-6	No	No	No

### Literature Referenced Target Organ & Other Health Effects

Hazardous components	Health Effects/Target Organs
Molybdenum disulfide	No Target Organs
Petroleum distillates 64742-52-5/64742-53-6	Irritant

## 12. ECOLOGICAL INFORMATION

**Ecological information:** Not available

## 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:** Dispose of according to Federal, State and local governmental regulations.

**EPA hazardous waste number:** Not a RCRA hazardous waste.

## 14. TRANSPORT INFORMATION

Item number: 51145

Product name: Moly Paste

**U.S. Department of Transportation Ground (49 CFR):**

Proper shipping name: Not regulated  
Hazard class or division: None  
Identification number: None  
Packing group: None

**International Air Transportation (ICAO/IATA):**

Proper shipping name: Not regulated  
Hazard class or division: None  
Identification number: None  
Packing group: None

**Water Transportation (IMO/MDG):**

Proper shipping name: Not regulated  
Hazard class or division: None  
Identification number: None  
Packing group: None  
Marine pollutant: None

**15. REGULATORY INFORMATION**

**United States Regulatory Information**

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.  
TSCA 12 (b) Export Notification: None.

CERCLA/SARA Section 302 EHS: None.  
CERCLA/SARA Section 311/312: Immediate Health Hazard  
CERCLA/SARA 313: This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). None.

California Proposition 65: No California Proposition 65 listed chemicals are known to be present.

**Canada Regulatory Information**

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Domestic Substances List.  
WHMIS hazard class: D.2.B

**16. OTHER INFORMATION**

This material safety data sheet contains changes from the previous version in sections:  
New Material Safety Data Sheet format.

Prepared by: C.J. Michaels, Senior Health & Regulatory Affairs Specialist

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.