



#### **Revision Date:** 06/21/2004

Issue date: 06/21/2004

#### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name:Marine Grade Anti-SeizeProduct type:LubricantCompany address:Henkel Corporation1001 Trout Brook Crossing<br/>Rocky Hill, Connecticut 06067

Item No.:34026Region:United StatesContact Information:Telephone:860.571.5100Emergency telephone:860.571.5100Internet:www.loctite.com

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components Petroleum Grease	<u>%</u> 30-60	ACGIH TLV 5 mg/m³ TWA (mist)	OSHA PEL 5 mg/m <sup>3</sup> TWA (mist)	OTHER None
Calcium oxide 1305-78-8	10-30	2 mg/m³ TWA	5 mg/m³ (TWA)	None
Graphite 7782-42-5	10-30	2 mg/m³ TWA	15 mg/m³ (total), 5 mg/m³ (respirable)	None
Calcium stearate 1592-23-0	5-10	10 mg/m³ TWA	None	None
Boron nitride 10043-11-5	1-5	None	None	None

### **3. HAZARDS IDENTIFICATION**

EMERGENCY OVERVIEW HMIS:				
Physical state: Color: Odor:	Paste Black Mild		HEALTH: FLAMMABILITY: PHYSICAL HAZARD: Personal Protection:	1 1 0 See Section 8
CAUTION: CAUSES EYE, SKIN AND RESPIRATORY TRACT IRRITATION				
elevant routes of otential Health Eff	•	re:	Skin, inhalation, eyes	
Inhalation: Skin contact Eye contact: Ingestion:	::		Moderate respiratory tract irritation. Shortness of breath. Coughing Moderate skin irritation. Moderate eye irritation. Redness. Excess tearing. Not expected to be harmful by ingestion. Principal hazard of ingest subsequent pneumonitis.	
<b>Existing conditions aggravated by</b> Eye, skin, and respiratory disorders. <b>exposure:</b>		Eye, skin, and respiratory disorders.		

See Section 11 for additional toxicological information.

# 4. FIRST AID MEASURES

Inhalation:	Remove to fresh air. If symptoms develop and persist, get medical attention.
Skin contact:	Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if symptoms develop and persist.
Eye contact:	Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.
Ingestion:	Keep individual calm. Do not induce vomiting: contains petroleum distillates and/or aromatic solvents. Obtain medical attention.

# 5. FIRE-FIGHTING MEASURES

Flash point:	Not applicable Product is a solid. Not classified as a flammable solid per DOT Classification Guidelines Part 173 Appendix E 2/24/95.		
Autoignition temperature:	Not available		
Flammable/Explosive limits-lower %:	Not available		
Flammable/Explosive limits-upper %:	Not available		
Extinguishing media:	Water spray (fog), foam, dry chemical or carbon dioxide.		
Special fire fighting procedures:	Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA).		
Unusual fire or explosion hazards:	None		
Hazardous combustion products:	Oxides of carbon. Oxides of nitrogen.		
	6. ACCIDENTAL RELEASE MEASURES		
Environmental precautions:	Prevent product from entering drains or open waters.		
Clean-up methods:	Scrape up as much material as possible. Clean residue with soap and water. Store in a closed container until ready for disposal.		
7. HANDLING AND STORAGE			
Handling:	Avoid contact with eyes, skin and clothing. Avoid breathing vapor and mist. Wash thoroughly after handling.		
Storage:	Keep container closed. Keep in a cool, well ventilated area.		
Incompatible products:			

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION		
Engineering controls:	Use local ventilation if general ventilation is insufficient to maintain vapor concentration below established exposure limits.	
Respiratory protection:	Use NIOSH approved respirator if there is potential to exceed exposure limit(s). Observe OSHA regulations for respiratory use (29 CFR 1910.134).	
Skin protection:	Use impermeable gloves and protective clothing as necessary to prevent skin contact.	
Item No. : 34026	Product name: Marine Grade Anti-Seize	

#### See Section 2 for exposure limits.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Paste	
Color:	Black	
Odor:	Mild	
Vapor pressure:	Not available	
pH:	Not applicable	
Boiling point/range:	Not available	
Melting point/range:	Not available	
Specific gravity:	1.2648	
Vapor density:	Not available	
Evaporation rate:	Not available	
Solubility in water:	Insoluble	
Partition coefficient (n-octanol/water):	Not available	
VOC content:	VOC content:	3%; 38.4 grams/liter (EPA Method 24)

### **10. STABILITY AND REACTIVITY**

Stability:	Stable.
Hazardous polymerization:	Will not occur.
Hazardous decomposition products:	None reasonably foreseeable
Incompatability:	Strong acids and strong bases. Strong oxidizing agents. Strong reducing agents.
Conditions to avoid:	None known.

### **11. TOXICOLOGICAL INFORMATION**

#### Carcinogen Status

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Petroleum Grease	No	No	No
Calcium oxide 1305-78-8	No	No	No
Graphite 7782-42-5	No	No	No
Calcium stearate 1592-23-0	No	No	No
Boron nitride 10043-11-5	No	No	No

#### Literature Referenced Target Organ & Other Health Effects

Hazardous components	Health Effects/Target Organs	
Petroleum Grease	No data	
Calcium oxide 1305-78-8	Irritant, Eyes, Corrosive	
Graphite 7782-42-5	Lung	
Calcium stearate 1592-23-0	No Target Organs	
Boron nitride 10043-11-5	Corrosive, Irritant	

## **12. ECOLOGICAL INFORMATION**

Ecological information: Item No. : 34026

### **13. DISPOSAL CONSIDERATIONS**

#### Information provided is for unused product only.

**Recommended method of disposal:** Dispose of according to Federal, State and local governmental regulations.

EPA hazardous waste number:

Not a RCRA hazardous waste.

#### **14. TRANSPORT INFORMATION**

U.S. Department of Transportation Grou	nd (49 CFR):				
Proper shipping name:	Unrestricted				
Hazard class or division:	None				
Identification number:	None				
Packing group:	None				
r coning group.					
International Air Transportation (ICAO/IA	ΔΤΔ)·				
Proper shipping name:	Unrestricted				
Hazard class or division:	None				
Identification number:	None				
Packing group:	None				
r acking group.	None				
WaterTransportation (IMO/IMDG):					
Proper shipping name:	Unrestricted				
Hazard class or division:	None				
Identification number:	None				
	None				
Packing group:					
Marine pollutant:	None				
	15. REGULATORY INFORMATION				
United States Regulatory Information					
TSCA 8 (b) Inventory Status: TSCA 12 (b) Export Notification:	All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory. None.				
CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA 313:	None. Immediate Health Hazard None.				
California Proposition 65:	No California Proposition 65 listed chemicals are known to be present.				
Canada Regulatory Information					
CEPA DSL/NDSL Status: WHMIS hazard class:	All components are listed on or are exempt from listing on the Domestic Substances List. D.2.B				
16. OTHER INFORMATION					

This material safety data sheet contains changes from the previous version in sections: Revised to new format.

Prepared by:

C.J. Michaels, Senior Health & Regulatory Affairs Specialist

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

Item No. : 34026