



# MATERIAL SAFETY DATA SHEET

## LPS® Tapmatic® Natural

Revision Date: August 24, 2011

Supersedes: September 15, 2008

---

### Section 1 • Product and Company Identification

---

**Product Name:** LPS® Tapmatic® Natural

**Part Number(s):** 44220, 44230, 44240, 44260, C44220, C44230, C44240, C44260

**Chemical Name:** Alkyl Esters

**Product Use:** A general purpose, industrial cutting fluid designed for cutting and machining steel, aluminum and other types of metals.

**Manufacturer Information:** LPS Laboratories, 4647 Hugh Howell Road, Tucker, GA, USA 30084  
**TEL:** USA & Canada: 1 800 241-8334  
Outside USA and Canada: +1 770 243-8800  
**FAX:** USA & Canada: 1 800 543-1563  
Outside USA and Canada: +1 770 243-8899

**Emergency Telephone Number:** Chemtrec: USA & Canada: 1 800 424-9300  
Outside USA and Canada: +1 703 527-3887

**Website:** <http://www.lpslabs.com>

---

### Section 2 • Hazards Identification

---

*This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.*

**Emergency Overview:**

**Aerosol:** Not applicable

**Bulk:** CAUTION: May cause eye and skin irritation.

**Primary route(s) of entry:** Skin and eye contact. Inhalation.

**Potential Acute Health Effects:**

**Eyes:** Liquid contact may cause irritation.

**Skin:** Liquid contact may cause irritation.

**Inhalation:** Not a likely route of exposure. Smoke from burning fluid can cause irritation of the respiratory tract.

**Ingestion:** If swallowed, irritation of the throat or stomach, nausea, vomiting and diarrhea may occur.

**Potential Chronic Health Effects:**

**Carcinogenic Effects:** NTP: No IARC: No OSHA: No ACGIH: No

**Mutagenic Effects:** None

**Teratogenic Effects:** None

**Target Organs:** None



# MATERIAL SAFETY DATA SHEET

## LPS® Tapmatic® Natural

Revision Date: August 24, 2011

Supersedes: September 15, 2008

### Medical conditions aggravated by exposure:

None known from normal exposure.

### Signs and Symptoms

Stinging or redness in eyes. Repeated or prolonged skin contact can cause redness, irritation and scaling of the skin (dermatitis). Prolonged breathing of oil mist or burning oil may cause headaches, dizziness, shortness of breath and other lung-related effects.

---

### Section 3 • Composition / Information on Ingredients

---

Component	CASRN	Weight Percent
-----------	-------	----------------

No hazardous ingredients are present at or above 1%.  
This product is not WHMIS controlled.

---

### Section 4 • First Aid Measures

---

**Eyes:** Flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention if irritation persists.

**Skin:** Remove contaminated shoes and clothing. Clean affected area thoroughly with mild soap and water. DO NOT use ointments. Seek medical attention if irritation persists.

**Inhalation:** If inhaled, remove to fresh air. If breathing is difficult, give oxygen and get medical attention. If not breathing, give artificial respiration and get medical attention.

**Ingestion:** DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If spontaneous vomiting is about to occur, place victim's head below knees. If victim is drowsy or unconscious, place on the left side with head down. DO NOT leave victim unattended. Seek medical attention immediately.

---

### Section 5 • Fire Fighting Measures

---

**Products of Combustion:** Carbon monoxide and carbon dioxide.

**General Fire Hazards:** High heat will cause product to boil, evolving vapor that could cause explosive rupture of closed containers.

**Firefighting media:** SMALL FIRE: Use DRY chemical powder.  
LARGE FIRE: Use CO<sub>2</sub>, water spray, fog or foam.

**Sensitivity to Impact:** None      **Sensitivity to Static Discharge:** None

**Protection Clothing (Fire):** Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies.

**Special Remarks on Explosion Hazards:**  
None



# MATERIAL SAFETY DATA SHEET

## LPS® Tapmatic® Natural

Revision Date: August 24, 2011

Supersedes: September 15, 2008

---

### Section 6 • Accidental Release Measures

---

- Containment Procedures:**
- Small Spill and Leak:** Absorb with an inert material and dispose of properly.
- Large Spill and Leak:** Pick up free liquid for disposal using absorbent pads, sand, or other inert non-combustible absorbent materials. Place into appropriate waste containers for later disposal.
- Clean-Up Procedures:** Recover free product and place in a suitable container for disposal.
- Evacuation Procedures:** Ventilate area of leak or spill. Keep unnecessary and unprotected people away.
- Special Procedures:** Wear appropriate protective equipment during cleanup.

---

### Section 7 • Handling and Storage

---

- Handling:** DO NOT spray into or around ignition sources. After handling, always wash hands thoroughly with soap and water. Use only with adequate ventilation. Avoid breathing vapors or spray mists.
- Storage:** Keep container in a cool, well-ventilated area. Store between 40°F and 120°F (4.4°C and 49°C). Keep out of reach of children.
- Precautions to be taken in handling and storage:**  
Store all materials in a dry, well-ventilated area. Avoid breathing vapors.

---

### Section 8 • Exposure Controls / Personal Protection

---

- Engineering Controls:** Normal room ventilation is usually adequate. If necessary, provide general and/or local exhaust ventilation to keep exposures below 5 mg/m<sup>3</sup> oil mist in air and/or more stringent limits.
- Personal protective equipment**
- Eye protection:** Safety glasses with side shields conforming to appropriate regulations. Eye wash fountain and emergency shower facilities are recommended.
- Hand protection:** Normally no hand protection is required; however, if product will be sprayed for an extended period, "overspray" onto skin may occur. If so, wear chemical resistant gloves conforming to appropriate regulations. Please observe the instructions regarding permeability and breakthrough time that are provided by the supplier of the gloves.
- Respiratory protection:** Typical use of this product under normal conditions does not require the use of respiratory protection. If airborne concentrations are above the applicable exposure limits (listed above), use an appropriate respiratory protection (i.e., organic vapor cartridge).
- General Hygiene** Wash thoroughly after handling. Have eye-wash facilities immediately available.



# MATERIAL SAFETY DATA SHEET

## LPS® Tapmatic® Natural

Revision Date: August 24, 2011

Supersedes: September 15, 2008

### Section 9 • Physical and Chemical Properties

<b>Appearance:</b>	Liquid	<b>Color:</b>	Green
<b>Odor:</b>	Spice	<b>Evaporation Rate:</b>	None
<b>Solubility Description:</b>	Not soluble in cold water	<b>Flash Point:</b>	176°C (350°F)
<b>Boiling Point:</b>	Not established	<b>Flash Point Method:</b>	Tag-Closed Cup
<b>Specific Gravity (H<sub>2</sub>O=1):</b>	0.88 - 0.89 @ 20°C	<b>Decomposition Temperature:</b>	Not established
<b>Vapor Density (air = 1):</b>	Not established	<b>Auto ignition temperature:</b>	Not established
<b>Vapor Pressure:</b>	Not established	<b>Flammable limits (estimated):</b>	LOWER: N.E. UPPER: N.E.
<b>Rule 1171 PPc:</b>	Not established	<b>Partition Coefficient (octanol/water):</b>	< 1
<b>V.O.C. Content:</b>	Aerosol: Not applicable Bulk: 0% per State & Federal Consumer Product Regulations	<b>Odor Threshold:</b>	Not established
<b>Melting Point:</b>	Not established	<b>Viscosity:</b>	Not established
<b>pH:</b>	Not applicable	<b>Volatiles:</b>	0%
<b>Heat of combustion:</b>	Aerosol: Not applicable Bulk: Not established		

### Section 10 • Stability and Reactivity

<b>Chemical Stability:</b>	Product is stable under recommended storage conditions.
<b>Conditions to Avoid:</b>	No specific measures to avoid.
<b>Incompatibility:</b>	Extremely reactive or incompatible with oxidizing agents.
<b>Hazardous Decomposition:</b>	These products are carbon oxides (CO, CO <sub>2</sub> ).
<b>Hazardous Polymerization:</b>	Will not occur.

### Section 11 • Toxicological Information

#### Acute and Chronic Toxicity

##### A: General Product Information

An acute toxicity study of this product has not been conducted. Information given in this section relates only to individual constituents contained in this

High atmospheric concentrations can result in eye, nasal and respiratory tract irritation. However, if handled in accordance with good industrial hygiene practice, this product will not present a significant hazard in the workplace.

##### B: Component Analysis

None



# MATERIAL SAFETY DATA SHEET

## LPS® Tapmatic® Natural

Revision Date: August 24, 2011

Supersedes: September 15, 2008

---

### Section 12 • Ecological Information

---

<b>Mobility:</b>	Readily absorbed into soil.	<b>Persistence / Degradability:</b>	Biodegradable
<b>Bioaccumulative potential:</b>	No bioaccumulation potential	<b>Other adverse effects:</b>	None known

---

### Section 13 • Disposal Considerations

---

**Waste Status:** In its purchased form, this material does not meet the definition of a RCRA hazardous waste (40 CFR 261).

**Disposal:** Waste must be disposed of in accordance with any and all applicable environmental control rules and/or regulations.

**Note:** Chemical additions to, processing of, or otherwise altering this material may make this waste management information inaccurate, incomplete, or otherwise inappropriate. Furthermore, state and local waste disposal requirements may be more restrictive than federal laws and regulations.

---

### Section 14 • Transport Information

---

**This product is not regulated by any mode of transportation.**

The preceding information is subject to change and must be verified prior to shipment. It is the responsibility of anyone offering hazardous materials for shipment to ensure compliance with all applicable regulations.

---

### Section 15 • Regulatory Information

---

#### U.S. Federal Regulations

**RCRA Hazardous Waste No.:** None

**Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA):**  
None

**Toxic Substances Control Act (TSCA):**  
All components of this product are TSCA inventory listed and/or are exempt.

**Superfund Amendments and Reauthorization Act (SARA) Title III SARA Section 311/312 (40 CFR 370) Hazard Categories:**  
None

**This product contains the following toxic chemical(s) subject to reporting requirements of SARA Section 313 (40 CFR 372):**  
No individual section 313 component is present at or above 1%.

**Section 112 Hazardous Air Pollutants (HAPs):** None

#### State Regulations

**California:** This product does not contain chemical(s) known to the State of California to cause cancer, birth defects or other reproductive harm.

**California and OTC States:** This product is not regulated by consumer product regulations.

#### New Jersey Right to Know:

Aerosol: Not applicable  
Bulk: Methyl Ester of Soybean Oil 67784-80-9 • Oxydized Fatty Ester 68990-79-4 • Methyl Oleate 67762-26-9 • Proprietary Fatty Acid NJ TS RN 254504001-5103 • Tolyltriazole 29385-43-1



# MATERIAL SAFETY DATA SHEET

## LPS® Tapmatic® Natural

Revision Date: August 24, 2011

Supersedes: September 15, 2008

### International Regulations

**Canadian Environmental Protection Act (CEPA):**

All of the components of this product are included on the Canadian Domestic Substances list (DSL).

**Canadian Workplace Hazardous Materials Information System WHMIS:**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

**WHMIS Classification:**

NOT WHMIS controlled

**Other Regulations:**

Montreal Protocol listed ingredients:	None
Stockholm Convention listed ingredients:	None
Rotterdam Convention listed ingredients:	None
RoHS Compliant:	Yes

### Section 16 • Other Information

MSDS#: 44220 MSDS Preparation Responsible Name: Elena Badiuzzi Compliance Manager Telephone: +1 770 243-8800	<b>HMIS 1996</b>	<b>HMIS III</b>	<b>NFPA</b> Flammability
	Health: 1	Health: [ ] 1	
	Flammability: 1	Flammability Aerosol: NA Flammability Bulk: 1	
	Reactivity: 0	Physical Hazard Aerosol: NA Physical Hazard Bulk: 0	

**Notice to Reader:**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Elena Badiuzzi, Compliance Manager  
 LPS Laboratories, a division of Illinois Tool Works