

Electrical Information:

Socket Type	Socket Wire Rating	Switch Type	Voltage	Bulb Type	Bulb Wattage	Socket/Bulb Qty	Bulb Supplied
GU24 BASE		None	120vAC	CFL SPRING SELF- BALLAS TED GU 24	18	1	Yes

Shade Information:

Shade Number	Shade Type	Material	Meas. A	Meas. B	Meas. C	Meas. D	Meas. E	Glass Count	Stem Height	Description
G1419PA	Other	Glass	9.00	6.50						Opaque Linen Glass Panel

Meas. Key: A) Top dia. (Round, Drum, Oct), Top Flat to Flat (Hex), Minor axis (Oval), Top short side (Rect / Sq. Cut Corner), Top (Sq. Cut Corner) | B) Bottom dia. (Round, Drum, Oct), Bottom Flat to Flat (Hex), Major axis (Oval), Top long side (Rect / Sq. Cut Corner), Bottom (Sq. Cut Corner) | C) Side (Round, Drum, Hex, Oct, Sq. Cut Corner), Bottom minor axis (Oval), Bottom Short side (Rect / Sq. Cut Corner) | D) Bottom major axis (Oval), Bottom long side (Rect / Sq. Cut Corner), Side (Rect / Sq. Cut Corner, Oval).

Shipping Information:

Pack Type	Pack Length	Pack Width	Pack Height	Gross Wgt	Girth	Cube	Pack QTY	Dim Wgt
Individual Reshippable	16.00	11.50	11.50	11.00	46.00	1.22	1	11

Replacement Parts Information:

Note: Replacement parts are available by contacting our customer service department or your Quozel Authorized dealer.

Mounting Hardware:

Supplied chain:

Mounting Hardware

- (1) GEM STRAP OR (1) "UNIVERSAL" CROSSBAR WITH LANYARD OPENING
- (1) GROUND SCREW, 8-32 x 3/8", GREEN
- (1) NIPPLE, 1/8 IPS (PROPER LENGTH FOR CANOPY)
- (2) LOCKNUT, HEX 1/8 IPS
- (2) LOCKWASHER, STAR 1/8 IPS
- (1) CEILING CANOPY (STYLE DEPENDS ON DESIGN)
- (1) CHAIN LOOP, 1/8 IPS
- (1) CHAIN LOOP LOCK RING

Product Photo:

