

General Product Information:

| | | | |
|------------------|--|--------------------|----------------------|
| Item No.: | PF1405C | Item Family: | PF - Pacifica |
| Item Class: | Ceiling Track Light | Suggested Room(s): | <input type="text"/> |
| Base Material: | Steel | Energy Star Rated: | No |
| Other Materials: | | | |
| Finish: | C - Polished Chrome Polished chrome | | |

Dimensional Information:

| | | | |
|---------------------|--|---|---|
| Height(H): | 10.50 " | ADA compliant: | No |
| Length(L): | 44.50 " | CUL listed: | Yes |
| Diameter(D): | " | CUL rated for: | Incandescent DRY ONLY |
| Width(W): | 2.50 " | Instruction sheet: | <input type="text" value="IS-354"/> <input type="text" value="IS-PF1405"/> |
| Depth(Dp): | " | Note: Copies of assembly / installation instruction sheets are available for download from our website. | |
| Extension(Ext): | " | | |
| Net weight: | lbs. | | |
| HCWO: | " Please note that the HCWO dimension represents the distance from the wall outlet box center to highest point of mounted product. | | |
| Canopy / Backplate: | 4-1/2" x 6-1/2" | | |

Electrical Information:

| Socket Type | Wire Length | Switch Type | Voltage | Bulb Type | Bulb Wattage | Socket/ Bulb Qty | Bulb Supplied |
|----------------------|-------------|-------------|---------|-----------------------|--------------|------------------|---------------|
| G9 PORC W/RING & PBS | 6 Inches | None | 120vAC | FROSTE D JCD G9 | 50 | 5 | Yes |

Shade Information:

| Shade Number | Shade Type | Material | Meas. A | Meas. B | Meas. C | Meas. D | Meas. E | Glass Count | Stem Height | Description |
|--------------|-------------|----------|---------|---------|---------|---------|---------|-------------|-------------|-------------------------------------|
| G2541SH | Rectangular | Glass | 3.50 | 2.50 | 3.00 | | | | | Opal Etched Glass with Wave Pattern |

Meas. Key: A) Top dia. (Round, Drum, Oct), Top Flat to Flat (Hex), Minor axis (Oval), Top short side (Rect / Sq. Cut Corner), Top (Sq. Cut Corner) | B) Bottom dia. (Round, Drum, Oct), Bottom Flat to Flat (Hex), Major axis (Oval), Top long side (Rect / Sq. Cut Corner), Bottom (Sq. Cut Corner) | C) Side (Round, Drum, Hex, Oct, Sq. Cut Corner), Bottom minor axis (Oval), Bottom Short side (Rect / Sq. Cut Corner) | D) Bottom major axis (Oval), Bottom long side (Rect / Sq. Cut Corner), Side (Rect / Sq. Cut Corner, Oval).

Shipping Information:

| Pack Type | Pack Length | Pack Width | Pack Height | Gross Wgt | Girth | Cube | Pack QTY | Ship Method | Dim Wgt |
|------------------------|-------------|------------|-------------|-----------|-------|------|----------|-------------|---------|
| Individual Reshippable | 47.00 | 5.00 | 5.00 | 6.00 | 20.00 | 0.68 | 1 | UPS | 6 |

Replacement Parts Information:

| Part Number: | Description: | Qty: |
|--------------|-------------------------------|------|
| I804SC | BULB 50W HALOGEN | 5 |
| G2542BS | BULB SHIELD FOR PF1405C | 5 |
| G2541SH | SHADE OPAL ETCHED GLASS 3.5"D | 5 |

Note: Replacement parts are available by contacting our customer service department or your Quozel Authorized dealer.

Mounting Hardware:

Supplied chain:

Mounting Hardware

(1) CROSSBAR, (1) GREEN GROUND SCREW, (2) LOCK WASHERS, (2) LOCK NUTS, (2) LOCK BALLS

Product Photo:

