


Type \_\_\_\_\_  
 -60  
 P7310   
 P7311

Catalog No.	Finish	Lamping	Socket	Dimensions (Inches)	
	White			A	B
P7310	-60	2-13w Twin CF	GX23	16	4
P7311	-60	4-13w Twin CF	GX23	20	4-1/2



**Specifications:**

General

- White acrylic cloud diffuser
- Snap-in diffuser installation
- Regressed white chassis creates floating effect
- P7310 complies with "Americans with Disabilities Act" - ADA

Electrical

- 120V HPF ballasts
- Pre-wired

Labeling

- UL-CUL listed

Mounting

- Ceiling or wall mount
- White steel pan
- Covers outlet box
- Outlet box mounting strap included
- Keyhole slots for easy fixture mounting


Type \_\_\_\_\_

-60EB

P7310

P7311

Catalog No.	Finish		Lamping	Socket	Dimensions (Inches)	
	White				A	B
P7310	-60EB		2-13w Quad CF (4-pin)	GX24q-1	16	4
P7311	-60EB		4-13w Quad CF (4-pin)	GX24q-1	20	4-1/2



**Specifications:**

General

- White acrylic cloud diffuser
- Snap-in diffuser installation
- Regressed white chassis creates floating effect
- P7310 complies with "Americans with Disabilities Act" - ADA

Electrical

- 120V HPF electronic ballasts
- Pre-wired

Labeling

- UL-CUL listed

Mounting

- Ceiling or wall mount
- White steel pan
- Covers outlet box
- Outlet box mounting strap included
- Keyhole slots for easy fixture mounting


Type \_\_\_\_\_

-60STRWB

P7310

P7311

Catalog No.	Finish White	Lamping	Dimensions (Inches)	
			A	B
P7310	-60STRWB	2-13w Quad CFL (4-pin)	16	4
P7311	-60STRWB	4-13w Quad CFL (4-pin)	20	4-1/2



**Specifications:**

General

- White acrylic cloud diffuser
- Snap-in diffuser installation
- Regressed white chassis creates floating effect
- Units comply with Energy Star requirements
- P7310 complies with "Americans with Disability Act - ADA"
- Steel construction

Electrical

- Pre-wired
- 120v NPF electronic ballast
- G24q-1 sockets

Labeling

- UL-CUL listed

Mounting

- Ceiling mount
- Fixture housing covers a standard 4" octagonal recessed outlet box
- Mounting strap for outlet box included
- Keyhole slots for easy fixture mounting

