

Invacare® Bariatric Solutions



Bariatric Solutions

Yes, you can:

- *Featuring products up to 1000 lb. capacity*
- *Bariatric education and resources*





Invacare® Bariatric Solutions Introduction

Introduction

Invacare is committed to serving the unique needs of bariatric patients. At the same time, Invacare is committed to serving the needs of providers as you address the special requirements of this diverse segment of the population. Our research is aimed at discovering ways to make bariatric patients' lives better. Our products and programs are based on these findings and designed with the utmost care. And we are continually adding to and enhancing this product line which is engineered to meet the needs of your bariatric clients.

Look for our latest product additions including the new Bariatric Drop-Arm Commode, Transfer Bench, Shower Chair and Rollator.

Plus, on pages 35 and 36 you'll find several sleep therapy products that have been added to the catalog, since bariatric patients are among those with the highest risk factors for obstructive sleep apnea (OSA).

From power chairs to beds, lifts and commodes, Invacare's Bariatric product line is so extensive you'll find everything your patients need, right here in these pages. We have included educational information to help you further understand the bariatric market, a color-coded chart to assist you in locating products by their weight capacities and additional helpful product suggestions. Just place a single phone call and you can fill a complete prescription simply, efficiently and conveniently.

When your order is delivered, you can be sure we've delivered something more: the highest-quality engineering; outstanding durability; testing to demanding specifications such as ANSI/RESNA and Invacare's own rigorous standards; and the backing of Invacare's exceptional limited warranty.

Finally, you'll be pleased to know that every item you order from this catalog for your bariatric patients counts toward your Total One Stop ShoppingSM purchases. Just call 800-333-6900 to receive a copy of our new Bariatric products price list (Form No. 99-277). You may also visit us on the web at www.invacare.com.



Invacare's new Bariatric Solutions logo represents our commitment to providing bariatric solutions to our providers and clinicians, as well as to your patients. Invacare achieves this through offering a breadth of the highest quality bariatric products. We also provide solutions by educating providers and clinicians on our products and the bariatric market as a whole. Invacare's products and programs improve the quality of life for patients. An uplifting and active-presence logo is what Invacare wishes to convey to all of your bariatric clients through our products and services.



The Microban logo designates that the product contains Microban antimicrobial protection. Products that contain Microban antimicrobial protection continuously resist the growth of stain and odor causing mold, mildew and bacteria.



Invacare® Bariatric Solutions Consultant



Kevin D. Huffman, D.O.
President
American Bariatric
Consultants

“Invacare is taking the bariatric market to new levels. The approach that is being taken by them is innovative. Take for example their new bariatric catalog, which is very unique in that it offers a color-coded weight capacity chart, educational material and additional product suggestions on each page. Their products offer superior quality and suit the needs of the bariatric patient. The programs that have been presented to me are great! Invacare is providing solutions, not just simply selling products. They make it easy for the provider and clinician to become successful in this market. It comes across loud and clear that Invacare really cares about the bariatric market and the quality of life of the patient. In my opinion, Invacare truly is the market leader.”

Kevin D. Huffman D.O.

Kevin D. Huffman D.O., a board-certified bariatric physician, has treated over 10,000 obese patients in his bariatric medical career and trained and mentored hundreds of physicians and allied healthcare providers. A nationally recognized leader in the bariatric medical community, Dr. Huffman has been called upon by medical/surgical societies, pharmaceutical/surgical companies, patients and hospitals to lecture and consult in the art, science and business of bariatric medicine.

Dr. Huffman is the Founder and President of American Bariatric Consultants, and draws upon nearly two decades of developing treatment protocols, writing training manuals, inspecting doctors' offices and hospital programs. He also mentors and prepares physicians for board certification in bariatric medicine in order to help physicians, surgeons and hospitals enter the bariatric treatment community. For more information on American Bariatric Consultants, please call the Ohio office at 440-610-2030 or Florida at 407-891-2221. You may also email him at drkduffman@earthlink.net.

The opinions expressed above are those of Kevin D. Huffman D.O., and are used with permission.

Invacare® Color Coded Table of Contents



Table of Products by Category

| Description | Model Number | Weight Capacity | Page |
|---|------------------------------|--------------------|------|
| Personal Care Products | | | |
| I-Class™ Heavy-Duty Transfer Benches | 9670, 9670U, 9670C | 400 lb. ● | 8 |
| I-Fit™ Shower Chairs | 9781, 9780 | 400 lb. ● | 9 |
| Heavy-Duty Commode | 6496 | 450 lb. ● | 18 |
| Heavy-Duty Paddle Walker | 6291-HDA | 500 lb. ● | 21 |
| Bariatric Rollator | 66500 | 500 lb. ● | 21 |
| Bariatric Fixed Arm Commode | 6499-BHD | 700 lb. ● | 27 |
| Canes - Quad and Offset | 7831-2, 7835-2, 8940-6 | 700 lb. ● | 28 |
| Bariatric Shower Chair | 9785-2 | 700 lb. ● | 29 |
| Bariatric Transfer Bench | 9675-2 | 700 lb. ● | 29 |
| Bariatric Dual-Release Adult Walker | 6441-A | 700 lb. ● | 30 |
| Bariatric Crutches | 8130-J, 8130-A, 8130-T | 1000 lb. ● | 32 |
| Bariatric Drop-Arm Commode | 6599 | 1000 lb. ● | 32 |
| IVC Manual Wheelchairs, Transport Chair and Recliner | | | |
| IVC™ 9000 XDT | 9XDT | 350 lb. ● | 5 |
| Bariatric Transport Chair | TRHD22FR | 400 lb. ● | 10 |
| 3-Position Recliner Deluxe X-wide | IH6065WD | 400 lb. ● | 10 |
| IVC™ 900 Series with HD package | S900 | 450 lb. ● | 19 |
| IVC™ Tracer® IV with HD package | T4 | 450 lb. ● | 20 |
| IVC™ 9000 Topaz™ | 9TPZ | 700 lb. ● | 31 |
| Bed and Bed Related Products | | | |
| Bariatric Bed, 600 lb. | BAR600IVC | 600 lb. ● | 24 |
| Bariatric Mattress, 600 lb. | BARMATT | 600 lb. ● | 25 |
| Heavy-Duty Bed Rail (use with BAR600IVC), 600 lb. | BAR6640IVC | 600 lb. ● | 25 |
| Bariatric Trapeze | BARTRAP | 1000 lb. ● | 33 |
| Bariatric Bed, 1000 lb. | BAR1000 | 1000 lb. ● | 34 |
| Bariatric Mattress, 1000 lb. | BARMATT1000 | 1000 lb. ● | 34 |
| Bariatric Bed Rail (use with BAR1000) 1000 lb. | BAR6600 | 1000 lb. ● | 34 |
| Lifts and Slings | | | |
| Reliant Digital Scale | RLS6 | 600 lb. ● | 25 |
| Reliant 600 Heavy-Duty Lift | RPA600-1 | 600 lb. ● | 26 |
| Reliant 600 Heavy-Duty Lift Low Base | RPL600-1 | 600 lb. ● | 26 |
| Heavy-Duty Sling - Mesh | R140 | 600 lb. ● | 26 |
| Heavy-Duty Sling - Mesh w/commode opening | R141 | 600 lb. ● | 26 |
| Custom Manual Wheelchairs | | | |
| Solara® with HD package | SOLARA2G | 350 lb. ● | 6 |
| MVP® with HD package | MVPS | 350 lb. ● | 7 |
| Power Wheelchairs | | | |
| Pronto® M91™ with HD package | M91 | 400 lb. ● | 11 |
| 3G Storm Series® Ranger X SE | 3GRXSE | 400 lb. ● | 12 |
| 3G Storm Series® Arrow® TTHD | 3GAR | 400 lb. ● | 13 |
| TDX™5 | TDX5 | 400 lb. ● | 14 |
| TDX4 | TDX4 | 400 lb. ● | 15 |
| TDX4SE | TDX4SE | 400 lb. ● | 16 |
| Pronto® M94™ with SureStep® | M94 | 500 lb. ● | 23 |
| Seating and Positioning | | | |
| Ulti-Mate® Cushion | UM | 400 lb. ● | 17 |
| Ulti-Mate® Base | UMB | 400 lb. ● | 17 |
| Personal Back™ 10 and 10 Plus | PBR/PBT, PPR/PPT | 500 lb. ● | 22 |
| InTouch™ TargIT™ | ITTG | 500 lb. ● | 22 |
| Sleep Therapy | | | |
| Polaris™ EX™ CPAP w/ Soft X™ Technology | ISP3000 | No weight capacity | 35 |
| Polaris™ EX™ EZ-Fill Heated Humidifier | ISP4000, ISP5000 | No weight capacity | 35 |
| Twilight™ Mask Small, Standard, Large | ISP2000SM, ISP2000, ISP2000L | No weight capacity | 36 |

When recommending products, please be aware of fluctuations in patient's weight.



Invacare® Color-Coded Table of Products



Product weight capacity ranges

Table of Products by Weight Capacity

| Description | Model Number | Page | Product weight capacity ranges | | | |
|--|--------------------|------|--------------------------------|---------------|---------------|---------------|
| | | | Up to 350 lb. | Up to 400 lb. | Up to 450 lb. | Up to 500 lb. |
| IVC™ 9000 XDT Manual Wheelchair | 9XDT | 5 | ● | | | |
| Solara® Tilt-in-Space Custom Manual Wheelchair/ ^{with HD package} | SOLARA2G | 6 | ● | | | |
| MVP® Ultralight Manual Wheelchair/ ^{with HD package} | MVPS | 7 | ● | | | |
| Heavy-Duty Transfer Benches | 9670, 9670U, 9670C | 8 | —● | | | |
| I-Fit™ Shower Chairs | 9781, 9780 | 9 | —● | | | |
| Bariatric Transport Chair | TRHD22FR | 10 | —● | | | |
| 3 Position Recliner - Deluxe X-wide | IH6065WD | 10 | —● | | | |
| Pronto® M91™ Power Wheelchair | M91 | 11 | —● | | | |
| 3G Storm Series® Ranger XSE Power Wheelchair | 3GRXSE | 12 | —● | | | |
| 3G Storm Series® Arrow® TTHD Power Wheelchair | 3GAR | 13 | —● | | | |
| TDX5 Power Wheelchair | TDX5 | 14 | —● | | | |
| TDX4 Power Wheelchair | TDX4 | 15 | —● | | | |
| TDX4SE Power Wheelchair | TDX4SE | 16 | —● | | | |
| Ulti-Mate® Cushion | UM | 17 | —● | | | |
| Ulti-Mate® Base | UMB | 17 | —● | | | |
| Heavy-Duty Commode | 6496 | 18 | —● | ● | | |
| IVC™ 900 Series Manual Wheelchair/ ^{with HD package} | S900 | 19 | —● | ● | | |
| IVC™ Tracer® IV Manual Wheelchair/ ^{with HD package} | T4 | 20 | —● | ● | | |
| Heavy-Duty Paddle Walker | 6291-HDA | 21 | — | — | ● | ● |
| Bariatric 4-Wheeled Rollator | 66500 | 21 | — | — | ● | ● |
| Personal Back™ 10 and 10 Plus | PBR/PBT, PPR/PPT | 22 | — | — | ● | ● |
| InTouch™ TargIT™ | ITTG | 22 | — | — | ● | ● |
| Pronto® M94™ with SureStep® Power Wheelchair | M94 | 23 | — | — | ● | ● |

When recommending products, please be aware of fluctuations in patient's weight.

Invacare® Color-Coded Table of Products



Product weight capacity ranges

Table of Products by Weight Capacity

| Description | Model Number | Page | Product weight capacity ranges | | |
|--|------------------------------|------|--------------------------------|---------------|----------------|
| | | | Up to 600 lb. | Up to 700 lb. | Up to 1000 lb. |
| Bariatric Bed, 600 lb. | BAR600IVC | 24 | ● | | |
| Bariatric Mattress, 600 lb. | BARMATT | 25 | ● | | |
| Heavy-Duty Bed Rail (use with BAR600IVC) 600 lb. | BAR6640IVC | 25 | ● | | |
| Reliant Digital Scale | RLS6 | 25 | ● | | |
| Reliant 600 Heavy-Duty Lift | RPA600-1 | 26 | ● | | |
| Reliant 600 Heavy-Duty Lift Low Base | RPL600-1 | 26 | ● | | |
| Heavy-Duty Sling - Mesh | R140 | 26 | ● | | |
| Heavy-Duty Sling - Mesh w/commode opening | R141 | 26 | ● | | |
| Bariatric Fixed Arm Commode | 6499-BHD | 27 | — | ● | |
| Bariatric Cane - Quad (small base, large base) | 7831-2, 7835-2 | 28 | — | ● | |
| Bariatric Cane - Offset | 8940-6 | 28 | — | ● | |
| Bariatric Shower Chair | 9785-2 | 29 | — | ● | |
| Bariatric Transfer Bench | 9675-2 | 29 | — | ● | |
| Bariatric Dual-Release Walker | 6441-A | 30 | — | ● | |
| Walker Kit (for 6441-A only) | 6372 | 30 | — | ● | |
| IVC™ 9000 Topaz™ Manual Wheelchair | 9TPZ | 31 | — | ● | |
| Bariatric Crutches | 8130-J, 8130-A, 8130-T | 32 | | | ● |
| Bariatric Drop-Arm Commode | 6599 | 32 | | | ● |
| Bariatric Trapeze | BARTRAP | 33 | | | ● |
| Bariatric Bed, 1000 lb. | BAR1000 | 34 | | | ● |
| Bariatric Mattress, 1000 lb. | BARMATT10000 | 34 | | | ● |
| Bariatric Rails (use with BAR1000 Bed) 1000 lb. | BAR6600 | 34 | | | ● |
| Polaris™ EX™ CPAP w/ Soft X™ Technology | ISP3000 | 35 | No Weight Capacity | | |
| Polaris™ EX™ EZ-Fill Heated Humidifier | ISP4000, ISP5000 | 35 | No Weight Capacity | | |
| Twilight™ Mask Small, Standard, Large | ISP2000SM, ISP2000, ISP2000L | 36 | No Weight Capacity | | |

When recommending products, please be aware of fluctuations in patient's weight.



Bariatric Education

What is bariatrics?

Bariatrics is the study and treatment of obesity and those diseases associated with obesity. Diet, exercise, behavior modification, lifestyle changes, institutional and home medical equipment, medications and, in some cases, surgery are the tools used by bariatric physicians to help patients manage obesity.¹

What is obesity?

Obesity is defined as an excessively high amount of body fat or adipose tissue in relation to lean body mass. The amount of body fat (or adiposity) includes concern for both the distribution of fat throughout the body and the size of the adipose tissue deposits. Body fat distribution can be estimated by skinfold measures, waist-to-hip circumference ratios, or techniques such as ultrasound, computed tomography, or magnetic resonance imaging.²

What is BMI?

Body Mass Index or BMI is a tool for indicating weight status in adults, representing weight levels associated with the lowest overall risk to health. It is a measure of weight for height. For adults over 20 years old, BMI falls into one of these categories:³

BMI

Below 18.5 = Underweight
18.5 – 24.9 = Normal
25.0 – 29.9 = Overweight
30.0 and above = Obese

SEE CHART ON PAGE 3-4 TO DETERMINE BMI.

How does BMI relate to health?

The BMI ranges are based on the effect body weight has on disease and death. As BMI increases, the risk for some disease increases. Some common conditions related to overweight and obesity include:³

Cardiovascular disease
High blood pressure
Osteoarthritis
Premature death
Some cancers
Diabetes

BMI is not the only indicator of health risk.

BMI is just one of many factors related to developing a chronic disease (such as heart disease, cancer or diabetes). Other factors that may be important to look at when assessing your risk for chronic disease include:⁴

Diet
Physical activity
Waist circumference
Blood pressure
Blood sugar level
Cholesterol level
Family history of disease

Some statistics....

Obesity and obesity related diseases are some of the nations leading causes of preventable death. Smoking is the number one cause of preventable death in America.¹

Currently, 64 percent of U.S. adults are either overweight (BMI of 25 or greater) or obese (BMI of 30 or greater). The increase in obesity over the past 30 years has been fueled by environmental, social, economic, and behavioral factors, acting on a background of genetic susceptibility.⁵

References

1. Provided with permission by Dr. Kevin Huffman, D.O., President, American Bariatric Consultants
2. CDC Nutrition and Physical Activity Available at: <http://www.cdc.gov/nccdphp/dnpa/obesity/defining.htm> Accessed August 31, 2004
3. CDC Nutrition and Physical Activity Available at: <http://www.cdc.gov/nccdphp/dnpa/bmi/bmi-adult.htm> Accessed June 6, 2004.
4. CDC Nutrition and Physical Activity Available at: <http://www.cdc.gov/nccdphp/dnpa/bmi/bmi-means.htm> Accessed June 6, 2004.
5. NIH Obesity Research. NIH Obesity Research Task Force Strategic Plan for NIH Obesity Research. Available at: <http://www.obesityresearch.nih.gov/News/background.htm> Accessed August 30, 2004



Improving Quality of Life

So what are some things that a person can do to help improve their quality of life if they are overweight or obese?

Lifestyle Management and Physical Activity

Even if a person is large, they can still be physically active! Here are some tips:⁶

Start slowly. The body needs time to get used to a new activity. The goal at first may not be to lose weight, but to prevent further weight gain.

Warm up. Warm-ups get the body ready for action. Warm-ups include shrugging the shoulders, tapping the toes, swinging the arms or marching in place.

Cool down. One should slow down little by little. After walking fast, one should walk slowly or stretch for a few minutes to cool down. Cooling down may protect the heart, relax the muscles, and prevent injury.

Set goals. One should set short-term and long term-goals. A short-term goal may be to walk for five minutes at least three days for one week. It may not seem like a lot, but any activity is better than none.

Get support. One should get a family member or friend to join in the physical activity for support.

Track progress. Keep a journal of physical activity. It may not feel like progress is being made but looking back at the starting point brings a pleasant surprise.

Have fun! Try different activities to find the most enjoyable ones.

What physical activities can a person do?

Weight-bearing activities, such as walking, involve lifting or pushing one's own body weight.

Non-weight bearing activities, such as swimming and water workouts, put less stress on joints because one does not lift or push one's own weight. Feet or joint pain while standing may indicate that non-weight-bearing activities may be best for the individual.

Lifestyle activities, such as gardening, do not have to be planned. Other examples are: putting away the remote and getting up to change the channel, sitting in a rocking chair and pushing off with your feet, or taking the stairs instead of the elevator.

Physical activity does not have to be hard or boring to be beneficial. Anything that gets a person moving around, even for only a few minutes a day, is a healthy start.

Chances are, your health care provider will be pleased with any decision to start an activity program. *

* Patients should always consult a physician before starting any exercise program.

References

6. Based upon the article *Active at Any Size*, NIH Publication No. 04 - 4352, May 2004. Available at: <http://www.niddk.nih.gov/health/nutrit/activeatanysize/active.html>
As of August 23, 2004



Invacare® Bariatric BMI Chart

Source: http://www.diabetes.niddk.nih.gov/dm/pubs/riskfortype2/bmi_tbr.pdf

| Height (Inches) | Normal | | | | | Overweight | | | | | Obese | | | | | Extreme Obesity | | | | | | | | | | | | | | | | | | | | |
|-----------------|--------|-----|-----|-----|-----|------------|-----|-----|-----|-----|-------|-----|-----|-----|-----|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | BMI | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 |
| 58 | 91 | 96 | 100 | 105 | 110 | 115 | 119 | 124 | 128 | 133 | 138 | 143 | 148 | 153 | 158 | 162 | 167 | 172 | 177 | 181 | 186 | 191 | 196 | 201 | 205 | 210 | 215 | 220 | 224 | 229 | 234 | 239 | 244 | 248 | 253 | 258 |
| 59 | 94 | 99 | 104 | 109 | 114 | 119 | 124 | 128 | 133 | 138 | 143 | 148 | 153 | 158 | 163 | 168 | 173 | 178 | 183 | 188 | 193 | 198 | 203 | 208 | 212 | 217 | 222 | 227 | 232 | 237 | 242 | 247 | 252 | 257 | 262 | 267 |
| 60 | 97 | 102 | 107 | 112 | 118 | 123 | 128 | 133 | 138 | 143 | 148 | 153 | 158 | 163 | 168 | 174 | 179 | 184 | 189 | 194 | 199 | 204 | 209 | 215 | 220 | 225 | 230 | 235 | 240 | 245 | 250 | 255 | 261 | 266 | 271 | 276 |
| 61 | 100 | 106 | 111 | 116 | 122 | 127 | 132 | 137 | 143 | 148 | 153 | 158 | 164 | 169 | 174 | 180 | 185 | 190 | 195 | 201 | 206 | 211 | 217 | 222 | 227 | 232 | 238 | 243 | 248 | 254 | 259 | 264 | 269 | 275 | 280 | 285 |
| 62 | 104 | 109 | 115 | 120 | 126 | 131 | 136 | 142 | 147 | 153 | 158 | 164 | 169 | 175 | 180 | 186 | 191 | 196 | 202 | 207 | 213 | 218 | 224 | 229 | 235 | 240 | 246 | 251 | 256 | 262 | 267 | 272 | 278 | 284 | 289 | 295 |
| 63 | 107 | 113 | 118 | 124 | 130 | 135 | 141 | 146 | 152 | 158 | 163 | 169 | 175 | 180 | 186 | 191 | 197 | 203 | 208 | 214 | 220 | 225 | 231 | 237 | 242 | 248 | 254 | 259 | 265 | 270 | 278 | 282 | 287 | 293 | 299 | 304 |
| 64 | 110 | 116 | 122 | 128 | 134 | 140 | 145 | 151 | 157 | 163 | 169 | 174 | 180 | 186 | 192 | 197 | 204 | 209 | 215 | 221 | 227 | 232 | 238 | 244 | 250 | 256 | 262 | 267 | 273 | 279 | 285 | 291 | 296 | 302 | 308 | 314 |
| 65 | 114 | 120 | 126 | 132 | 138 | 144 | 150 | 156 | 162 | 168 | 174 | 180 | 186 | 192 | 198 | 204 | 210 | 216 | 222 | 228 | 234 | 240 | 246 | 252 | 258 | 264 | 270 | 276 | 282 | 288 | 294 | 300 | 306 | 312 | 318 | 324 |
| 66 | 118 | 124 | 130 | 136 | 142 | 148 | 155 | 161 | 167 | 173 | 179 | 186 | 192 | 198 | 204 | 210 | 216 | 223 | 229 | 235 | 241 | 247 | 253 | 260 | 266 | 272 | 278 | 284 | 291 | 297 | 303 | 309 | 315 | 322 | 328 | 334 |
| 67 | 121 | 127 | 134 | 140 | 146 | 153 | 159 | 166 | 172 | 178 | 185 | 191 | 198 | 204 | 211 | 217 | 223 | 230 | 236 | 242 | 249 | 255 | 261 | 268 | 274 | 280 | 287 | 293 | 299 | 306 | 312 | 319 | 325 | 331 | 338 | 344 |
| 68 | 125 | 131 | 138 | 144 | 151 | 158 | 164 | 171 | 177 | 184 | 190 | 197 | 203 | 210 | 216 | 223 | 230 | 236 | 243 | 249 | 256 | 262 | 269 | 276 | 282 | 289 | 295 | 302 | 308 | 315 | 322 | 328 | 335 | 341 | 348 | 354 |
| 69 | 128 | 135 | 142 | 149 | 155 | 162 | 169 | 176 | 182 | 189 | 196 | 203 | 209 | 216 | 223 | 230 | 236 | 243 | 250 | 257 | 263 | 270 | 277 | 284 | 291 | 297 | 304 | 311 | 318 | 324 | 331 | 338 | 345 | 351 | 358 | 365 |
| 70 | 132 | 139 | 146 | 153 | 160 | 167 | 174 | 181 | 188 | 195 | 202 | 209 | 216 | 222 | 229 | 236 | 243 | 250 | 257 | 264 | 271 | 278 | 285 | 292 | 299 | 306 | 313 | 320 | 327 | 334 | 341 | 348 | 355 | 362 | 369 | 376 |
| 71 | 136 | 143 | 150 | 157 | 165 | 172 | 179 | 186 | 193 | 200 | 208 | 215 | 222 | 229 | 236 | 243 | 250 | 257 | 265 | 272 | 279 | 286 | 293 | 301 | 308 | 315 | 322 | 329 | 338 | 343 | 351 | 358 | 365 | 372 | 379 | 386 |
| 72 | 140 | 147 | 154 | 162 | 169 | 177 | 184 | 191 | 199 | 206 | 213 | 221 | 228 | 235 | 242 | 250 | 258 | 265 | 272 | 279 | 287 | 294 | 302 | 309 | 316 | 324 | 331 | 338 | 346 | 353 | 361 | 368 | 375 | 383 | 390 | 397 |
| 73 | 144 | 151 | 159 | 166 | 174 | 182 | 189 | 197 | 204 | 212 | 219 | 227 | 235 | 242 | 250 | 257 | 265 | 272 | 280 | 288 | 295 | 302 | 310 | 318 | 325 | 333 | 340 | 348 | 353 | 363 | 371 | 378 | 386 | 393 | 401 | 408 |
| 74 | 148 | 155 | 163 | 171 | 179 | 186 | 194 | 202 | 210 | 218 | 225 | 233 | 241 | 249 | 256 | 264 | 272 | 280 | 287 | 295 | 303 | 311 | 319 | 326 | 334 | 342 | 350 | 358 | 365 | 373 | 381 | 389 | 396 | 404 | 412 | 420 |
| 75 | 152 | 160 | 168 | 176 | 184 | 192 | 200 | 208 | 216 | 224 | 232 | 240 | 248 | 256 | 264 | 272 | 279 | 287 | 295 | 303 | 311 | 319 | 327 | 335 | 343 | 351 | 359 | 367 | 375 | 383 | 391 | 399 | 407 | 415 | 423 | 431 |
| 76 | 156 | 164 | 172 | 180 | 189 | 197 | 205 | 213 | 221 | 230 | 238 | 246 | 254 | 263 | 271 | 279 | 287 | 295 | 304 | 312 | 320 | 328 | 336 | 344 | 353 | 361 | 369 | 377 | 385 | 394 | 402 | 410 | 418 | 426 | 435 | 443 |



BMI Calculator

Body Mass Index can be calculated using pounds and inches with this equation.

$$\text{BMI} = \left(\frac{\text{Weight in Pounds}}{(\text{Height in inches}) \times (\text{Height in inches})} \right) \times 703$$

For example, a person who weighs 220 pounds and is 6 feet 3 inches tall has a BMI of 27.5.

$$\left(\frac{220 \text{ lb.}}{(75 \text{ inches}) \times (75 \text{ inches})} \right) \times 703 = 27.5$$

Reference 3.

| BMI | Weight Status |
|----------------|---------------|
| Below 18.5 | Underweight |
| 18.5 – 24.9 | Normal |
| 25.0 – 29.9 | Overweight |
| 30.0 and Above | Obese |

Reference 1.

Common Myths

Myth: BMI Measures Body Fat

Two people can have the same BMI, but a different percent body fat. A bodybuilder with a large muscle mass and a low percent body fat may have the same BMI as a person who has more body fat, because BMI is calculated using body weight and height only.

This is a good reminder that BMI is only one piece of a person's health profile. It is important to talk with a doctor about other measures and risk factors. (e.g., waist circumference, smoking, physical activity level, and diet.)

Myth: BMI is a Diagnostic Tool

BMI alone is not diagnostic. It is one of many risk factors for disease and death. As a person's BMI increases, the risk for many diseases increases as well.²

References

1. CDC Nutrition and Physical Activity Available at: <http://www.cdc.gov/nccdphp/dnpa/bmi/bmi-adult.htm> Accessed June 6, 2004.
2. CDC Nutrition and Physical Activity Available at: <http://www.cdc.gov/nccdphp/dnpa/bmi/bmi-means.htm> Accessed June 6, 2004.
3. Body Mass Index Formula Available at: <http://www.cdc.gov/nccdphp/dnpa/bmi/bmi-adult-formula.htm> Accessed August 30th, 2004.



Invacare® IVC™ 9000 XDT Manual Wheelchair

Invacare® IVC™ 9000 XDT Wheelchair

Specifications

(all specifications are approximate)

| | |
|---|--|
| Dimensions | |
| Seat sizes | |
| Widths | 16", 17", 18", 19", 20", 22" tall to adult to hemi frame |
| Depths | 16", 17", 18", 19", 20" |
| Seat-to-floor heights | 17.5", 19.5" 21.5" option |
| Back heights - adjustable | 15", 16", 17", 18", 19" |
| Front riggings | |
| Hemi swingaway footrest | 17" - 21" |
| Hemi swingaway padded elevating legrest | 17.5" - 21" |
| Articulating elevating legrest | 17" - 25" |
| (Footplates available in aluminum or composite) | |
| Arm styles | |
| Full-length fixed height, padded, flip back, removable | |
| Desk-length fixed height, padded, flip back, removable | |
| Full-length adjustable height, padded, flip back, removable | |
| Desk-length adjustable height, padded, flip back, removable | |
| (All arm styles available conventional or space saver) | |
| Weight capacity | 350 lb. |
| Product weight (9XDT/WD08/28) | 36 lb. |
| Limited warranty frame and crossbraces | lifetime |



Model no. 9XDT

The Invacare IVC 9000 XDT manual wheelchair is designed for individuals who need an extra wide, heavy-duty or tall chair with seat-to-floor heights ranging from hemi through tall. This high-performance chair accommodates individuals weighing up to 350 pounds.

Features

- 350 lb. weight capacity
- Durable, low maintenance, triple chrome-plated, carbon steel
- Tall frames are designed to accommodate taller individuals and provide a more comfortable ride
- Multiple frame color variations for customizing
- Triple axle positions allow wide variation of seat-to-floor heights
- Urethane rear tires mounted on "no flex" wheels offer superior performance
- Urethane casters for better ride and lighter weight
- Low maintenance, dual-sealed precision bearings
- Heavy-duty inner liners help seat and back resist stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1.



2.



3.

1. Bariatric Bed #BAR600IVC, page 24
2. I-Fit™ Shower Chairs #9781,9780, page 9
3. Heavy-Duty Commode #6496, page 18

Up
to
350 lb.

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277

Invacare® Solara® Tilt-In-Space Manual Wheelchair



Invacare® Solara® Tilt-In-Space Manual Wheelchair

Specifications

(all specifications are approximate)

| Dimensions | |
|---|------------------------------|
| Frame style | Tilt |
| Seat width | 14" - 22" |
| Seat depth | 15" - 22" |
| Back height | 20" and 24" |
| Overall chair width open | Seat width plus 8.5" |
| Adjustable angle back | 0°, 10°, 20°, 30° |
| Tilt range | -5° to 50° |
| Tubing outside diameter | 1" Reg. Seat rail 1" |
| Weight capacity | 250 lb./350 lb. w/HD package |
| Weight of chair | 28.5 lb.**/41.5 lb.*** |
| Limited warranty frames and crossbraces | lifetime |

** Base chair weight without accessories

*** 18" x 18", FXDESK, BH20, FLDBACK, AT902, 12COM, A1577, PNEU, 70NTAPER, 1651, TLC, anti-tippers, wheel locks

Seat-to-floor heights

| Caster: | 5" | 6" | 6" | 8" |
|-----------|------------------------|-----------------|--------------------------|------------------------|
| Fork: | 5SOFT, 5ALUM | AT902 | 1259 | AT903, 1228 |
| 12" wheel | 16", 16.5" | 16", 16.5", 17" | 16", 16.5", 17.5", 18.5" | 17", 17.5" |
| 18" wheel | 14.5", 15", 15.5", 16" | 15.5", 16" | 16" | 18.5", 19" |
| 20" wheel | 15", 15.5" | 15.5", 16" | 16", 16.5" | 17" |
| 22" wheel | 16", 16.5" | 16", 16.5", 17" | 16", 16.5", 17.5", 18" | 17", 17.5" |
| 24" wheel | n/a | 17" | 17.5", 18" | 17", 17.5", 18.5", 19" |

Arm heights*

| | |
|------------------------------|---|
| Adjustable-height-dual-point | 8.5" - 12.5" (conventional only, range adjusts in 1" increments) |
| T-Arm | 10" - 16" (range adjusts in 1" increments) 8" - 12" (range adjusts in 0.5" increments) |

* All measurements from top of seat rail to top of armrest.



Model no. SOLARA2G

Solara® is built to last. The Solara is known for its durability of frame construction and gear tilt mechanism design. The new generation Solara retains this durability, and once again revolutionizes tilt-in-space wheelchair design with incredible simplicity, portability and ease of use and adjustment.

Features

- 350 lb. weight capacity (heavy-duty package)
- Center-of-gravity remains constant throughout tilt range
- Dramatically shorter wheelbase
- Positive lock mechanism eliminates "sponginess" common to locking hydraulic cylinders
- Tilt angle indicator
- Telescoping front end
- Standard flared front provides more space for user's feet and reduces interference when tilting in the anterior direction
- Available seat widths of 14" - 22"
- Available seat depths of 15" - 22"
- One axle plate accommodates all wheel sizes
- 55° of tilt available
- Adjustable-depth, adjustable-angle back

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1. I-Fit™ Shower Chairs #9781, 9780, page 9
2. Heavy-Duty Commode #6496, page 18
3. Heavy-Duty Transfer Bench #9670, page 8

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277

Up to 350 lb.



Invacare® MVP® Wheelchair

Invacare® MVP® Wheelchair

Specifications

(all specifications are approximate)

| Dimensions | |
|----------------------------|---|
| Overall* | seat width plus 10" |
| Heavy-duty sizes | |
| | 16" d 17" d 18" d 19" d 20" d 21" d 22" d |
| 18" width | x x x x x n/a n/a |
| 19" width | x x x x x n/a n/a |
| 20" width | x x x x x x x |
| 22" width | n/a n/a n/a n/a n/a n/a x |
| Rear seat-to-floor** | Range |
| 18" wheel | 14.75" - 17.5" |
| | 14.75" - 18.75" |
| 20" wheel | 14.75" - 19" |
| | 14.75" - 20" |
| 22" wheel | 15.25" - 20" |
| | 15.75" - 21" |
| 24" wheel | 15.75" - 20.5" |
| | 16.5" - 21.25" |
| 26" wheel | 16.75" - 21.25" |
| | 17.5" - 21.25" |
| Cane options | |
| Sportster | 10" - 14" adjustable |
| 10" with push handles | 14" - 18" adjustable |
| Straight with push handles | 12" - 16" adjustable |
| Straight with push handles | 14" - 18" adjustable |
| Arm Height† | |
| Adjustable, dual-point†† | 10" - 14" conventional |
| Desk or full | or space saver |
| Swingaway half arm | 8" - 10" |
| T-Arm | 6" - 10" low |
| | 8" - 14" high |
| Weight | 350 lb. (heavy-duty) |
| Limited warranty | lifetime frame and crossbraces |

* Measurement taken from outside of handrim to outside of handrim with 3° (standard) camber.

** Range adjusts in 7/8" increments.

*** Range adjusts in 1" increments.

† Measurement taken from top of seat rail to top of armrest.

†† Range adjusts in 1" increments.



Model no. MVPS

The Invacare MVP is the premium folding chair in the custom manual wheelchair line and has established a tremendous reputation for high performance. And that performance is now available with a weight limit of 350 lb. The unique design of the MVP offers two rear frame options with the heavy-duty package, so it feels, fits and looks as great as it performs. For the best combination of folding-chair convenience and custom manual chair performance, the MVP is the only chair you'll need.

Features

- 350 lb. weight capacity (heavy-duty package)
- Lightweight folding chair
- Two rear frame options are designed to meet the consumer's needs – square rear frame for increased stability, and the curved rear frame for increased maneuverability
- A wide range of options ensure versatility and comfort
- Parts are interchangeable among MVP chairs
- Adjustable Tension Back upholstery is available
- Choice of fixed or swing away front end
- Camber choices from 0°-9°
- Tapered front riggings are available
- Crutch and Cane Carrier option
- Available non-adjustable or adjustable rigidizing handle bar

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1. Plastic Coated Handrims #A1512, call Invacare Customer Service
2. Personal Back™ 10 #PBR, page 22
3. True Track® Blood Glucose Meter Start Kit #ISG172200, call Invacare Supply Group at 800-225-4792

Up to
350 lb.

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277



Invacare® I•Class™ Heavy-Duty Transfer Benches

Specifications

(all specifications are approximate)

Model nos. 9670, 9670U, 9670C

| | |
|--|-----------------|
| Seat height min. - max. | 18"-22.5" |
| Seat depth | 18" |
| Seat width | 33.25" |
| Overall height (min. - max.) | 31.25" - 35.75" |
| Clearance beneath frame | 14.5" - 19" |
| Overall width at base | 30.5" - 31" |
| Overall depth at base | 16.25" - 17" |
| Height adjustments (in .5" increments) | 9 |
| Product weight | 12 lb. |
| Weight capacity | 400 lb. |
| Quantity | |
| 9670 | 2 per carton |
| 9670U | 1 per carton |
| 9670C | 2 per carton |
| Limited warranty | lifetime |

Features

- 400 lb. weight capacity
- 9670 and 9670U contain Microban® antimicrobial protection
- Sturdy, durable, one-piece blow-molded seat
- Textured seat with drain holes
- Ergonomically shaped reversible backrest snaps in and out easily without tools
- Built-in soap dish and hand-held shower holder



Model nos. 9670 (assembled), 9670U (unassembled), 9670C (assembled with commode opening)

For individuals with restricted mobility, the Invacare I•Class Heavy-Duty Transfer Bench provides safety and independence. Ergonomically designed to make transfers in and out of the bathtub easy, this transfer bench also features a textured seating surface that is safe and comfortable for the consumer.

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1.



2.



3.

1. Tracer® IV Manual Wheelchair #T4, page 20
2. Heavy-Duty Paddle Walker #6291-HDA, page 21
3. Hand Held Shower #828-4, call Invacare Customer Service

Invacare Customer Service (800) 333-6900

www.invacare.com

Invacare Bariatric Price List Form no. 99-277

Up
to
400 lb.



Invacare® I-Fit™ Shower Chairs

Invacare® IVC™ I-Fit™ Shower Chairs

Specifications

(all specifications are approximate)

| | No. 9781 | No. 9780 |
|---------------------------|-----------|-----------|
| Seat height (min. - max.) | 15" - 21" | 15" - 21" |
| Seat overall depth | 18" | 18" |
| Seat overall width | 20" | 20" |
| Back height from seat | 14.25" | N/A |
| Overall width at base | 16.25" | 16.25" |
| Overall depth at base | 17.25" | 17.25" |
| Product weight | 10 lb. | 8.25 lb. |
| Weight capacity | 400 lb. | 400 lb. |
| Quantity per carton | 2 | 2 |
| Limited warranty | lifetime | lifetime |

Features

- 400 lb. weight capacity
- Contain Microban® antimicrobial protection
- Tool-less assembly
- Deep and wide seating surface
- Contoured seat and ergonomic backrest
- Legs with large rubber tips for additional stability
- Plastic legs with twist height adjustments



Model no. 9781 I-Fit chair with back

Model no. 9780 I-Fit chair without back

Invacare I-Fit shower chairs offer stability, comfort, and tool-less assembly in seconds. The IVC I-Fit chairs' all-composite legs have precise twist height adjustments. IVC I-Fit chairs have deep contoured seats and ergonomic backrests that provide maximum showering comfort. These chairs fit into most standard tubs, while the legs feature large rubber tips for added stability.

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1.



2.



3.

1. 900 Series Manual Wheelchair #S900, page 19
2. Hand Held Shower #828-4, call Invacare Customer Service
3. Auto Inflation Blood Pressure Monitor #ISG400RAI, call Invacare Supply Group at 800-225-4792

Up
to
400 lb.

Invacare Customer Service (800) 333-6900

www.invacare.com

Invacare Bariatric Price List Form no. 99-277



Invacare® Bariatric Transport Chair

Specifications

(all specifications are approximate)

| Chair Dimensions | |
|----------------------|-------|
| Seat width | 22" |
| Seat depth | 18" |
| Back height | 20" |
| Seat-to-floor height | 19.5" |

| Overall Chair Dimensions | |
|----------------------------|-------|
| Overall width open | 28" |
| Overall depth w/o riggings | 36.5" |

Model no. TRHD22FR

The Invacare Heavy-Duty Transport Wheelchair is designed for those individuals requiring a transport chair that can support weight up to 400 lb. The Heavy-Duty Transport chair is available in a 22" seat width and comes complete with removable desk arms and swingaway footrest. This chair incorporates 12" rear wheels with flat-free tires for increased maneuverability and 8" solid rubber casters.



Features

- 400 lb. weight capacity
- 3-year limited warranty on sideframes and crossbraces
- 12" rear wheels with flat free tires
- Removable padded desk arms
- Carbon steel frame with dual crossbraces
- Swingaway footrest with aluminum footplates
- Flame retardant black nylon upholstery

Invacare® 3-Position Recliner - Deluxe X-Wide



Model no. IH6065WD

The deluxe three-position recliner is loaded with features and designed with ergonomics in mind. The back and seat are formed for comfort and support.

Features

- 400 lb. weight capacity
- Three easy-to-attain positions: upright, elevated leg or full recline
- Special woven padding on back and seat reduces the risk of "bottoming out"
- Ergonomically designed seat back and articulating headrest maximize individual comfort requirements
- Zinc-plated caster horns for improved rust resistance
- Fire retardant foam and glue

Specifications

(all specifications are approximate)

| Dimensions | |
|----------------------|-----------------------|
| Overall | 32" w x 39" d x 47" h |
| Overall depth | 39" |
| Overall height | 47" |
| Overall width | 32" |
| Product weight | 92 lb. |
| Seat depth | 19.5" |
| Seat-to-back height | 32" |
| Seat-to-floor height | 21" |
| Seat width | 22.75" |
| Weight capacity | 400 lb. |

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1.



2.



3.

1. Bariatric Bed #BAR600IVC, page 24
2. Heavy-Duty Walker #6291-HDA, page 21
3. Deluxe Wrist Blood Pressure Monitor w/Heartsense #ISG400DWH, call Invacare Supply Group at 800-225-4792

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277

Up to 400 lb.



Invacare® Pronto® M91™

Invacare® Pronto® M91™



Model no. M91

Vibrant colors with contemporary styling are not the only features that position the Invacare® Pronto® M91™ power wheelchair with SureStep® in a class of its own. Complete with center-wheel drive performance, high-speed motors and a 300-pound weight capacity, (optional 400 lb.) the Pronto M91 with SureStep appeals to consumers with an active lifestyle. Innovative SureStep technology makes negotiating thresholds and transitions up to three-inches high effortless in the M91 while maintaining the stability of six wheels on the ground. Offering excellent maneuverability, SureStep technology and a maximum speed of 6.5 mph, the Pronto M91 is sure to be preferred by consumers on the go.

Features

- SureStep technology for smooth driving over thresholds and transitions up to three inches in height
- Contemporary design with choice of Candy Red, Deep Blue or Magic Black shroud colors
- True center-wheel-drive for intuitive driving and tight overall turning radius
- Six wheels on the ground provide optimum stability
- Rehab seat frame available for additional positioning requirements

Specifications

(all specifications are approximate)

| | | |
|---------------------------------|---|------------------------------|
| Overall dimensions | | |
| Lengths (with footboard folded) | 39" | |
| Lengths (with footboard down) | 40" - 42" | |
| Width (excluding joystick) | 25.9" | |
| Heights | 37" - 48" | |
| Seat dimensions | | |
| | Van seat | |
| | Semi-recline | Adjustable Rehab Seat (ASBA) |
| Widths | 18" - 22" | 16" - 24" |
| Depths | 16" - 18" | 16" - 22" |
| Overall Height | 37" - 40" | 35" - 43" |
| Back height | 18" | 16" - 20" |
| with headrest | 25" | n/a |
| Back angle | 80° - 115° | 80° - 100° |
| Seat-to-floor height | | |
| | range | |
| Van | 21" - 23" | |
| ASBA | 18.5" - 21" | |
| Weight | | |
| With batteries | 273 lb. | |
| Without batteries | 199 lb. | |
| Wheel and caster sizes | | |
| Front casters | 6" x 2" | |
| Drive wheels | 14" x 3" | |
| Rear casters | 6" x 2" | |
| Maximum speed | 6.5 mph / 4.5 mph Heavy-duty 400 lb. weight capacity | |
| Incline capability | 9° | |
| Weight capacity | 300 lb. (400 lb. option) | |
| Turning radius | | |
| Front (with footboard down) | 19.5" | |
| Rear | 21.5" | |
| Ground clearance | 3.25" | |
| Limited warranties | | |
| Base frame | 60-months | |
| Seat frame | 60-months | |
| Electronics | 12-months | |
| Motor/gearbox | 18-months | |

- Fully programmable MK₅™ -NX™-75 electronics for maximum function and precise driver control
- Semi-recline van seats for style and comfort with flip-up adjustable height- and width-arms
- Powerful 650-watt, high-torque motors for reliable performance
- Regenerative braking and automatic motor locks for dependable stopping
- On-board charger for convenience

Additional Product Suggestions


Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1.



2.



3.

1. Heavy-Duty Walker #6291-HDA, page 21
2. I-Fit Shower Chairs #9781, 9780, page 9
3. Bariatric Transfer Bench #9675-2, page 29

Up
to
400 lb.

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277

Invacare® 3G Storm Series® Ranger X™ SE Power Wheelchair



Invacare® 3G Storm Series® Ranger X SE Power Wheelchair (Coming Soon!)

Model no. 3GRXSE

The Invacare Ranger X™ SE is a new model to the 3G Storm Series.® This heavy-duty model accommodates one powered seating option. Built on the rugged Storm Series H-frame design, the Ranger X SE power wheelchair offers a proven, durable construction and rubber element independent rear suspension for a softer ride.

Features

- 400 lb. weight capacity
- MKIV™ RII electronics standard
- Adjustable ASBA Rehab seat to accommodate changing consumer's needs while maintaining the same seat pan.
- Easily interfaces with Tarsys 2GTR powered seating



Specifications

(all specifications are approximate)

| | | | |
|--|--------------|---|-------|
| Dimensions | | Maximum speed | 5 mph |
| Overall width (with 14" x 3" wheels) | 25" | with TrueTrack motor (optional) | 7 mph |
| Length (without front riggings) | | Electronics | |
| Short base | 28.5" | MKIV™ RII | |
| Long base | 31.5" | Batteries*** | |
| Height | | 22NF (standard) | |
| Medium | 36.5" | Group 24 (optional) | |
| Tall | 44.25" | Incline capability | |
| Seat-to-floor height (at 0° tilt) | | 9° | |
| Low | 17.5" | Product weight | |
| Medium | 19.5" | Without batteries | |
| Tall | 21" | Shipping weight | |
| Wheels | | 240 lb. | |
| Pneumatic (standard) | 14" x 3" | Full turning radius # | |
| Foam-filled (optional) | 14" x 3" | 29.5" | |
| Pneumatic or foam-filled* (optional) | 14" x 4" | Limited warranty | |
| Free wheel hub** (optional) | --- | Main frame | |
| Casters | | lifetime | |
| Semi-pneumatic (standard) | 8" x 2.25" | Electronics | |
| Pneumatic (optional) | 8" x 2.5" | 12-months | |
| Pneumatic or foam-filled (optional) | 9" x 3" | Motor | |
| Arm height | | 18-months | |
| Fixed | 10" | Weight capacity | |
| Adjustable | 9.5" - 13.5" | With 2GTR | |
| | | 350 lb. | |
| | | With 2G tilt/recline and ventilator tray option | |
| | | 285 lb. | |

* 14"x4" adds 2" to overall width.
 ** Adds an additional 3/8" to overall width
 *** Sealed gel cell recommended.
 # Base at 16" seat depth and 70" front riggings.

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1.



2.



3.

1. Power Articulating and Elevating Legrests #ELRPW, call Invacare Customer Service
2. Quadlink Swingaway Joystick Mount #QLA, call Invacare Customer Service
3. Soft Conforming Roll Sterile 3 x 75 in. #ISG207037, call Invacare Supply Group at 800-225-4792

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277

Up
to
400lb.



Invacare® 3G Storm Series® Arrow® Power Wheelchair

Invacare® 3G Storm Series® Arrow® Power Wheelchair



Model no. 3GAR

The Invacare 3G Storm Series Arrow rear-wheel drive power wheelchair is available with the TrueTrack Heavy-Duty (TTHD) package to accommodate the most active consumers weighing up to 400 lb. TTHD combines the most innovative features of TrueTrack technology with the power and durability of a 4-pole heavy-duty motor system.

Features

- 400 lb. weight capacity
- Independent spring-and-shock rear-wheel suspension reduces jolts and vibrations for clinical and functional comfort
- Upgraded Gearless Brushless GB™ motors deliver approximately 15% more power and increase speed by 60% to 7 mph from previous heavy-duty motors
- Full electronic communication and switch option capability
- Four independent drives
- Useful arm pockets to store personal items
- Adjustable rehab seat efficiency accommodates changing consumers' needs

Specifications

(all specifications are approximate)

| | | | | | |
|--|----------|---------------------------------|----------------|---|-----------|
| Dimensions | | Casters | | Shipping weight | |
| Overall width (with 14" x 3" wheels) | 25" | Semi-pneumatic (std.) | 8" x 2.25" | Full turning radius*** | 29.5" |
| Length (without front riggings) | | Pneumatic (opt.) | 8" x 2.5" | Weight capacity | |
| Short base | 28.5" | Pneumatic or foam-filled (opt.) | 9" x 3" | TrueTrack | 400 lb. |
| Long base | 31.5" | Arm height | | With 2GTR | 350 lb. |
| Height | | Fixed | 10" | With 2G tilt/recline and ventilator tray option | 285 lb. |
| Medium | 36.5" | Adjustable | 9.5" - 13.5" | Limited warranty | |
| Tall | 44.25" | Maximum speed | 7 mph | Main frame | lifetime |
| Seat-to-floor height (at 0° tilt) | | Electronics | | Electronics | 12-months |
| Medium | 19.75" | MKIV™ A (standard) | | Motor | 18-months |
| Tall | 21" | With switch options (opt.) | | | |
| Wheels | | Batteries | Group 24 (std) | | |
| Pneumatic (standard) | 14" x 3" | Incline capability | 9° | | |
| Foam-filled (optional) | 14" x 3" | Product weight | | | |
| Pneumatic or foam-filled* (opt.) | 14" x 4" | With Group 24 batteries | 275 lb. | | |
| Free wheel hub** (opt.) | | Without batteries | 160 lb. | | |

* 14" x 4" adds 2" to overall width.
 ** Adds an additional 3/8" to overall width
 *** Base at 16" seat depth and 70" front riggings.



Invacare® Tarsys® 2G Powered Seating Systems


Invacare Tarsys 2GT™, 2GR™ and 2GTR™ powered seating systems easily interface with the Invacare 3G Storm Series RWD power base (shown at left in full tilt and full recline).

Features

- 350 lb. client weight capacity
- Ventilator tray available (285 lb. client weight capacity)

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1. Heavy-Duty Transfer Bench #9670, page 8
2. Group 24 Batteries Factory Installed #24INSTAL, call Invacare Customer Service
3. Quadlink, retractable Joystick Mount, #OLA call Invacare Customer Service

Up to 400 lb.

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277



Invacare® TDX5 Power Wheelchair

Model no. TDX5

As the flagship of the TDX™ Total Driving Experience line of power wheelchairs, the TDX5 is designed to meet the needs of the most challenging and demanding clients today and will continue to do so as they change over time. The TDX5 comes standard with all five of the Total Driving eXperience technologies – TrueTrack technology, SureStep® suspension, MK5™ electronics, center-wheel-drive and Stability Lock resulting in unmatched rehab function.

Features

- TrueTrack motor package accommodates the most active consumers weighing up to 400 lb.
- MK5 electronics with the MK5 TT-EX™ controller and MPJ™ driver control which offers four independent drives
- SureStep suspension, configured for obstacles up to 3", and rear suspension for an overall smooth ride
- Adjustable rehab seat efficiently accommodates changing consumers' needs



Specifications

(all specifications are approximate)

| | | | | | |
|--|---------------|--------------------------------|-----------|---|-----------|
| Dimensions | | Casters | | Full turning radius** | |
| Overall width | 25" | Semi-pneumatic (standard) | 6" x 2" | 22" | |
| Length (with center mount) | | Arm height adjustment* | | Limited warranty | |
| w/18" D ASBA | 43" | ASBA/Tilt | 9" - 13" | Main frame | 3-years |
| Height | | Formula TRE | 11" - 16" | Electronics | 12-months |
| ASBA @16" | 33.25" | Maximum speed | | Motor | 18-months |
| Formula™ TRE | 41.5" | 7.5 mph | | Weight capacity | |
| Seat-to-floor height (at 0° tilt) | | Electronics | | Heavy-Duty package | 400 lb. |
| ASBA | 16.5" - 20.5" | MK5™ TT-EX™ (standard) | | With Formula TRE*** | 400 lb. |
| Formula TRE | 18" | With switch options (optional) | | With Formula and ventilator tray option | 350 lb. |
| Wheels | | Batteries | | | |
| Pneumatic (standard) | 14" x 3" | Group 24 (std) | | | |
| Foam-filled (optional) | 14" x 3" | Incline capability | | | |
| | | 9° | | | |
| | | Product weight | | | |
| | | With Group 24 batteries | | 310 lb. | |
| | | Without batteries | | 208 lb. | |

* Must choose adjustable height arms. Fixed height is 10".
 ** Base at 18" seat depth and 90° center mount.
 *** Elevate combinations reduces weight capacity to 300 lb.



Invacare® Formula™ TRE Powered Seating

Invacare Formula TRE powered seating systems easily interface with the Invacare TDX power base (shown at left in tilt and recline).

Features

- Up to 400 lb. client weight capacity (dependent on model and motor package)
- Ventilator tray available (up to 350 lb. client weight capacity)

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1.



2.



3.

1. Quadlink, retractable joystick mount #QLA, call Invacare Customer Service
2. Power Articulating and Elevating Legrests #ELRPW, call Invacare Customer Service
3. Deluxe Wrist Blood Pressure Monitor w/Heartsense, #ISG400DWH, call Invacare Supply Group at 800-225-4792

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277

Up to 400 lb.



Invacare® TDX™ 4 Power Wheelchair

Invacare® TDX4 Power Wheelchair



Model no. TDX4

The TDX4 is the mid-range model of the TDX line of power wheelchairs, designed to meet the needs of many rehab consumers today while allowing additional technologies to be added over time. The TDX4 comes standard with four of the Total Driving eXperience technologies – SureStep® suspension, MK₅™ electronics, center wheel drive and Stability Lock.

Features

- Heavy-duty 4-pole motor package with a 400 lb. weight capacity and a maximum speed of 5 mph, or the optional TrueTrack Heavy-Duty motor package for the most active consumers weighing up to 400 lb. and a 7.5 mph maximum speed
- MK₅ electronics with the MK₅ EX™ controller and DPJ™ driver control which offers 2 independent drives and a mode switch to operate powered seating functions
- SureStep suspension, configured for obstacles up to 3", and rear suspension for an overall smooth ride
- Adjustable rehab seat efficiently accommodates changing consumers' needs

Specifications

(all specifications are approximate)

| | | | | | |
|--|---------------|----------------------------------|-----------|------------------------------|-----------|
| Dimensions | | Casters | | Full turning radius** | |
| Overall width | 25.5" | Semi-pneumatic (standard) | 6" x 2" | Limited warranty | 22" |
| Length (with center mount) | | Arm height adjustment* | | Main frame | 3-years |
| w/18" D ASBA | 43" | ASBA/Tilt | 9" - 13" | Electronics | 12-months |
| Height | | Formula TR | 11" - 16" | Motor | 18-months |
| ASBA @16" | 33.25" | Maximum speed | | Weight capacity | |
| Formula™ TRE | 41.5" | 5 mph† | | Heavy-Duty package | 400 lb. |
| Seat-to-floor height (at 0° tilt) | | Electronics | | With Formula TRE*** | 400 lb. |
| ASBA | 16.5" - 20.5" | MK ₅ ™ EX™ (standard) | | With Formula and | |
| Formula TRE | 18" | With switch options (optional) | | ventilator tray option | 350 lb. |
| Wheels | | Batteries | | | |
| Pneumatic (standard) | 14" x 3" | Group 24 (std) | | | |
| Foam-filled (optional) | 14" x 3" | Incline capability | | | |
| | | 9° | | | |
| | | Product weight | | | |
| | | With Group 24 batteries | | | |
| | | 290 lb. | | | |
| | | Without batteries | | | |
| | | 186 lb. | | | |

* Must choose adjustable height arms. Fixed height is 10".

** Base at 18" seat depth and 90° center mount.

*** Elevate combinations reduces weight capacity to 300 lb.

† 5 maximum speed with Heavy-Duty 4-pole motors.



Invacare® Formula™ TRE Powered Seating

Invacare Formula TRE powered seating systems easily interface with the Invacare TDX power base (shown at left in tilt and recline).

Features

- Up to 400 lb. client weight capacity (dependent on model and motor package)
- Ventilator tray available (up to 350 lb. client weight capacity)

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1. Quadlink, #QLA retractable joystick mount, call Invacare Customer Service
2. Power Articulating and Elevating Legrests #ELRPW, call Invacare Customer Service
3. Prestige IQ® Blood Glucose Meter Start Kit #ISG172006, call Invacare Supply Group at 800-225-4792

Up to 400 lb.

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277

Invacare® TDX™ 4SE Power Wheelchair



Invacare® TDX4SE Power Wheelchair

Model no. TDX4SE

The Invacare® TDX4SE Power Wheelchair offers excellent maneuverability and performance. This chair features a heavy-duty 400-pound weight capacity, designed to meet the needs of many rehab consumers today. With SureStep® suspension, the TDX4SE safely transitions over a variety of terrains providing a smooth ride. This Special Edition model can accommodate a single powered seating function, such as tilt, recline, or elevate.

Features

- Heavy-duty 4-pole motor package with a 400 lb. weight capacity and a maximum speed of 4 mph
- MK5 electronics with the MK5 NX™-80 controller and SPJ™-80 driver control
- SureStep suspension, configured for obstacles up to 3", and rear suspension for an overall smooth ride
- Adjustable rehab seat efficiently accommodates changing consumers' needs



Specifications

(all specifications are approximate)

| | | | | | | | |
|--|---------------|--------------------------------|----------------|---|-----------|-----|--|
| Dimensions | | Casters | | Full turning radius** | | 22" | |
| Overall width | 25.5" | Semi-pneumatic (standard) | 6" x 2" | Weight capacity | | | |
| Length (with center mount) | | Arm height adjustment* | | Heavy-Duty package | 400 lb. | | |
| w/18" D ASBA | 43" | ASBA/Tilt | 9" - 13" | With Formula TRE*** | 400 lb. | | |
| Height | | Formula TRE | 11" - 16" | With Formula and ventilator tray option | 350 lb. | | |
| ASBA @16" | 33.25" | Maximum speed | 4 mph† | Limited warranty | | | |
| Formula™ TRE | 41.5" | Electronics | | Main frame | 3-years | | |
| Seat-to-floor height (at 0° tilt) | | MK5™ EX™ (optional) | | Electronics | 12-months | | |
| ASBA | 16.5" - 20.5" | With switch options (optional) | | Motor | 18-months | | |
| Formula TRE | 18" | Batteries | Group 22 (std) | | | | |
| Wheels | | Incline capability | 9° | | | | |
| Pneumatic (standard) | | Product weight | | | | | |
| w/ heavy-duty motors) | 12" x 2.5" | With Group 22 batteries | 260 lb. | | | | |
| Foam-filled (optional) | 12" x 2.5" | Without batteries | 186 lb. | | | | |

* Must choose adjustable height arms. Fixed height is 10".

** Base at 18" seat depth and 90° center mount.

*** Elevate combinations reduces weight capacity to 300 lb.

† 4 maximum speed with Heavy-Duty 4-pole motors



Invacare® Formula™ TRE Powered Seating


Invacare Formula TRE powered seating systems easily interface with the Invacare TDX power base (shown at left in tilt and recline).

Features

- Up to 400 lb. client weight capacity (dependent on model and motor package)
- Ventilator tray available (up to 350 lb. client weight capacity)

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1. Quadlink, retractable joystick mount #QLA, call Invacare Customer Service
2. Power Articulating and Elevating Legrests #ELRPW, call Invacare Customer Service
3. Deluxe Auto Inflation Blood Pressure Monitor #ISG400DAH, call Invacare Supply Group at 800-225-4792

Invacare Customer Service (800) 333-6900

www.invacare.com

Invacare Bariatric Price List Form no. 99-277

Up to 400 lb.



Invacare® Ulti-Mate® Cushion and Base

Invacare® Ulti-Mate® Cushion and Base

Specifications

(all specifications are approximate)

| Dimensions | |
|------------------|-----------|
| Seat width | 10" - 32" |
| Depth | 10" - 24" |
| Limited warranty | 2 years |
| Weight capacity | 400 lb. |

Features

- 400 lb. weight capacity
- Heavy-duty cushions made from three layers of cut foam
- Cushions and bases available in sizes up to 32" wide by special order
- Water-resistant, breathable outer cover and zippered, waterproof recovery fabric inner cover available on cushion and base

Model no. UM, UMB

The Ulti-Mate is a lightweight, maintenance-free pressure-reduction and positioning seat created from three layers of molded polyurethane and viscous foam. The anatomical contours on the Ulti-Mate, in combination with the highly sensitive viscous foam, provide outstanding skin protection as well as excellent stability and support.



Ulti-Mate® Cushion.



Ulti-Mate® Base.

Additional Product Suggestions


Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1.



2.



3.

1. Personal Back™10 #PBR, page 22
2. Tracer IV Wheelchair #T4, page 20
3. Tracese Blood Glucose Meter Start Kit #ISG172C4H0186, call Invacare Supply Group at 800-225-4792

Up
to
400 lb.

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277



Invacare® Heavy-Duty Commode

Model no. 6496

With the strength and durability of a welded steel frame, the Invacare Heavy-Duty Commode gives consumers the comfort and stability they need. Plus, Invacare commodes are easy to adjust and built to last.

Features

- 450 lb. weight capacity
- Contains Microban® antimicrobial protection
- Designed for bedside use
- Large, clamp-on seat and lid
- Backrest
- Gray powder-coated, 1" welded steel frame
- Rectangular pan and pan holder
- Armrests for added comfort



Specifications

(all specifications are approximate)

| | | | |
|--------------------|--------|---------------------------------|-----------------|
| Base width overall | 27" | Height overall (min.-max.) | 27.25" - 31.25" |
| Width between arms | 23.5" | Seat-to-floor height (min.-max) | 18.75" - 22.75" |
| Seat surface width | 16" | Seat-to-arm height | 8.5" |
| Seat opening width | 8.25" | Product weight | 17 lb. |
| Base depth overall | 19.25" | Weight capacity | 450 lb. |
| Seat surface depth | 16" | Quantity | 2 per carton |
| Seat opening depth | 12.5" | Limited warranty | lifetime |

Additional Product Suggestions


Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1.



2.



3.

1. Tracer® IV Manual Wheelchair #T4, page 20
2. IVC™ 900 Series Manual Wheelchair #S900, page 19
3. Hydrocolloid Wound Dressing 4 x 4 in. #ISGHC, call Invacare Supply Group at 800-225-4792

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277

Up
to
450 lb.



Invacare® IVC™ 900 Wheelchair

Invacare® IVC™ 900 Wheelchair

Specifications

(all specifications are approximate)

| | |
|--|---|
| Dimensions | |
| Seat sizes | |
| Width | 14", 15", 16", 17", 18", 19", 20", 21", 22", 23", 24" |
| Depth | 13", 14", 15", 16", 17", 18", 19", 20", 21", 22" |
| Seat-to-floor height | 18" hemi, 20" adult 19", 21", 22", 23", 24" achieved by frame modification |
| Back height | 14" - 24" sectional back 14" - 24" permanent fixed back height (1" increments) |
| Arm styles | |
| Full-length fixed height, padded, removable | |
| Desk-length fixed height, padded, removable | |
| Full-length adjustable height, padded, removable | |
| Desk-length adjustable height, padded, removable | |
| (All arms are conventional or space-saver) | |
| Front Riggings | |
| Swingaway footrest | |
| Swingaway padded elevating legrest | |
| Articulating elevating legrest | |
| Weight capacity | 250 lb., 300 lb., 350 lb., 400 lb., 450 lb. |
| Product weight | dependent on custom configurations |
| Limited warranty | 5-years on frame and crossbraces |



Model no. S900

The Invacare IVC 900 series wheelchair is designed to meet the physical needs of the most demanding consumer. A reinforced 900 chair is the industry standard when it comes to durability and reliability because Invacare has strengthened the 900 in numerous ways, including additional supports, gussets and reinforcements. The 900 redefines the term "custom wheelchair." Each one is built to the specification of the consumer. The chair is available in multiple widths and depths, back styles, seat-to-floor heights, and weight limits up to 450 lb., resulting in a chair that can accommodate almost any consumer.

Features

- 450 lb. weight capacity (heavy-duty package)
- For 350 lb. to 450 lb., rigid frame is available; for 450 lb., rigid frame is standard
- Multiple width and depth combinations can accommodate almost any size consumer
- Heavy-duty recliner frame available (350 lb. weight capacity)
- Gusseted frame option withstands heavy use
- Dual-crossbrace option provides extra strength and rigidity
- Shock-absorbing forks help absorb the impact the front end may receive

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1.



2.



3.

1. Heavy-Duty Commode #6496, page 18
2. Bariatric Transfer Bench #9675-2, page 29
3. Ulti-Mate® Cushion #UM, page 17

Up
to
450 lb.

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277

Invacare® IVC™ Tracer® IV Wheelchair

Specifications

(all specifications are approximate)

| | |
|--|----------------------------------|
| Dimensions | |
| Seat sizes | |
| Width | 18", 20", 22", 24" |
| Depth | 18", 20" |
| Seat-to-floor height | 19.5", 17.5" |
| Back height | 16" fixed |
| Front riggings | |
| Swingaway footrest | 17" - 21" |
| Swingaway padded elevating legrest | 17.5" - 21" |
| Articulating elevating legrest | 17" - 25" |
| Footplates available in aluminum and composite | |
| Arm styles | |
| Full-length fixed height, padded, removable | |
| Desk-length fixed height, padded, removable | |
| Full-length adjustable height, padded, removable | |
| Desk-length adjustable height, padded, removable | |
| Product weight | |
| (T4/WD28/28) | 350 lb. 42 lb. 450 lb. 47 lb. |
| Limited warranty | lifetime frame and crossbraces |
| Weight capacity | 350/450 lb. |



Model no. T4

The Invacare IVC Tracer IV manual wheelchair features superior durability, rollability, streamlined looks and is designed for the active individual who needs the strength of a reinforced, heavy-duty frame. Its many options include components interchangeable within the Tracer series. The Tracer IV is long-lasting and low maintenance.

Features

- 350 lb. or 450 lb. heavy-duty weight capacity (heavy-duty package)
- New dual axle position allows variation of seat-to-floor heights (Adult 19.5" and Hemi 17.5")
- Durable, low maintenance, triple chrome-plated, carbon steel frame
- Reinforced frame includes gusseted sides, caster journals and dual crossbraces
- Low maintenance, dual-sealed precision bearings
- Heavy-duty inner liners help seat and back resist stretching
- Flame-retardant upholstery resists mildew and bacteria as well as cold-crack and UV damage
- Upholstery is dual-embossed

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1.



2.



3.

1. Bariatric Crutches #8130-J, A or T, page 32
2. Heavy-Duty Commode #6496, page 18
3. Heavy-Duty Walker #6291-HDA, page 21

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277

Up
to
450 lb.



Invacare® Heavy-Duty Dual-Release Paddle Walker And Bariatric Rollator

Invacare® Heavy-Duty Dual-Release Paddle Walker and Bariatric Rollator

Specifications

(all specifications are approximate)

| | |
|--------------------------------------|---|
| Model no. 6291-HDA | |
| Width inside handgrips | 20" |
| Width inside base legs | 24" |
| Depth opened at base | 17.5" |
| Depth folded | 4" |
| Height adjustment (min. -max.) | 30.38" - 37.38" (adjusts in 1" increments) |
| Approx. patient height (min. - max.) | 5'0" - 6'3" |
| Product weight | 6 lb. 11 oz. |
| Weight capacity | 500 lb. |
| Limited warranty | lifetime |
| Quantity | 2 per carton |

Features

- 500 lb. weight capacity
- Extended frame for extra stability
- Long-lasting PVC handgrips



Model no. 6291-HDA

The Invacare Heavy-Duty Dual-Release Adult Paddle Walker is strong, stable and simple to use, helping individuals to walk with confidence and ease. This walker also is compatible with Invacare leg accessories.



NEW Model no. 66500

The Invacare Bariatric Rollator is made of a durable and stable steel frame designed for individuals up to 500 lb. who need an extra wide and deep ambulatory device. The flip-up padded seat allows quick access to the storage basket while the 8" wheels provide improved mobility over rougher indoor or outdoor terrains.

Features

- 500 lb. weight capacity
- Wide, deep frame
- Flip-up padded seat
- Removable padded backrest
- Folds for ease of storage and transport
- Large 8" wheels for improved mobility over rougher terrain
- Height adjustable loop handbrakes with foam handgrips
- Durable steel construction
- Basket included

Specifications

(all specifications are approximate)

| | | | |
|----------------------------------|-----------------|--------------------|--------------|
| Depth opened at base | 32.875" | Seat width x depth | 18" x 13" |
| Depth folded | 19.5" | Wheels | 8" |
| Width inside handgrips | 22.50" | Product weight | 26 lb. |
| Width inside base of legs | 21.875" | Weight capacity | 500 lb. |
| Width overall | 31.125" | Quantity | 1 per carton |
| Height adj. (min. -max) | 34.25" - 38.50" | Limited warranty | |
| Approx. client height (min.-max) | 5'8" - 6'5" | frame | 3-years |
| Seat-to-floor height | 21.625" | brakes | 3-years |
| | | other components | 3-years |

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1. Bariatric Offset Handle Cane #8940-6, page 28
2. Bariatric Shower Chair w/back #9785-2, page 29
3. Bariatric Drop Arm Commode #9785-2, page 32

Up to 500 lb

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277



Invacare® Personal Back™10 and 10 Plus

Specifications

(all specifications are approximate)

| | |
|------------------|-----------|
| Dimensions | |
| Width | 21" - 26" |
| Height | 16" - 19" |
| Limited warranty | 2-years |
| Weight capacity | 500 lb. |

Features

- 500 lb. weight capacity
- Lightweight aluminum shell
- Pre-contoured shell provides excellent contact and support
- Pre-drilled headrest pattern
- Quick Set™ hardware with increased adjustability
- Optional viscoelastic foam lining is available for increased comfort
- Easy-to-use Foam-in-Place kit provides custom foam mold insert in minutes



Model no. PBP/PBT Personal Back
Model No. PPR/PPT Personal Back 10 Plus

The Invacare Personal Back 10 and Personal Back 10 Plus combine simplicity of design with effectiveness of application. The highly popular Personal Back line continues to provide the comfort, postural support and spinal alignment that you have come to expect. However, the new backs are now more easily installed and adjusted.

Invacare® InTouch™ TargIT™



Model No. ITTG

Invacare® InTouch™ TargIT™: the new industry standard for consumers who require moderate skin protection and positioning. The large, anatomically-shaped pelvic surface of the InTouch cushion eliminates the guesswork of placing a consumer in contact with pressure-relieving material. The construction of the InTouch cushion incorporates an exclusive Blend₂™ foam molding technology that fuses polyurethane base foam with visco-elastic pressure-relieving foam to eliminate transitional edges, providing worry-free fit and comfort.

Features

- 500 lb. weight capacity
- InTouch™ Zone technology
- Blend₂™ foam molding technology
- Sacral relief
- Ideal for clients who require a mild to moderate level of postural support

Specifications

(all specifications are approximate)

| | |
|------------------|-----------|
| Seat width | 21" – 24" |
| Seat depth | 15" – 22" |
| Product weight | 3 lb. |
| Weight capacity | 500 lb. |
| Limited warranty | 2-years |

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1.



2.



3.

1. Stealth Headrest 10" #CP280, call Invacare Customer Service
2. Foam-in-Place Kit #FP64A, call Invacare Customer Service
3. Ulti-Mate® Cushion #UM, page 17

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277

Up to 500 lb.



Invacare® Pronto® M94™ with SureStep® Power Wheelchair

Invacare® Pronto® M94™ with SureStep® Power Wheelchair

Specifications

(all specifications are approximate)

| | | |
|---------------------------------|--------------|-------------------|
| Overall dimensions | | |
| Lengths (with footboard folded) | 39" | |
| Lengths (with footboard down) | 40" - 42" | |
| Width (excluding joystick) | 25.9" | |
| Heights | 37" - 48" | |
| Seat dimensions | | |
| | Van Seat | Rehab Seat (ASBA) |
| | Semi-recline | |
| Width | 18" - 24" | 18" - 24" |
| Depth | 16" - 22" | 16" - 22" |
| Overall height | 37" - 40" | 35" - 43" |
| Back height | 18" | 16" - 20" |
| with headrest | 25" | n/a |
| Back angle | 80° - 115° | 80° - 100° |
| Seat-to-floor height | | |
| | range | |
| Van | 21" - 23" | |
| ASBA | 18.5" - 21" | |
| Weight | | |
| With batteries | 273 lb. | |
| Without batteries | 199 lb. | |
| Wheel and caster sizes | | |
| Front casters | 6" x 2" | |
| Drive wheels | 14" x 3" | |
| Rear casters | 6" x 2" | |
| Incline capability | | |
| | 9° | |
| Weight capacity | | |
| | 500 lb. | |
| Turning radius | | |
| Front (with footboard down) | 19.5" | |
| Rear | 21.5" | |
| Ground clearance | | |
| | 3.25" | |
| Limited warranty | | |
| Base frame | 60-months | |
| Seat frame | 60-months | |
| Electronics | 12-months | |
| Motor/gearbox | 18-months | |



Model no. M94

The Invacare Pronto M94 with SureStep combines innovative features and exceptional quality to provide a power wheelchair that meets the mobility needs of bariatric consumers. The M94 features the patent-pending SureStep technology that makes negotiating thresholds and transitions of up to two inches high effortless. Also featured is the patent-pending Stability Lock technology that helps ensure the chair will remain stable on inclines and declines with the consumer in control. These two innovative features paired with its sleek styling make the Pronto M94 a truly exceptional power chair for consumers weighing up to 500 pounds.

Features

- 500 lb. weight capacity
- Stability Lock to help ensure stability on inclines and declines
- SureStep technology for smooth driving over thresholds and transitions up to two inches in height
- Six wheels on the ground for optimum stability
- True center-wheel-drive for intuitive driving and tight overall turning radius
- Contemporary design with choice of Candy Red, Deep Blue, or Magic Black shroud colors
- Powerful 650-watt, high-torque motors for reliable performance
- Fully programmable MK5™ NX™ electronics standard for maximum function and precise driver control
- On-board charger for convenience
- Compact 39" long, 25.9" wide footprint for indoor maneuverability

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1. Lester 8 Amp Battery Charger #LESTR, call Invacare Customer Service
2. Bariatric Commode #6499-BHD, page 27
3. Reliant 600 Heavy-Duty Lift #RPA600-1, page 26

Up to 500 lb.

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277



Invacare® Bariatric Bed, 600 lb.

Specifications

(all specifications are approximate)

| Dimensions | | |
|---------------------------|----------------------------|----------|
| Bed height* (min. - max.) | 14" - 22" | |
| Sleep surface length | 80" | |
| Sleep surface width | 42" | |
| Overall length | 88" | |
| Overall width | 42" | |
| Universal Bed End | min. 27" | max. 34" |
| Carton size | | |
| BAR5000 IVC Head spring | 43.75" l x 10" w x 45" d | 114 lb. |
| BAR5490 IVC Foot spring | 47.25" l x 10.5" w x 45" d | 97 lb. |
| BAR5401 IVC Bed ends | 45" l x 7.5" w x 23" d | 64 lb. |
| Shipping weight | | |
| Limited warranty | | |
| All welds | lifetime | |
| Frame/structure | 5-years | |
| Mechanical/electrical | 1-year | |
| Client weight capacity | 600 lb. | |

*Measurement from floor to bed deck.



Model no. BAR600IVC

The Invacare® BAR600IVC is a heavy-duty bed frame designed for bariatric individuals and capable of supporting up to 600 pounds. The client or caregiver is able to easily operate the bed using the hand pendant, which changes the positioning of the head and foot sections as well as the bed height. Despite its size, setup within the home is easy.

Features

- 600 lb. maximum client weight capacity
- Full electric functionality
- Interchangeable Universal Bed Ends
- Split-spring design with removable bed ends for ease in setup
- No special tools necessary for in-home setup
- Easy-release motor mounts allow quick motor removal
- Robotically welded, steel frame construction
- Pendant allows for dynamic client positioning
- Quiet, smooth operation
- Emergency crank manually functions to lower any raised section of bed
- UL73 approved
- Use with Invacare bariatric mattress (BARMATT) and bed rails (BAR6640IVC)



Hand pendant.



BAR600IVC with head raised.

Additional Product Suggestions


Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1.



2.



3.

1. Bariatric Trapeze #BARTRAP, page 33
2. Reliant 600 Heavy-Duty Lift #RPA600-1, page 26
3. Bedpad Reusable Waterproof 34 x 52 in. #ISG13452, call Invacare Supply Group at 800-225-4792

Invacare Customer Service (800) 333-6900

www.invacare.com

Invacare Bariatric Price List Form no. 99-277

Up
to
600 lb.



Invacare® Bariatric Mattress and Rails

Invacare® Bariatric Mattress and Rails



Invacare® Bariatric Mattress

Model no. BARMATT

- Constructed of latex-free materials
- Durable 11-oz. vinyl cover is anti-bacterial and waterproof for easy use and care
- High quality 2.6 lb./cu. ft. -density foam provides firm comfortable support

Specifications

| | |
|------------------|---------|
| Model no. | BARMATT |
| Dimensions | |
| Overall length | 80" |
| Overall height | 7" |
| Overall width | 42" |
| Limited warranty | 1-year |

Invacare® Half Length Rail

Model no. BAR6640IVC

- Heavy-duty 1" chrome-plated, welded steel construction
- Bolt-on assembly for more security
- Use with bariatric bed model no. BAR600IVC
- For optimal security and convenience, 2 sets of half-length rails are recommended

Specifications

| | |
|------------------------|-----------------------------|
| Model no. | BAR6640IVC |
| Rail length | 30" min. /30" max. |
| Rail height above deck | 15" raised 1.50" lowered |
| Shipping weight | 25 lb. |
| Limited warranty | 2-years |



Invacare® Reliant Digital Scale

Model no. RLS6

- Compact precision scale mounted on swivel bar accurately measures weights up to 600 lb.
- Provides wide lift range and retrofits on Reliant 600 lift
- Easy to operate, 4-button display
- Automatic shut-off feature prolongs battery life
- Two-year limited warranty

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1. Bariatric Bed #BAR600IVC, page 24
2. Bariatric Commode #6499-BHD, page 27
3. IVC™ 9000 Topaz™ Manual Wheelchair #9TPZ, page 31

Up to 600 lb.

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277



Invacare® Reliant 600 Heavy-Duty Lift

Specifications

(all specifications are approximate)

| Dimensions | RPA600-1 | RPL600-1 |
|-------------------------|----------|----------|
| Height | | |
| Maximum at sling hookup | 70" | 68" |
| Minimum at sling hookup | 29.5" | 28" |
| Base height (clearance) | 6.8" | 4.5" |
| Base width | | |
| Open | 41" | 41" |
| Closed | 26.5" | 26.5" |
| Base length | 48" | 48" |
| Casters | | |
| Front | 5" | 3.5" |
| Rear | 5" | 5" |
| Product weight | | |
| Out of carton | 112 lb. | 112 lb. |
| Shipping | 138 lb. | 138 lb. |
| Weight capacity | 600 lb. | 600 lb. |
| Limited warranty | | |
| Lift | | 3-years |
| Electric components | | 1-year |



RPA600-1 (standard base shown)

Model no. RPA600-1 / RPL600-1


Designed to meet the special needs of patients weighing up to 600 pounds, the Invacare Reliant 600 Heavy-Duty lift is secure and sturdy, providing a safer alternative to manual lifting. Both durable and functional, the Reliant 600 also is a reassuring and comfortable patient lift. When answering the needs of every patient is your priority, this is your wisest choice.

Features


- 600 lb. weight capacity
- High lift range allows transfer to high surfaces
- Manual lowering for instant response to power loss
- Essential device for safer patient handling in hospitals and LTC (long-term care) facilities
- Unique sling fabric designed to provide the utmost in comfort and strength
- Rear locking casters are standard
- Manufactured by an ISO9001 registered company
- Low-Base model no. RPL600-1 available

Specifications

| | R140 | R141 |
|-----------------------|---------|---------|
| Dimensions | | |
| Width | 45" | 45" |
| Commode | | |
| opening width | n/a | 7" |
| Length | 55" | 55" |
| Commode | | |
| opening length | n/a | 13" |
| Product weight | | |
| Out of carton | 2.2 lb. | 2.1 lb. |
| Shipping | 2.7 lb. | 2.6 lb. |
| Weight capacity | 600 lb. | 600 lb. |



Model no. R140
Mesh Sling



Model no. R141
Mesh Sling with
Commode Opening

NOTE

Complete instructions for lift usage and sling procedures are found in the Invacare operating manual. Only genuine Invacare slings and accessories should be used on Invacare lifts. Lift Training Video available (Part no. 1090823) or through the on-line catalog (www.invacare.com).

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1.



2.



3.

1. Bariatric Bed #BAR600IVC, page 24
2. Bariatric Commode #6499-BHD, page 27
3. IVC™ 9000 Topaz™ Manual Wheelchair #9TPZ, page 31

Invacare Customer Service (800) 333-6900

www.invacare.com

Invacare Bariatric Price List Form no. 99-277

Up to 600 lb.



Invacare® Bariatric Fixed Arm Commode

Specifications

(all specifications are approximate)

Model no. 6499-BHD

| | |
|--------------------------------|---------------|
| Base width overall | 30" |
| Width between arms | 26" |
| Seat surface width | 25" |
| Seat opening width | 8.75" |
| Base depth overall | 22.5" |
| Seating depth overall | 18.75" |
| Seat surface depth | 16" |
| Seat opening depth | 11" |
| Height overall min.-max. | 26.5" - 30.5" |
| Seat-to-floor height min.-max. | 18" - 22" |
| Seat-to-arm height | 8" |
| Product weight | 23 lb. |
| Weight capacity | 700 lb. |
| Quantity | 1 per carton |
| Limited warranty | lifetime |



Extra-wide snap-on seat with hygienic opening.



Model no. 6499-BHD

The Invacare Bariatric Commode is designed to suit the needs of bariatric individuals weighing up to 700 lb. With its extra-wide seat and durable steel frame design, it offers consumers the strength and comfort they need.

Features

- 700 lb. weight capacity
- Contains Microban® antimicrobial protection
- Extra-wide snap-on seat with lid
- Lid upholstery can be reversed for added comfort
- Hygienic seat opening
- Seat flips up for easy cleaning with rectangular pan removed
- Can be used bedside, or with backrest removed can act as a toilet safety frame or raised toilet seat
- Bottom seat lip eliminates the need for splash shield if used over the toilet
- Rectangular pan can be removed from the front or rear of the commode
- Adjustable seat-to-floor height
- Rectangular pan (model no. 13245X000) also available as an accessory

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1.



2.



3.

1. Bariatric Walker® #6441A, page 30
2. Bariatric Bed, 1000 lb. #BAR1000, page 34
3. Prestige IQ® Blood Glucose Meter Start Kit #ISG172006, call Invacare Supply Group at 800-225-4792

Up
to
700lb.

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277



Invacare® Bariatric Quad Canes and Offset Cane

NEW Model nos. 7831-2, 7835-2, 8940-6


Invacare Bariatric Canes are built with durable steel construction that provides maximum stability for individuals weighing up to 700lb. All of the canes are height adjustable for a proper fit to the consumer and are designed with a twist locking ring providing additional security during height adjustment.

Features

- 700 lb. weight capacity
- Right- or left-hand use
- Height adjustable
- Comfortable PVC hand grip
- Locking ring for additional stability
- Durable steel construction



Small base quad cane model no. 7831-2



Large base quad cane model no. 7835-2

Specifications

(all specifications are approximate)

| Model no. | 7831-2 | 7835-2 |
|-------------------------|-------------------|-------------------|
| Base | Small | Large |
| Color | black | black |
| Adjustment (min. -max.) | 29.50" - 38.50" | 29.50" - 38.50" |
| Client height (approx.) | 4'11" - 6'5" | 4'11" - 6'5" |
| Footprint | 8" x 6" | 12" x 8.50" |
| Weight | 3 lb. | 4 lb. |
| Weight capacity | 700 lb. | 700 lb. |
| Quantity | 2 pair per carton | 2 pair per carton |
| Limited warranty | 3-years | 3-years |



Offset base quad cane model no. 8940-6

Features

- 700 lb. weight capacity
- Height adjustable
- Comfortable PVC hand grip
- Locking ring for additional stability
- Durable steel construction

Specifications

(all specifications are approximate)

| | |
|-------------------------|-------------------|
| Model no. | 8940-6 |
| Style | Offset |
| Color | black |
| Adjustment (min. -max.) | 29" - 38" |
| Client Height (approx.) | 4'10" - 6'4" |
| Weight | 3 lb. |
| Weight capacity | 700 lb. |
| Quantity | 6 pair per carton |
| Limited warranty | 3-years |

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1. Bariatric Walker #6441-A, page 30
2. Bariatric Transfer Bench #9675-2, page 29
3. Bariatric Drop-Arm Commode #6599, page 32

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277

**Up
to
700 lb.**



Invacare® Bariatric Shower Chair and Transfer Bench

Invacare® Bariatric Shower Chair and Transfer Bench

NEW Model no. 9785-2

The Invacare Bariatric Shower Chair provides a wide and deep seating surface for those who need extra stability in the shower. This 700 lb. weight capacity shower chair comes with contoured seat and backrest and adjustable height legs. The durable aluminum frame with special cross brace design provides maximum stability for larger individuals.

Specifications

(all specifications are approximate)

| Dimensions | |
|-------------------------------------|-----------------|
| Seat height (min. - max.) | 16.25" - 20" |
| Seat depth | 16.25" |
| Seat width | 17" |
| Back height from seat | 13.50" |
| Overall width at base (min. - max.) | 18.25" - 18.75" |
| Overall depth at base (min. - max.) | 21" - 22" |
| Weight | 11 lb. |
| Weight capacity | 700 lb. |
| Quantity | 2 per carton |
| Limited warranty | 3-years |



Features

- 700 lb. weight capacity
- Wide, deep seating surface
- Contoured seat and backrest
- Adjustable height legs
- Durable aluminum frame with dual cross brace for added stability
- Backrest easily snaps into assembled seat frame with no tools required



NEW Model no. 9675-2

The Invacare Bariatric Transfer Bench provides a wide and deep seating surface for those who need extra assistance when transferring in and out of a bathtub. This 700 lb. weight capacity transfer bench comes with contoured seat and backrest, arm rail support and adjustable height legs. The durable aluminum frame with special cross brace design provides maximum stability for larger individuals.

Specifications

(all specifications are approximate)


| Dimensions | |
|---|------------------|
| Seat height (min. - max.) | 16.25" - 20.25" |
| Seat depth | 16" |
| Seat width (inside tub) | 17.25" |
| Seat width (including transfer section) | 27" |
| Seat width (inside tub with handrail) | 19" |
| Overall height (min. - max.) | 28" - 32.25" |
| Clearance beneath frame (min. - max.) | 14" - 18.25" |
| Width at base inside tub (min. - max.) | 18.25" - 18.625" |
| Overall width at base (min. - max.) | 29.50" - 30.50" |
| Depth at base inside tub (min. - max.) | 21" - 23" |
| Weight | 16 lb. |
| Weight capacity | 700 lb. |
| Quantity | 2 per carton |
| Limited warranty | 3-years |

Features

- 700 lb. weight capacity
- Wide, deep seating surface
- Contoured seat and backrest
- Adjustable height legs
- Durable aluminum frame with dual cross brace for added stability
- Backrest easily snaps into assembled seat frame with no tools required

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1. Bariatric Walker #6441-A, page 30
2. Bariatric Large Base Quad Cane #7835-2, page 28
3. Bariatric Drop Arm Commode #6599, page 32

Up
to
700 lb.

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277

Invacare® Bariatric Dual Release Walker and Walker Kit



Invacare® Bariatric Dual-Release Walker

Specifications

(all specifications are approximate)

| Dimensions | |
|-------------------------------------|-----------------|
| Width inside handgrips | 20" |
| Width inside base legs | 23.50" |
| Depth opened inside base | 16" |
| Depth folded | 4.25" |
| Height adjustment (min. - max.) | 31.25" - 41.25" |
| Approx. client height (min. - max.) | 5'3" - 6'10" |
| Product weight | 7 lb. |
| Weight capacity | 700 lb. |
| Quantity | 2 per carton |
| Limited warranty | 3-years |

Features

- 700 lb. weight capacity
- Wide, deep frame
- Dual-push button mechanisms provide visual and audible "locked" cues
- Large number of height adjustments
- Comfortable aluminum frame
- Compatible with Invacare model no. 6372 Bariatric 5" fixed wheels and leg extensions




NEW

Model no. 6441-A

The Invacare Bariatric Adult Walker provides a wide and deep frame that can support an individual up to 700 lb. The dual-release buttons provide both visual and audible "locked" cues for the user. The durable aluminum frame provides maximum stability for consumers and the legs have a large number of height adjustments.

NEW

Model no. 6372



Features

- Only to be used with Invacare bariatric walker model no. 6441-A
- Dual wheels for added stability
- Large number of height adjustments


Specifications

(all specifications are approximate)

| Dimensions | |
|-------------------------------------|-----------------|
| Height adjustment (min. - max.) | 33.50" - 43.50" |
| Approx. client height (min. - max.) | 5' 6" - 6' 10" |
| Weight capacity | 700 lb. |
| Quantity | 1 per carton |
| Limited warranty | 3 years |

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1. Bariatric Bed (1000 lb.) #BAR1000, page 34
2. Bariatric Small Base Quad Cane #7831-2, page 28
3. Bariatric Shower Chair #9875-2, page 29

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277

Up to 700 lb.



Invacare® IVC™ 9000 Topaz™ Manual Wheelchair

Invacare® IVC™ 9000 Topaz™ Manual Wheelchair

Specifications

(all specifications are approximate)

| | |
|--|--|
| Dimensions | |
| Seat sizes | |
| Width | 20", 22", 24", 26", 28", 30" |
| Depth | 18", 20" |
| Seat-to-floor heights | 17.5", 19.5" 15.5" with different wheel and caster packages |
| Back heights | 16", 17", 18" |
| Front riggings | |
| Swingaway footrest | |
| Swingaway padded elevating legrest | |
| Footrest with one-piece wooden footboard | |
| Arm styles | |
| Full-length fixed height, padded, removable | |
| Desk-length fixed height, padded, removable | |
| Full-length adjustable height, padded, removable | |
| Desk-length adjustable height, padded, removable | |
| (All arm styles available conventional) | |
| Product weight (9TPZ/WD2818/28) | 82 lb. |
| Limited warranty | lifetime frame and crossbraces |
| Weight capacity | 700 lb. |

Features

- 700 lb. weight capacity
- Available in vinyl or nylon upholstery
- Available in black or silver vein frame finish
- Reinforced frame includes gusseted sides, caster journals and dual heavy-duty crossbraces
- Heavy-duty front riggings provide proper positioning for feet with footrest and elevating legrest
- Heavy-duty arms designed to accommodate weight capacity and provide proper positioning
- Dual axle positions allow for quick and simple seat-to-floor height variations (17.5" and 19.5")
- Low-maintenance, dual-sealed precision bearings
- Heavy-duty triple inner liners help seat and back resist stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage



Model no. 9TPZ

The Invacare IVC 9000 Topaz manual wheelchair is designed specifically to suit the special needs of the bariatric population. The Topaz combines the strength and durability of a triple chrome-plated, carbon steel frame with the comfort of heavy-duty front riggings and arms for proper positioning. With a variety of seat widths and depths, frame reinforcements that include gusseted sides, caster journals and dual heavy-duty crossbraces, this chair provides not only ease in maneuverability, but stability that will be trusted for years to come.

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1. One-Piece Wooden Foot Board #TZ1263, call Invacare Customer Service
2. Bariatric Drop-Arm Commode #6599, page 32
3. Bariatric Bed #BAR1000 page 24

Up
to
700lb.

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277

Invacare® Bariatric Crutches and Drop-Arm Commode



Invacare® Bariatric Crutches and Drop-Arm Commode

Specifications

(all specifications are approximate)

| Model no. | 8130-J (junior) | 8130-A (adult) | 8130-T (tall adult) |
|------------------------|--------------------|-------------------|------------------------|
| Weight per crutch | 3 lb. 13 oz. | 4 lb. 6 oz. | 5 lb. |
| Approx. patient height | 4'6" - 5'2" | 5'2" - 5'10" | 5'10" - 6'6" |
| Adjustment range | 36" - 44" | 44" - 52" | 52" - 60" |
| Weight capacity | 1000 lb. | | |
| Quantity | 1 pair per carton | | |
| Limited warranty | 3-years | | |

Features

- 1000 lb. weight capacity
- Push-button height adjustment
- Patient height guide on crutch for easy adjustment
- Contoured underarm design
- Arm pads (model no. 7131), hand-grips (model no. 7126) and 2" crutch tips (model no. 6135) also available as accessories



Model nos. 8130-J, 8130-A, 8130-T

Strong and comfortable, Invacare's Bariatric Crutches range in size from junior to tall adult. Large, double push-buttons allow for height adjustments in 1" increments. Crutch frame offers durable steel construction.



Features

- 1000 lb. weight capacity
- Easy-to-operate drop-arm mechanism
- Extra-wide snap-on seat
- Removable padded backrest
- Adjustable height legs
- Durable steel frame design
- Comes complete with pail and lid

NEW Model no. 6599

The Invacare Bariatric Drop-Arm Commode is built with durable steel construction and is designed with a wide and deep seating surface for individuals weighing up to 1000 lb. The commode comes with easy to operate drop arms that accommodate transfers in and out of the commode. The drop-arm commode also has an extra-wide snap-on seat and backrest and also has height adjustable legs.


Specifications

(all specifications are approximate)

| Dimensions | |
|--------------------------------|-----------------|
| Base width overall | 28" |
| Width between arms | 25" |
| Base depth overall | 20.5" |
| Seat surface depth | 18" |
| Seat surface width | 23.5" |
| Seat opening width | 8.25" |
| Seat opening depth | 10.25" |
| Height overall (min-max) | 27" - 31" |
| Seat to floor height (min-max) | 19.25" - 23.25" |
| Seat to arm height | 7.75" |
| Product weight | 21 lb. |
| Weight Capacity | 1000 lb. |
| Limited Warranty | 3 yrs. |

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1. Shower Chair #9785-2, page 29
2. Transfer Bench #9675, page 29
3. 9000 Topaz™ Manual Wheelchair #9TPZ, page 31

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277

Up to 1000 lb.



Invacare® Bariatric Trapeze

Invacare® Bariatric Trapeze

Features

- 1000 lb. client weight capacity
- Three locking overhead boom angle positions for comfortable, secure use
- Tool-free design simplifies assembly
- Four piece sub-assembly significantly reduces setup time
- Lightweight design for easy delivery
- Free-standing structure permits use with Bariatric, Home Care or Non-medical bed



Specifications

(all specifications are approximate)

| | |
|------------------|----------|
| Model no. | BARTRAP |
| Dimensions | |
| Overall height | 73" |
| Reach | 35.5" |
| Base width | 40" |
| Base length | 50.5" |
| Product weight | 72 lb. |
| Shipping weight | 80 lb. |
| Weight capacity | 1000 lb. |
| Limited warranty | 3-years |

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1.



2.



3.

1. Bariatric Bed #BAR1000, page 34
2. Bariatric Commode #6599, page 32
3. Polaris™ EX™ CPAP with SoftX™ #ISP3000, page 35

Up
to
1000 lb.

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277

Invacare® Bariatric Bed, 1000 lb., Mattress and Rails



Invacare® Bariatric Bed, 1000 lb.



Shown with BARMATT1000 and BAR6600 half rails

NEW Model no. BAR1000

The Invacare® BAR1000 Bariatric Bed is a heavy-duty full-electric bed frame designed for bariatric individuals, capable of supporting up to 1000 pounds. Using the hand pendant, the client or caregiver is able to change the positioning of the head and foot sections, as well as the bed height. The BAR1000 is a split spring bed, so despite its size, setup within the home is easy.

Specifications

| | |
|---|-----------------|
| BAR1000 Bariatric bed (includes one set of BAR6600) | |
| Dimensions | |
| Bed height * (min.-max.) | 13.5" - 28" |
| Sleep surface length | 80" |
| Sleep surface width | 48" |
| Overall length | 88" |
| Overall width | 48" |
| *Measurement from floor to bed deck. | |
| Shipping dimensions | 41" x 49" x 58" |
| Shipping weight | |
| Head spring | 216 lb. |
| Foot spring | 216 lb. |
| Total shipping weight | 510 lb |
| Limited warranty | |
| Frame/structure | 5-years |
| Mechanical/electrical | 1-year |

Features

- 1000-lb. client weight capacity
- Heavy-duty frame design ensures added strength for client support
- Split-spring design with removable head and foot boards for ease in setup
- Pendant allows for dynamic client positioning
- Quiet, smooth operation
- Emergency crank manually functions to lower any raised section of bed
- UL73 certified
- Use with Invacare bariatric mattress (BARMATT1000) and bed rails (BAR6600)

Additional Product Suggestions

Additional product suggestions are for recommendation only. Please refer to the individual product specification to verify weight capacity.



1. Bariatric Drop-Arm Commode #6599, page 32
2. Polaris™ EX™ CPAP with SoftX™ #ISP3000, page 35
3. Deluxe Wrist Blood Pressure Monitor w/Heartsense #ISG400DWH, call Invacare Supply Group at 800-225-4792

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277

Up to 1000 lb.



Invacare® Sleep Therapy Products

Invacare® Polaris™ EX™ CPAP with SoftX™ Technology



Model no. ISP3000

The Polaris™ EX™ CPAP features patent-pending SoftX™ Technology that reduces the duration of pressure spikes during exhalation. The end result is increased patient comfort, which can lead to better compliance.



Polaris EX CPAP with SoftX is designed to be integrated with the Polaris EX EZ-Fill heated humidifier (shown).



Polaris EX CPAP with SoftX is compatible with the Poseidon™ Passover humidifier (shown).

Typical Product Parameters

| Performance | |
|---|---|
| Operating therapy pressure range | 4 - 20 cm H ₂ O (1 cm H ₂ O increments) |
| Therapy delayed time | 5, 10, 20 and 30 minutes |
| Starting pressure during therapy delayed time | 4 cm H ₂ O up to set therapy pressure |
| SoftX settings | Minimum, Mid Range or Maximum |
| Dimensions | 8.5" l x 8.5" w x 5.2" h (12.3" l with heated humidifier) |
| Product weight | 4.2 lb. (5.3 lb. with heated humidifier) |
| Air filter | Standard 45 - 60 ppi foam, reusable |
| Data storage capability | 7.5-years |

Model Selection Guide

| Model no. | Description | Limited warranty |
|-----------|---|-----------------------------------|
| ISP3000 | Polaris EX CPAP with SoftX, tubing and carrying case | 2-years |
| ISP4000 | Polaris EX EZ-Fill heated humidifier, water chamber and screwdriver | 1-year |
| ISP5000 | Polaris EX CPAP and Polaris EX EZ-Fill heated humidifier | 2-years CPAP 1-year Humidifier |
| ISP9700 | Poseidon Passover humidifier and connector tubing | 1-year |

Additional CPAP products, kits and service parts available. For details, please see the Invacare Sleep Therapy Products Catalog (Form No. 03-061) or visit www.invacare.com

Features

- Three adjustable SoftX settings, as well as standard CPAP
- Quick Code™ compliance information is easily accessed and communicated by patients
- Touchpad with illuminated LCD on top of the unit provides convenient access to simple operation and sleep
- EZ-Fill humidifier is easy to fill and clean

Additional Product Suggestions

Additional product suggestions are for recommendation only.



1. Twilight Mask #ISP2000, page 36
2. Gel Mask #IQ50160H, call Invacare Customer Service
3. Auto Inflation Blood Pressure Monitor #ISG400RAI, call Invacare Supply Group at 800-225-4792

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277



Invacare® Twilight™ Mask



Model no. ISP2000SM, ISP2000, ISP2000L

Comfort is inherent in the design of the Invacare Twilight Mask. In a study, performed by a leading Sleep Center, 78% of patients rated the comfort of the Invacare Twilight Mask to be better than that of their usual mask.¹ In a follow-up study, 82% of patients stated the Twilight Mask was superior in quality and performance.²



Six (6) forehead positions provide maximum comfort.



Quick-release clips make it easy to get in and out of mask without changing headgear settings.



Flexible headgear with soft hook and loop fasteners allows for maximum adjustability and comfort.

Model Selection Guide

| Model no. | Description | Limited warranty |
|-----------|--|------------------|
| ISP2000SM | Twilight mask shell, small size nasal cushion, 4 clips and headgear | 90-days |
| ISP2000 | Twilight mask shell, standard size nasal cushion, 4 clips and headgear | 90-days |
| ISP2000L | Twilight mask shell, large size nasal cushion, 4 clips and headgear | 90-days |
| 1122734 | Chin support for Twilight Mask | n/a |

Additional masks, kits and service parts available. For details, please see the Invacare Sleep Therapy Products Catalog (Form No. 03-061) or visit www.invacare.com

Features

- Solid mask shell design with a silicone nasal cushion
- Patent-pending design uses headgear as forehead support to reduce irritation and allow for distribution of pressure across a larger surface
- Main swivel quietly rotates 360 degrees
- Nasal cushions are available in 3 sizes: small, standard and large (All cushions fit the same mask shell).
- Quiet – 100% of patients tested rated this mask to be quieter than the mask they typically used²
- 90-day limited warranty

Sources:

1. Patient Perception of a New Nasal Mask – Results of a Clinical Trial, Published in SLEEP: 2003; 26 (Abstract Supplement): A213 Mansoor Ahmed, MD, FAACP, FAASM, Darryl Domenick BS, RRT, RPFT, RPSGT, Southwest Cleveland Sleep Center – Middleburg Hts., OH
2. Performance of the Invacare Twilight Mask – Clinical Trial Results, Jesse Alex Juguilon, MD, Mansoor Ahmed, MD, FAACP, FAASM, Southwest Cleveland Sleep Center – Middleburg Hts., OH (2003)

Additional Product Suggestions

Additional product suggestions are for recommendation only.



1. Polaris™ EX™ CPAP #ISP3000, page 35
2. Polaris™ EX™ CPAP with Polaris™ EX EZ-Fill Heated Humidifier #ISP5000, page 35
3. True Track® Blood Glucose Meter Start Kit #ISG172200, call Invacare Supply Group at 800-225-4792

Invacare Customer Service (800) 333-6900 www.invacare.com Invacare Bariatric Price List Form no. 99-277




Invacare® Bariatric Website <http://bariatrics.invacare.com>

type in your browser



Yes, you can.®



Invacare Corporation
www.invacare.com

USA
One Invacare Way
Elyria, Ohio
44035-4190
(800) 333-6900

Canada
570 Matheson Blvd. E.
Unit 8
Mississauga, Ontario
L4Z 4G4 Canada
(800) 668-5324

Invacare, the Blue Medallion Design, Yes, you can., Arrow, MVP, Pronto, Solara, Storm Series, SureStep, Ulti-Mate, Tarsys and Tracer are registered trademarks and Bariatric Solutions Design, Blend₂, 2GT, 2GR, 2GTR, DPJ, Formula, GB, I-Fit, IVC, EX, InTouch, Intouch Zone, I-Fit, I•Class, MPJ, MKIV, MK₅, M91, M94, NX, Personal Back, Poseidon, Quick Set, TargIT, Torque, Topaz, Polaris, SoftX, SPJ, Twilight and TDX are trademarks and Total One Stop Shopping and Invacare Virtual Service are servicemarks of Invacare Corporation. MICROBAN is a registered trademark of Microban Products Company. Prestige IQ and True Track are registered trademarks of Home Diagnostics, Inc. Specifications are subject to change without notice.

Invacare is playing a central role in providing educational resources for providers, surgeons, clinicians, and consumers. The bariatric webpage demonstrates Invacare's commitment to serving its customers with more than products.

All Roads Lead To Invacare Bariatric Solutions

Providers can:

- Educate sales teams on Bariatric terms, trends, and statistics
- Direct customers to valuable information and support
- Expand their Bariatric business

Therapists, Surgeons, and Bariatric Professionals Can:

- Find Invacare Bariatric product recommendations for obesity related conditions
- Link to surgical equipment suppliers
- Get latest news on bariatric surgery, research and treatments
- Ask Invacare consultant Dr. Kevin Huffman obesity and treatment questions
- Link patients to websites on obesity and recovery

Consumers Can:

- Find Invacare Bariatric product recommendations for obesity-related conditions
- Link to educational websites on obesity and recovery
- Ask Invacare consultant Dr. Kevin Huffman obesity and treatment questions



"Invacare says 'Yes, you can.®,' and I couldn't have said it better myself."