

Invacare® IVC™ Manual Wheelchair Series



Yes, you can.™

For more than 20 years, Invacare has set the standard in manual wheelchairs for the HME industry. But our customers asked us to raise that standard to even greater heights. We listened and said, “Yes, we can build an even better manual wheelchair.”

As a result, Invacare has developed a totally new line of manual wheelchairs – the Invacare® IVC™ Manual Wheelchair Series, focusing on Interchangeability, Value and Complexity Reduction:

- IVC Manual Wheelchairs are Interchangeable and compatible throughout the entire current line of wheelchairs. In addition, these chairs offer interchangeability with the 9000 series too.
- The IVC line provides increased Value, with more features, more options, and more functionality, all at a better price.
- At the same time, providers asked us to make the line simple and easy to understand. We listened and responded. The new IVC wheelchairs represent a conscious effort at Complexity Reduction – consolidating 18 different frames down to 10 frames, covering seven different Medicare codes. Fewer models make it easier to make the right choice for each consumer without sacrificing the features and benefits that make the chair a perfect fit for each consumer.

In addition, we have responded to your feedback with a new “no tools adjustment” front-rigging design, a new permanent arm design, a reclining-back kit and much more.

Invacare has expended considerable resources in researching and designing the IVC line; however, what we didn’t do was check with all those off-brand, imported chairs to see if our new line will be interchangeable with them. So why take a chance? Stick with the industry leader: Invacare.



Bariatric/Heavy-Duty Designation

Invacare products with the Bariatric/Heavy-Duty icon are designed for your bariatric patients whose height and weight require the use of a heavy-duty model. These products provide the same quality that all Invacare products possess. They also demonstrate our commitment to this product category.

Table of Contents

Tracer® EX2	3
Transport	4
Tracer® SX5	5
Tracer® SX5 Full Recliner	6
9000 SL	7
9000 XT	8 – 9
9000 XT Full Recliner	10
9000 Topaz™	11
9000 XDT	12
Tracer® IV	13
Invacare® 900 Series	14
Invacare® 900 Bariatric Recliner	15
9000 Jymni™	16
9000 Jymni™ Recliner	17
Ramps	18
Accessories	19 – 22
Color Guide	23
Accessory Availability Guide	24 – 25
Dimensions Chart	26 – 27



Tracer offset permanent arms allow for full seat width between arms.

Invacare® IVC™ Tracer® EX2 Wheelchair

The Invacare IVC Tracer EX2 wheelchair sets the new standard in manual wheelchairs. The Tracer EX2 combines the design and technology of the Invacare 9000 series and incorporates it into the Invacare Tracer series. A true dual axle position allows for repositioning the 24" rear wheels and 8" casters for adult and hemi seat-to-floor heights. Offset permanent arms offer full seat width up to 20" with a permanent arm, hemi spaced footrest, full range of accessories and a lifetime warranty. The new design also makes it possible to interchange components with the 9000 series chairs.

FEATURES

- Durable, low-maintenance, triple chrome-plated, carbon steel frame is long-lasting
- Dual axle positions allow variation of seat-to-floor heights
- Offset permanent arms available in 16", 18" and 20" widths
- 14-gauge crossbraces add strength and durability
- Urethane rear tires mounted on "no flex" wheels offer superior performance
- Low-maintenance, dual-sealed precision bearings
- Heavy-duty inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Upholstery is dual-embossed
- Meets RESNA standards for manual wheelchairs in product performance

Specifications

Dimensions	
Seat sizes	
Widths	16", 18", 20"
Depth	16" standard
Seat-to-floor height	17.5", 19.5" 15.5", 16.5" 18.5" with different wheel and caster packages
Back height	16" fixed
Front riggings	
Hemi swingaway footrest	17"-21"
Hemi swingaway padded elevating legrest	17.5"-21"
Articulating elevating legrest	17.5"-21"
(Footplates available in aluminum or composite)	
Arm styles	
Permanent full-length, padded	
Full-length fixed height, padded, removable	
Desk-length fixed height, padded, removable	
(All arms are conventional)	
Weight capacity	250 lb.
Product weight (TREX2/WD86/28)	36 lb.
Warranty	lifetime on frame and crossbraces



Invacare® IVC™ Transport Wheelchair

The Invacare IVC Transport wheelchair is designed for safe and efficient patient transport. The Transport has the added advantage of sharing interchangeable parts with the other wheelchairs in the Tracer series. The Transport is compact and lightweight.

FEATURES

- Durable, low-maintenance, triple chrome-plated, carbon steel frame is long-lasting
- Fold-down or fixed-back option makes storage convenient
- Welded caster forks supply durability and long, maintenance-free life
- Heavy-duty inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Padded armrests provide additional patient comfort
- Meets RESNA standards for manual wheelchairs in product performance

Specifications

Dimensions	
Seat sizes	
Widths	18", 20"
Depth	16"
Seat-to-floor height	21"
Back height	19" fold-down
Front riggings	
Swingaway footrest	17"-21"
Swingaway elevating legrest	17.5"-21"
Arm styles	
Permanent full-length, padded (All arms are conventional)	
Weight capacity	250 lb.
Product weight (TRAN86)	27 lb.
Warranty	3 years on frame and crossbraces



Invacare® IVC™ Tracer® SX5 Wheelchair

The Invacare IVC Tracer SX5 lightweight frame weighs less than 36 pounds, which makes this chair perfect for rental and long- or short-term use. The Tracer SX5 now combines the design and technology of the 9000 series wheelchairs, making it possible to interchange components. The Tracer SX5 offers multiple seat widths, depths, armstyles, sectional back and seat-to-floor heights by utilizing the dual axle position frame base. The 20" and 22" widths include a semi-pneumatic caster and chrome handrim to accommodate a weight capacity of 300 lb.

FEATURES

- Durable, low-maintenance, triple chrome-plated, carbon steel frame is long-lasting
- Dual axle positions allow variation of seat-to-floor heights
- 14-gauge crossbraces add strength and durability
- Urethane rear tires mounted on "no flex" wheels offer superior performance
- Sectional back available in 16" and 18" back heights
- Low-maintenance, dual-sealed precision bearings
- Heavy-duty inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Meets RESNA standards for manual wheelchairs in product performance

Specifications

Dimensions	
Seat sizes	
Widths	14", 16", 18", 20", 22"
Depths (optional)	16" standard, 18" by seat extension
Seat-to-floor heights	17.5", 19.5" 15.5", 16.5", 18.5" with different wheel and caster packages
Back height	16", 18" sectional
Front riggings	
Hemi swingaway footrest	17"-21"
Hemi swingaway padded elevating legrest	17.5"-21"
Articulating elevating legrest	17"-25"
(Footplates available in aluminum or composite)	
Arm styles	
Full-length fixed height, padded	
Desk-length fixed height, padded	
Full-length adjustable height, padded	
Desk-length adjustable height, padded	
(All arms are flip back non-removable)	
Weight capacity	250 lb. (300 lb. 20" and 22" width)
Product weight (TRSX5/WD86/28FB)	34 lb.
Warranty	lifetime on frame and crossbraces



Invacare® IVC™ Tracer® SX5 Recliner

The Invacare IVC Tracer SX5 Recliner wheelchair offers the durability of a lightweight manual wheelchair frame with the added versatility and comfort of a full reclining back. The Tracer SX5 Recliner offers dynamic recline range from 100° to 168°. The Tracer SX5 Recliner offers a 300 lb. weight capacity on 20" and 22" widths. This chair also is available with multiple seat widths, depths, armstyles, front riggings, a full range of accessories and a lifetime warranty.

FEATURES

- The Tracer SX5 Full Recliner offers a dynamic range of recline from 100° to 168°
- Durable, low-maintenance, triple chrome-plated, carbon steel frame
- Urethane rear tires, mounted on "no flex" wheels, offer superior performance
- Low-maintenance, dual-sealed precision bearings
- Heavy-duty inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Upholstery is dual-embossed
- Meets RESNA standards for manual wheelchairs in product performance

Specifications

Dimensions	
Seat sizes	
Widths	14", 16", 18", 20", 22"
Depths	16" standard, 18" by seat extension (optional)
Seat-to-floor height	19.5"
	17.5", 18.5" with different wheel and caster packages
Back height	33" recliner (23" high back, 10" removable headrest)
Front riggings	
Hemi swingaway footrest	17"-20"
Hemi swingaway padded elevating legrest	17.5"-21"
Hemi articulating elevating legrest	17"-25"
(Footplates available in aluminum or composite)	
Arm styles	
Full-length fixed height, padded, removable	
Desk-length fixed height, padded, removable	
Full-length adjustable height, padded, removable	
Desk-length adjustable height, padded, removable	
(All arms are conventional)	
Weight capacity	250 lb. (300 lb. 20" and 22" width)
Product weight (TRSX5/WD86/RC/28)	53 lb.
Warranty	lifetime on frame and crossbraces



Invacare® IVC™ 9000 SL Wheelchair

The Invacare IVC 9000 SL wheelchair is the perfect lightweight rental product for those who want quality and durability at a moderate price. This low-maintenance wheelchair also has a full complement of options and accessories. Its contemporary design and high-performance frame make the 9000 SL a definitively superior value.

FEATURES

- Durable, low-maintenance, triple chrome-plated, carbon steel frame is long-lasting
- Multiple frame color variations for customizing
- Dual axle positions allow variations of seat-to-floor heights
- Urethane rear tires mounted on “no flex” wheels offer superior performance
- Urethane casters for better ride and lighter weight
- Low-maintenance, dual-sealed precision bearings
- Heavy-duty inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Space-saver arms reduce overall frame width without limiting seat width
- Meets RESNA standards for manual wheelchairs in product performance

Specifications

Dimensions	
Seat sizes	
Widths	16", 18", 20"
Depths (optional)	16" standard, 18" by seat extension
Seat-to-floor heights	17.5", 19.5" 15.5", 16.5", 18.5" with different wheel and caster packages
Back heights - adjustable	15", 16", 17" or 17", 18", 19"
Front riggings	
Hemi swingaway footrest	17"-21"
Hemi swingaway padded elevating legrest (Extra large footplates are also available)	17.5"-21"
Articulating elevating legrest (Footplates available in aluminum or composite)	17"-25"
Arm styles	
Full-length fixed height, padded, flip back, non-removable	
Desk-length fixed height, padded, flip back, non-removable	
Full-length adjustable height, padded, flip back, non-removable	
Desk-length adjustable height, padded, flip back, non-removable	
(All arm styles are space saver)	
Weight capacity	250 lb.
Product weight (9SL/WD86/88)	33 lb.
Warranty	lifetime on frame and crossbraces



Invacare® IVC™ 9000 XT Wheelchair

The Invacare IVC 9000 XT wheelchair is a high performance, low maintenance and low total lifetime cost product. The 9000 XT is simply the most versatile lightweight wheelchair available and is the model of choice. This wheelchair boasts a vast offering of frame styles, seat-to-floor heights, back styles, widths, depths, frame colors and a wide range of options and accessories. The 9000 XT components are interchangeable with all other 9000 series and Tracer® series chairs.



9000XT with offset axle and adjustable angle caster will allow additional seat-to-floor heights and increase seating and positioning capabilities. Offset axle offers center-of-gravity adjustment which increases maneuverability and stability.

FEATURES

- Durable, low-maintenance, chrome-plated, carbon steel frame with aluminum crossbraces
- Multiple frame color variations for customizing
- Dual axle positions allow variation of seat-to-floor heights
- Offset axle position allows adjustment of center-of-gravity to increase maneuverability or stability to meet each user skill level
- Urethane rear tires mounted on “no flex” wheels offer superior performance
- Urethane casters for better ride and lighter weight
- Adjustable caster journal can be used with or without offset axle option. (Refer to service manual for a complete list of seat-to-floor heights and angles that are reconfigurable only by the provider.)
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Meets RESNA standards for manual wheelchairs in product performance



The 9000 XT adjustable-angle back easily changes from -5° to 20° in 5° increments. The back is adjustable from 15" to 19" in 1" increments. Anti-tippers are standard.



The super-hemi (single-axle) seat-to-floor height is achieved with 22" rear wheels and 6" casters. A 13.5" seat-to-floor height is achieved with 20" rear wheels and 6" casters.

Specifications

Dimensions

Seat sizes

Widths	14", 15", 16", 17", 18", 20", 22" adult to hemi frame 14", 15", 16", 17", 18" super-hemi frame
Depths	16" standard frame 17", 18" by seat extensions, adult to hemi frame 16", 17" super-hemi frame
Seat-to-floor heights*	17.5", 18.5", 19.5" 15.5", 16.5" with different wheel and caster packages 13.5", 14.5" super-hemi
Back heights	15", 16", 17", 18", 19" adjustable height adjustable angle available as option (-5° to 20° adjustment)**

Front riggings

Hemi swingaway footrest	17"-21"
Hemi swingaway padded elevating legrest	17.5"-21"
Super-hemi swingaway footrest	11"-17"
Super-hemi swingaway padded elevating legrest	11"-17"
Articulating elevating legrest	17"-25"
(Footplates available in aluminum or composite)	

Arm styles

Full-length fixed height, padded, flip back, removable	
Desk-length fixed height, padded, flip back, removable	
Full-length adjustable height, padded, flip back, removable	
Desk-length adjustable height, padded, flip back, removable	
(All arm styles available conventional or space saver)	

Weight capacity	250 lb.
Product weight (9XT/WD86/88)	31 lb.
Warranty	lifetime on frame and crossbraces

*See service manual for additional seat-to-floor heights and seat angles available.

**Seat angle adjustment of 0° and 6° that are reconfigurable only by the provider, can be found in the service manual.



FEATURES

- Durable, low-maintenance, triple chrome-plated, carbon steel frame is long-lasting
- Dynamic recline range from 90° to 168°
- Rear axle base moves, providing stable center of gravity in recline position
- Multiple frame color variations for customizing
- Multiple wheel offerings allow variation of seat-to-floor heights
- Urethane rear tires mounted on “no flex” wheels offer superior performance
- Urethane casters for better ride and lighter weight
- Low-maintenance, dual-sealed precision bearings
- Heavy-duty inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Additional “Lift Packages” assist attendants in positioning patients
- Stocked with attendant (standard) or patient-operated wheel locks
- Meets RESNA standards for manual wheelchairs in product performance

Invacare® IVC™ 9000 XT Recliner

The Invacare IVC 9000 XT Recliner wheelchair is the number one choice for individuals who demand a truly versatile, yet moderately priced lightweight wheelchair. The 9000 XT Recliner can be configured into an endless number of seat widths, depths and heights, and has multiple frame and upholstery options. The recliner has been standardized to interchange components and accessories with the other 9000 series chairs. Whether you need the lighter recliner package or the assist recliner package, the 9000 XT Recliner can provide it.

Specifications

Dimensions	
Seat sizes	
Widths	14", 16", 18", 19", 20", 22"
Depths	16", 17", 18"
Seat-to-floor heights	19.5" 17.5", 18.5" with rear wheel package
Back height	32" recliner (22" high back, 10" removable headrest)
Front riggings	
Hemi swingaway footrest	17"-20"
Hemi swingaway padded elevating legrest	17.5"-21"
Hemi articulating elevating legrest	17"-25"
(Footplates available in aluminum or composite)	
Arm styles	
Full-length fixed height, padded, removable	
Desk-length fixed height, padded, removable	
Full-length adjustable height, padded, removable	
Desk-length adjustable height, padded, removable	
(All arms are conventional)	
Weight capacity	250 lb.
Product weight (9RC/WD86/R/28/2R)	51 lb. without lift package 62 lb. with lift package
Warranty	lifetime on frame and crossbraces



The 9000 Topaz is available with a triple chrome-plated, carbon steel frame, along with a variety of frame finishes for customization.

Invacare® IVC™ 9000Topaz™ Wheelchair

The Invacare IVC 9000 Topaz wheelchair is designed specifically to suit the unique needs of bariatric patients. The Topaz combines the strength and durability of a triple chrome-plated, carbon steel frame with the comfort of heavy-duty front riggings and arms for proper positioning. With a variety of seat widths and depths, frame reinforcements that include gusseted sides, caster journals and dual heavy-duty crossbraces, this chair provides not only ease in maneuverability but stability that will be trusted for years to come.

FEATURES

- Available in vinyl or nylon upholstery
- Durable low-maintenance, triple chrome-plated, carbon steel frame is long-lasting
- Reinforced frame includes gusseted sides, caster journals and dual heavy-duty crossbraces
- Multiple frame color variations available for customizing
- Heavy-duty front riggings provide proper positioning for feet with footrest and elevating legrest
- Heavy-duty arms designed to accommodate weight capacity and provide proper positioning
- Dual axle positions allow for quick and simple seat-to-floor height variations, 17.5" and 19.5"
- Low-maintenance, dual-sealed precision bearings
- Heavy-duty triple inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Meets RESNA standards for manual wheelchairs in product performance

Specifications

Dimensions	
Seat sizes	
Widths	20", 22", 24", 26", 28", 30"
Depths	18", 20"
Seat-to-floor heights	17.5", 19.5" 15.5" with different wheel and caster packages
Back heights - adjustable	16", 17", 18"
Front riggings	
Swingaway footrest	
Swingaway padded elevating legrest	
Footrest with one piece wooden footboard	
Arm styles	
Full-length fixed height, padded, removable	
Desk-length fixed height, padded, removable	
Full-length adjustable height, padded, removable	
Desk-length adjustable height, padded, removable	
(All arm styles available conventional)	
Weight capacity	700 lb.
Product weight (9TPZ/WD2818/28)	85 lb.
Warranty	lifetime on frame and crossbraces



Invacare® IVC™ 9000 XDT Wheelchair

The Invacare IVC 9000 XDT wheelchair is designed for individuals who demand an extra wide, heavy-duty or tall chair with seat-to-floor heights ranging from hemi through tall. The high-performance 9000 XDT provides a 350-lb. weight capacity and components interchangeable with the other 9000 series wheelchairs.

FEATURES

- Durable, low-maintenance, triple chrome-plated, carbon steel frame is long-lasting
- Tall frames are designed to accommodate taller individuals and provide a more comfortable ride
- Multiple frame color variations for customizing
- Triple-axle positions allow wide variation of seat-to-floor heights
- Urethane rear tires mounted on “no flex” wheels offer superior performance
- Urethane casters for better ride and lighter weight
- Low-maintenance, dual-sealed precision bearings
- Heavy-duty inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Meets RESNA standards for manual wheelchairs in product performance

Specifications

Dimensions	
Seat sizes	
Widths	16", 17", 18", 19", 20", 22" tall to adult to hemi frame
Depths	16", 17", 18", 19", 20"
Seat-to-floor heights	17.5", 19.5" 21.5" with different wheel and caster packages
Back heights - adjustable	15", 16", 17", 18", 19"
Front riggings	
Hemi swingaway footrest	17"-21"
Hemi swingaway padded elevating legrest	17.5"-21"
Super-hemi swingaway footrest	11"-17"
Super-hemi swingaway padded elevating legrest	11"-17"
Articulating elevating legrest	17"-25"
(Footplates available in aluminum or composite)	
Arm styles	
Full-length fixed height, padded, flip back, removable	
Desk-length fixed height, padded, flip back, removable	
Full-length adjustable height, padded, flip back, removable	
Desk-length adjustable height, padded, flip back, removable	
(All arm styles available conventional or space saver)	
Weight capacity	350 lb.
Product weight (9XDT/WD08/28)	37 lb.
Warranty	lifetime on frame and crossbraces



Heavy-duty package increases weight capacity to 450 lb. and consists of heavy-duty composite wheels with pneumatic tires with flat-free inserts and semi-pneumatic casters.

Invacare® IVC™ Tracer® IV Wheelchair

The Invacare IVC Tracer IV wheelchair features superior durability, rollability and streamlined looks. It's designed for the active individual who needs the strength of a reinforced heavy-duty frame. Its many options include components interchangeable within the Tracer series. The Tracer IV is long-lasting and low-maintenance.

FEATURES

- Durable, low-maintenance, triple chrome-plated, carbon steel frame is long-lasting
- Reinforced frame includes gusseted sides, caster journals and dual crossbraces
- Urethane rear tires mounted on "no flex" wheels offer superior performance
- Low-maintenance, dual-sealed precision bearings
- Heavy-duty inner liners keep seat and back from stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Upholstery is dual-embossed
- Meets RESNA standards for manual wheelchairs in product performance

Specifications

Dimensions	
Seat sizes	
Widths	20", 22", 24"
Depth	18"
Seat-to-floor height	21"
Back height	16" fixed
Front riggings	
Swingaway footrest	17"-21"
Swingaway padded elevating legrest	17.5"-21"
Articulating elevating legrest	17"-25"
(Footplates available in aluminum only)	
Arm styles	
Full-length fixed height, padded, removable	
Desk-length fixed height, padded, removable	
Full-length adjustable height, padded, removable	
Desk-length adjustable height, padded, removable	
(All arms are conventional)	
Weight capacity	350 lb. and 450 lb.
Product weight (T4/WD28/28)	52 lb.
Warranty	5 years on frame and crossbraces



Invacare® IVC™ 900 Wheelchair

The Invacare IVC 900 series wheelchair is designed to meet the physical needs of the most demanding consumer. A reinforced 900 chair is the industry standard when it comes to durability and reliability, because we have strengthened the 900 in numerous ways, including additional supports, gussets and reinforcements. The 900 redefines the term “custom wheelchair”. Each one is built to the exact specification of the consumer. The chair is available in multiple widths and depths, back styles, seat-to-floor heights, and weight limits up to 450 lb., resulting in a chair that can accommodate almost any user.

FEATURES

- Steel frame with durable finish
- Multiple width and depth combinations can accommodate almost any consumer
- Gusseted frame option withstand heavy use
- Dual crossbrace option provides extra strength and rigidity
- Shock absorbing forks handle the abuse the front-end may receive
- 350 - 450 lb. options require rigid frame
- Meets RESNA standards for manual wheelchairs in product performance

Specifications

Dimensions

Seat sizes	
Widths	14", 15", 16", 17", 18", 19", 20", 21", 22", 23", 24"
Depth	13", 14", 15", 16", 17", 18", 19", 20", 21", 22"
Seat-to-floor height	18" hemi, 20" adult 19", 21", 22", 23", 24" by frame modification
Back height	14"-24" sectional back 14" -24" permanent fixed back height (1" increments)

Arm styles

Full-length fixed height, padded, removable	
Desk-length fixed height, padded, removable	
Full-length adjustable height, padded, removable	
Desk-length adjustable height, padded, removable	
(All arms are conventional or space-saver)	
Weight capacity	250 lb., 300 lb., 350 lb., 400 lb., 450 lb.
Product weight	dependent on custom configurations
Warranty	5 years on frame and crossbraces



Invacare® IVC™ 900 Recliner

The Invacare IVC 900 bariatric recliner is custom-made with multiple widths and depths while offering a 350 lb. weight capacity. The 900 recliner, like the IVC 900 wheelchair, is the industry standard in durability and reliability. Frame gussets and reinforcements allow this chair to meet the special needs of those individuals who need a reclining back wheelchair that accommodates a weight capacity of 350 lb.

FEATURES

- Steel frame with durable finish
- Multiple width and depth combinations can accommodate almost any user
- Gusseted frame option withstand heavy use
- Dual crossbrace option provides extra strength and rigidity
- Shock absorbing forks handle the abuse the front-end may receive
- Meets RESNA standards for manual wheelchairs in product performance

Specifications

Dimensions	
Seat sizes	
Widths	14", 15", 16", 17", 18", 19", 20", 21", 22", 23", 24"
Depth	13", 14", 15", 16", 17", 18", 19", 20", 21", 22"
Seat-to-floor height	18" hemi, 20" adult 19", 21", 22", 23", 24" by frame modification
Back height	32" reclining 22" high back and 10" removable headrest
Arm styles	
Full-length fixed height, padded, removable	
Desk-length fixed height, padded, removable	
Full-length adjustable height, padded, removable	
Desk-length adjustable height, padded, removable	
(All arms are conventional)	
Weight capacity	350 lb.
Product weight	dependent on custom configuration
Warranty	5 years on frame and crossbraces



Invacare® IVC™ 9000 Jymni™ Wheelchair

The Invacare IVC 9000 Jymni wheelchair offers your growing list of pediatric clients versatility, functionality and maneuverability. These chairs are specifically designed to suit the needs of your smaller clients and offer a variety of outstanding features.

FEATURES

- Durable, low-maintenance, chrome-plated, carbon steel frame is long-lasting
- Stroller handles provide ergonomic positioning for caregiver and remove for ease in transporting
- Adjustable front riggings provide ideal positioning for pediatric clients
- Urethane rear tires mounted on "no flex" wheels offer superior performance
- Virtually no-maintenance, dual-sealed precision bearings
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Dual-axle positions allow for quick and simple seat-to-floor height adjustments of 16" and 17"
- Seat width and depth options provide proper positioning
- Meets RESNA standards for manual wheelchairs in product performance

Specifications

Dimensions	
Seat sizes	
Widths	10", 12", 14"
Depths	10", 12", 14"
Seat-to-floor heights	15", 16" 17" with different wheel and caster packages
Back heights - adjustable	14"-15"
Front riggings	
70° swingaway footrest	7"-11"
80° swingaway footrest	11"-15"
90° swingaway footrest	5"-10"
Elevating legrest	7"-14" or 11"-15"
Arm styles	
Full-length fixed height, padded, flip back, removable	
Desk-length fixed height, padded, flip back, removable	
Full-length adjustable height, padded, flip back, removable	
Desk-length adjustable height, padded, flip back, removable	
(All arm styles available conventional or space saver)	
Weight capacity	125 lb.
Product weight (9JYLT/WD22/88JY)	28 lb.
Warranty	5 years on frame and crossbraces



9000 Jymni Recliner allows for dynamic recline range of 95° to 160°. Multiple frame color variations for customizing.



Invacare® IVC™ 9000 Jymni™ Recliner

The Invacare IVC 9000 Jymni Recliner wheelchair offers your growing list of pediatric clients versatility, functionality and maneuverability. These chairs are specifically designed to suit the needs of your smaller clients and offer a variety of outstanding features.

FEATURES

- Durable, low-maintenance, chrome-plated, carbon steel frame is long-lasting
- Dynamic recline from 95° to 160°
- Stroller handles provide ergonomic positioning for caregiver and remove for ease in transporting
- Adjustable front riggings provide ideal positioning for pediatric clients
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Seat width and depth options provide proper positioning
- Meets RESNA standards for manual wheelchairs in product performance

Specifications

Dimensions	
Seat sizes	
Widths	10", 12", 14"
Depths	10", 12", 14"
Seat-to-floor heights	15", 16"
	17" with different wheel and caster packages
Back heights	27" reclining 16" high back and 11" removable headrest
Front riggings	
70° swingaway footrest	7"-11"
80° swingaway footrest	11"-15"
90° swingaway footrest	5"-10"
Elevating legrest	7"-14" or 11"-15"
Arm styles	
Full-length fixed height, padded, flip back, removable	
Desk-length fixed height, padded, flip back, removable	
Full-length adjustable height, padded, flip back, removable	
Desk-length adjustable height, padded, flip back, removable	
(All arm styles available conventional)	
Weight capacity	125 lb.
Product weight (9JYLT/WD42/28JY/R)	41 lb.
Warranty	5 years



Model no. ICR330

Invacare® Ramps

Designed for ease of use and durability, these folding ramps offer an economical alternative to the motorized lift. They're ideal for both manual and power wheelchairs, as well as 3- or 4-wheel scooters. Plus, they're extremely lightweight for effortless transport. Clearly, these ramps are a cost-effective way to add to your Total One Stop ShoppingSM purchases with Invacare.

FEATURES

- Sturdy and dependable 600-lb. weight capacity
- Ideal for manual or power wheelchairs and 3- or 4-wheel scooters
- Convenient carrying handle is standard on all ramps
- Slide-on clamp ensures ramp security during transportation
- Transports and stores like a suitcase
- High-traction tape on the surface is long-lasting and maintenance-free
- Stocked in Invacare's warehouse



Unique folding design makes ramps easy to carry.

Specifications

Dimensions

	Model no. ICR630	Model no. ICR330
Size	6' l x 30" w	3' l x 30" w
Style	multifold	single fold
Folded size	40.625" l x 16" w x 8.5" d	36" l x 16" w x 4" d
Product weight	28 lb.	14 lb.
Weight capacity	600 lb.	600 lb.
Warranty	1 year	1 year



Invacare® IVC™ CLD

The Invacare IVC CLD (Cyclical Lever Drive) was designed for individuals to self-propel themselves with one arm. The opportunity to be more active and mobile which allows individuals to enjoy their independence – and the use of the CLD supports this. With its front-caster steering mechanism, simple rowing motion design and adjustability in height and stroke length, Invacare's CLD is the answer to an easy-to-operate one-arm drive.

Specifications

Model no. CLD

Mechanism weight	9.1 lb.
Added width to chair	1.5"
Stroke length	15"-16"
Grip height adjustment	15"-18"
Mechanism color	black/chrome
Installation	right- or left-hand
Weight limit	250 lb.
Warranty	Two years*

*Invacare warrants all Cyclical Lever Drive mechanisms to be free from defects of materials and workmanship for a period of two years from date of purchase.

There are no service requirements for the CLD, although service requirements for the wheelchair apply.

Kits available for provider installation. Right- or left-handed configuration. Provider installed kits for Tracer EX2, Tracer SX5 and 9000 SL. See 9000 XT price list (95-66 Rev. 10/02) for availability.



Wheel lock position.

Easy to disengage.

Wheel braking position.



Non-removable Device (FR)

1820 9000 XT, XT Recliner, SL, XDT, Jymni, Tracer SX5, SX5 Recliner, IV, EX2



Non-folding Device

1335 (14"-22" w) – Tracer EX2, IV, SX5




Axles

1. 1577QR – Quick Release – 9000 Jymni, 9000 XT, SL, Tracer SX5
2. 9357SH – Super Low Amputee Attachment – 9000 XT
3. 9357L – Amputee Attachment – 9000 XDT, XT, SL, Tracer SX5, EX2
4. OFFAXL – Off axle – 9000 XT



Overhead Anti-Theft Device

1514 Tracer EX2, SX5, Invacare Transport




Accessories

1. 1300 – Utility Tray – 9000 XDT, XT, XT Recliner
2. 1209 – Tire Pump – XT Recliner
3. 1305L – Crutch & Cane Carrier – 9000 Topaz, XDT, XT
4. 1100 – Tool Kit – 9000 XDT, XT, SL, XT Recliner
5. 1571 – Fabric Clothing Protectors – 9000 XDT, XT




Upholstery

1. ImpactG – Impact Guards – 9000 XT
2. STC – Stencil Back Upholstery – 9000 XDT, XT, XT Recliner, Tracer IV, SX5, EX2, SX Recliner
3. SP-01 – Seat Pouch – 9000 XT
4. BP-02 – Backpack – 9000 XT (shown in Large 16" and Small 14"-16")



Seat/Chest Positioning Straps

1. 1321BK/7321BK – Hook and Loop - not available on 9000 Jymni, Transport
2. 1515 – Auto Style Buckle - Tracer EX2, SX5, SX5 Recliner, 9000 XDT, SL, XT, Jymni
3. 1311BK/7311BK – Airline Buckle - 9000 Jymni, XT, SL, XDT




Upholstery

1. 9130 – Solid Back Insert – 9000 XDT, XT, Jymni
2. 9662L – Solid Seat Insert – Tracer SX5, EX2, 9000 XT, XT Recliner, XDT
3. 9120 – Solid Seat Insert – 9000 XT, XDT, XT Recliner, Jymni
4. 1608 – Solid Back Insert – 9000 XT Recliner




Anti-Tippers

1. 1358M – Rear Anti-Tippers – Tracer IV
2. 9758 – Rear Anti-Tippers – EX2 (FF only)
3. 1360SH – Super Low Adjustable – 9000 XT
4. 1360A – Adjustable Rear Anti-Tippers – 9000 XDT, XT, SL, Tracer EX2, SX5
5. 1360 – Adjustable Rear Anti-Tippers – 9000 XT, SL, Jymni, Tracer EX2, SX5
6. 2226 – Front Anti-Tippers – 9000 XDT, XT, SL, XT Recliner




Tires

1. Urethane
 2. Urethane - High Profile
 3. Pneumatic - Flat-Free
- All tires available in 20", 22" and 24" sizes
Available on all chairs




IV/O₂ Holders

1. 1497 – O₂ Holder Package Assembly – 9000 XDT, XT, SL, Tracer IV, SX5, EX2
 2. 1496 – IV/O₂ Holder Package Assembly – 9000 XDT, XT, SL, Tracer IV, SX5, EX2 (T1496 - 9000 Topaz)
 3. 2218 – IV Rod, Telescopic – 9000 XDT, Tracer IV, EX2, SX5, XT, SL
 4. 1318 – IV Rod and Bracket – Tracer IV
 5. 2219 – IV Rod, Telescopic – XT Recliner
- 1322SXR – IV Rod and Bracket – Tracer SX5 Recliner (not shown)



Handrims

1. CHDRM – Chrome-Plated – 9000 XDT, Topaz, XT, SL, Jymni Tracer IV, SX5, EX2, SX5 Recliner
 2. COM – Composite – 9000 XDT, XT, SL, Tracer SX5, EX2, SX5 Recliner
 3. AHDRM – Aluminum – 9000 XDT, XT, SL, SX5, SX5 Recliner
 4. 1512 – Plastic Coated – 9000 XDT, 9000 XT
 5. 1225-8 – 8 Aluminum Vertical Projection Handrim Plastic Coated – 9000 XDT, 9000 XT
 6. 1225-12 – 12 Aluminum Vertical Projection Handrim Plastic Coated – 9000 XDT, XT, XT Recliner
 7. 1224-8 – 8 Aluminum Oblique Projection Handrim Plastic Coated – 9000 XT Recliner
- BHDRM – Black Handrim - 9000 XDT, Jymni (not shown)



Casters

1. 1292 – 8" x 1.25" Pneumatic – 9000 XT, SL
2. AT903 – 8" x 1.25" Composite Urethane – 9000 XDT, XT, SL, Tracer SX5, SX5 Recliner
3. 1255 – 8" x 1" Solid Rubber – Tracer SX5, EX2
4. AT902 – 6" Composite Urethane, 3 Spoke – 9000 XT, SL, Jymni, Tracer EX2, SX5
5. 1252 – 8" x 1.25" Pneumatic – Tracer SX5, EX2, SX5 Recliner
6. 1228 – 8" x 2" Semi-Pneumatic – 9000 XDT, Topaz, 9000 XT, Tracer IV, SX5, SX5 Recliner
7. 1687 – 6" x 1" Dark grey composite Urethane – 9000 Jymni
8. 1259 – 6" x 2" Semi-Pneumatic – 9000 Topaz
9. 1290 – 8" x 1" Solid Rubber, Charcoal – 9000 XDT, XT, SL, Tracer IV
10. 4252 – 8" x 1.25" Pneumatic with flat-fee inserts – Tracer EX2, SX5, SX5 Recliner
11. 1492 – 8" x 1.25" Pneumatic with flat-fee inserts – 9000 XT, SL



Wheel Locks

1. 9690 – Pull to Lock – 9000 XDT, Topaz, 9000 XT, SL
2. 9691 – Push to Lock (Hemi) – 9000 XDT, Topaz, XT, SL, Jymni
3. 9697R – Pull to Lock Hill Holder – 9000 XT Recliner
4. 9695 – Hill Holder – 9000 XT, SL
5. A1567 – Pull to Lock Clamp-on - 9000 XT
6. 1721 – High Push to Lock Clamp-on - 9000 XT
7. 1329BK – Toggle Wheel Lock Extension – 9000 XT Recliner, Tracer IV



Conventional Arms

1. 18 – Full-Length Fixed Height – Tracer IV, EX2, Transport, SX5 Recliner, 9000 XT, XDT, XT Recliner (19JY - Jymni, 18FB - Flip-back - SX5)
2. 19 – Full-Length Adjustable Height – Tracer IV, EX2, SX5 Recliner, 9000 XT, XDT, XT Recliner (19JY - Jymni, 19FB - Flip-back - SX5)
3. 28 – Desk-Length Fixed Height – Tracer IV, EX2, SX5 Recliner, 9000 XT, XDT, XT Recliner (28JY - Jymni, 28FB - Flip-back - SX5)
4. 29 – Desk-Length Adjustable Height – Tracer IV, EX2, SX5 Recliner, 9000 XT, XDT, XT Recliner (29JY - Jymni, 18FB - Flip-back - SX5)



9000 Topaz Arms

1. T18 – Full-Length Fixed Height
2. T19 – Full-Length Adjustable Height
3. T28 – Desk-Length Fixed Height
4. T29 – Desk-Length Adjustable Height

Available on 9000 Topaz.



9000 Topaz Front Riggings

1. TZ33A – Swingaway footrest – 9000 Topaz, Tracer IV
2. TZ34A – Swingaway elevating legrest – 9000 Topaz, Tracer IV
3. TZ1263 – Footrest with one-piece wooden footboard - 9000 Topaz



Lightweight Space Saver Arms

1. 79 – Full-Length Adjustable Height – 9000 XDT, XT, SL, 79JY - 9000 XT, Jymni
2. 78 – Full-Length Fixed Height – 9000 XDT, XT, SL, 78JY - 9000 Jymni
3. 89 – Desk-Length Adjustable Height – 9000 XDT, XT, SL, 89JY - 9000 XT, Jymni
4. 88 – Desk-Length Fixed Height – 9000 XDT, XT, SL, 88JY - 9000 Jymni



9000 Jymni Front Riggings

1. J932A – 70° swingaway footrest
 2. J932A-14 – 80° swingaway footrest
 3. J933A – 90° swingaway footrest
 4. J934A – elevating legrest
 5. J934A-14 – elevating legrest
- Available on 9000 Jymni
All have aluminum footplates



Footrests

1. T963A/C – 60° Elevating Footrest Aluminum/Composite
T93AA/C – Swingaway, Aluminum/Composite – Tracer IV (not shown)
2. T93HA/C/S – Aluminum/Composite – Tracer EX2, SX5, SX5 Recliner, 9000 SL, XT, XT Recliner, XDT




Footrests

1. SH93F – Superlow Extension Swingaway, Aluminum – 9000 XT
2. H93M – Hemi Minimum Swingaway, Aluminum – 9000 XT, XDT, XT Recliner
3. H93E – Hemi Extension Swingaway, Aluminum – 9000 XT, XDT, XT Recliner
4. SH93ES – Super Low Extension Swingaway, Aluminum – 9000 XT



Legrests

1. AHS4A – Hemi Smartleg Articulating Legrest, Aluminum – 9000 XT, XT Recliner, Tracer SX5, SX5 Recliner
SH904M – Superlow Elevating Legrest, Aluminum – 9000 XT (not shown)
2. T94HA/C – Hemi Elevating Legrest Aluminum/Composite – Tracer SX5, SX5 Recliner, EX2, 9000 SL, XT, XT Recliner XDT
T94HS – Hemi Elevating Legrest Aluminum 14" – Tracer SX5, SX5 Recliner, 9000 XT, XT Recliner (not shown)
T94AA/C – Elevating Legrest, Aluminum/Composite – Tracer IV (not shown)
3. SH904MS – Superlow Elevating Legrest, Aluminum – 9000 XT
4. AHL4A/C – Hemi Articulating Legrest, Aluminum/Composite – 9000 XDT, XT, SL, XT Recliner, Tracer EX2, SX5, SX5 Recliner






Straps

1. 1346 – Heel Loops – 9000 XDT, XT, SL, XT Recliner, Tracer IV, SX5, EX2, SX5 Recliner
2. 1345 – Toe Loops – XT Recliner
3. 1600 BK – Heel Loops with Ankle Straps – 9000 XDT, XT, SL, XT Recliner
4. 1348 – Legrest Panel – XT Recliner
5. 1337 – Calf Strap – 9000 XDT, XT, SL, XT Recliner
6. 9342 – H Strap – 9000 XDT, XT, XT Recliner



Footplates

1. 1350 – Extra Large Aluminum – 9000 Topaz (standard), 9000 XDT, XT, SL, XT Recliner, Tracer SX5, EX2, IV, SX5 Recliner
2. AT5543 – Adjustable Angle – 9000 XDT, XT, XT Recliner, Tracer SX5 Recliner, EX2
3. C – Composite – 9000 XDT, XT, SL, XT Recliner, Tracer SX5, EX2, SX5 Recliner
4. A – Aluminum – 9000 XDT, XT, SL, XT Recliner, Tracer SX5, EX2, SX5 Recliner

		Model													
		Tracer EX2	Transport	Tracer SX5	Tracer SX5 Recliner	9000 SL	9000 XT	9000 XT Recliner	9000 Topaz	9000 XDT	Tracer IV	9000	900 Recliner	9000 Jymni	9000 Jymni Recliner
Upholstery colors															
	U60 - Marina blue vinyl										■				
	U67 - Black vinyl	■		■	■	■	■	■	■	■		■	■	■	■
	U75 - Dove gray vinyl						■	■			■	■	■		
	U85 - Dark blue vinyl							■		■		■	■		
	U86 - Ruby vinyl	■		■	■						■	■	■		
	U88 - Camel vinyl							■		■		■	■		
	U550 - Midnight blue vinyl	std		■	std				■		std				
	U240 - Black nylon		std	std	■	std	std	std	std	std				std	std
	U245 - Black sailcloth						■	■							
Frame colors															
	08P - Deep purple					■	■							■	■
	15P - Chrome	std	std	std	std	std	std	std		std	std	std	std	std	std
	17P - Cobalt blue						■	■		■					
	22P - Anthracite						■								
	24P - Wet black						■	■	■	■				■	■
	30P - Sunny yellow													■	■
	33P - Red													■	■
	34P - Black					■									
	61P - Electric red						■	■		■				■	■
	62P - Electric blue						■							■	■
	66P - Electric purple						■							■	■
	71P - Silver vein					■	■	■	std	■				■	■
	83P - Royal blue w/grape													■	■
	84P - Lavender													■	■
	88P - Black w/twilight sparkle						■								
	104P - Electric teal						■							■	■
	105P - Midnight blue						■							■	■

Description	Part no.	Model													
		Tracer EX2	Transport	Tracer SX5	Tracer SX5 Recliner	9000 SL	9000 XT	9000 XT Recliner	9000 Topaz	9000 XDT	Tracer IV	9000	900 Recliner	9000 Jymni	9000 Jymni Recliner
Adjustable Angle Footplate	AT5543	■		■	■		■	■		■					
Adjustable Caster Journal	ADJC						■								
Adjustable Tension Back Upholstery	ADJTENS						■								
Amputee Attachment	9357L	■		■		■	■			■					
Auto-style Buckle Seat Positioning Strap	1515	■		■		■	■		T1515	■	■			■	■
Auto-style Buckle Chest Positioning Strap	9515						■	■							
Airline Buckle Seat Positioning Strap	1311BK					■	■			■				■	■
Airline Buckle Chest Positioning Strap	7311BK						■	■						■	■
Backpack	BP02						■								
Calf Strap	1337						■			■					
Carry Pocket	1160					■	■	■		■	■				
Carrying Straps	1409										■				
Crutch & Cane Carrier	1305L						■		■	■					
Drop Hook Solid Folding Seat	9662L	■		■			■	■		■					
Dual Back Liner	RB						■			■					
Dual Seat Liner	RS						■	■		■					
Extra Large Footplates	1350	■		■	■	■	■	■	std	■	■				
Fabric Clothing Protectors	1571						■			■					
Fixed IV Rod	1318									■					
Footplate Parallel to floor	FPP						■			■					
1" Forward Positioner	9357JY													■	■
Front Anti-Tippers	2226					■	■	■		■					
"H" Strap	9342						■	■		■					
Headrest w/Push Handle ext.	1483R													■	■
Head Support (Recliner)	3046							■							
Heel Loops	1346	■		■	■	■	■	■	■	■	■	■	■	■	■
Heel Loops w/Ankle Strap	1600BK						■	■		■					
High Push-to-lock clamp-on wheel locks	1721						■								
Hill Holder	9695					■	■								
Hook and Loop Seat Positioning Strap	1321BK	■		■	■	■	■	■		■	■			■	■
Hook and Loop Chest Positioning Strap	7321BK						■	■						■	■
Impact Guards	IMPACTG						■								
IV/O ₂ Holder	1487													■	■
IV/O ₂ Holder	1496	■		■		■	■			■	■				
IV/O ₂ Holder	T1496								■						
Legrest Panel	1348							■							
Minimum Legrest Ext.	MFXL						■			■					
Nonfolding Device	1335	■		■						■					

Model

Description	Part no.	Tracer EX2	Transport	Tracer SX5	Tracer SX5 Recliner	9000 SL	9000 XT	9000 XT Recliner	9000 Topaz	9000 XDT	Tracer IV	900	900 Recliner	9000 Jymni	9000 Jymni Recliner
Non-removable Arms w/ Screws	NRAS						■	■		■					
Non-removable Device (FR)	1820	■		■	■	■	■	■		■	■			■	■
One-Arm Drive				■			■			■					
One-Piece Wood Footboard	T21263								■						
O ₂ Holder	1497	■		■		■	■			■	■				
O ₂ Holder	T1497								■						
O ₂ Holder	1488													■	■
Overhead Anti-Theft Device	1514	■	■	■							20" 22" only				
Patient Operated Wheel Locks (Recliner)	1245							■							
Pull-to-Lock Clamp-On Wheel Locks	A1567						■								
Pull-to-Lock Wheel Lock	9690					■	■			■					
Pull-to-Lock Hill Holder	9697R							■							
Push-to-lock Wheel Lock	9691					■	■		■	■				■	■
Push-to-lock Wheel Lock (Rec.)	9690R							■							
Push Bar	T1483								■						
Quick Release Axles	1577QR			■		■	■							■	■
Rear Anti-Tippers	1358M									■					
Rear Anti-Tippers	T1358								■						
Rear Anti-Tippers	1360	■		■		■	■							■	■
Rear Anti-Tippers	1360A	■		■		■	■			■					
Rear Anti-Tippers	1360B													■	■
Rear Anti-Tippers	9758	FF only													
Seat Pouch	SP-01						■								
Solid Back Insert	9130						■		T9130	■				■	■
Solid Back Insert (Recliner)	1608							■							
Solid Seat Insert	9120					■	■	■	T9120	■				■	■
Stencil Back Upholstery	STC	■		■	■		■	■		■	■				
Stroller Handle	1483JY													■	■
Super-Low Adj. Rear Anti-Tipper	1360SH						■								
Super-Low Amputee Attach.	9357SH						■								
Telescopic IV Rod	1322SXR				■										
Telescopic IV Rod and Bracket	T1322								■						
Telescopic IV Rod	2218	■		■		■	■			■	■				
Telescopic IV Rod (Recliner)	2219							■							
Tire Pump	1209							■							
Toggle Tool Kit	1100					■	■	■		■					
Torso Support (Recliner)	3040							■							
Utility Tray	1300						■	■		■					
Wheel Lock Extensions	1329BK	■		■	■			■		■					
Wheel Lock Extensions	A1576		■			■	■		■	■				■	■



	Tracer EX2	Tracer Transport	Tracer SX5	Tracer SX5 Recliner	9000SL	9000 XT
	IVC MANUAL			IVC LIGHTWEIGHT		
HCPC Codes assigned	K0002	E1031	K0003	K0003 & K0028	K0004	K0004
Eligible for no charge upgrade†	K0001		K0001, K0002, K0006 ¹	K0006 ¹ & K0028	K0001, K0002, K0003	K0001, K0002, K0003
Widths	16", 18", 20"	18", 20"	14", 16", 18", 20", 22"	14", 16", 18", 20", 22"	16", 18", 20"	14" - 18", 20", 22" 1" increments
Depths	16" 18" ²	16"	16" 18" ²	16" 18" ²	16" 18" ²	16" 17", 18" ²
Overall widths	Perm: 23.5", 25.5", 27.25" FF: 22.75", 24.75" Removable: 24.5", 26.5", 28.5"	20.5", 22.5"	22.5", 24.5", 26.5" 28.5", 30.5"	22.5", 24.5", 26.5" 28.5", 30.5"	23" ⁶ , 25" ⁶ 27" ⁶	21.5", 22.5", 23.5" 24.5", 25.5", 27.5", 29.5"
Overall depth w/o riggings	32"	22"	32"	36" (53.5" in recline)	30"	30"
Seat-to-floor heights	17.5" 19.5" 15.5", ³ 16.5", ³ 18.5" ³	19.5"	17.5" 19.5" 15.5", ³ 16.5", ³ 18.5" ³	19.5" 17.5", ³ 18.5" ³	17.5" 19.5" 15.5", ³ 16.5", ³ 18.5" ³	17.5", 18.5", 19.5" 15.5", 16.5" super-low: 13.5", 14.5"
Back styles 1" increments	fixed 16"	19" fold down 9.5" (folded)	16", 18" sectional	reclining 33" (23" high back, 10" headrest ext.)	adjustable 15"-17" 17"-19"	adjustable 15"-19"
Chair weight w/o riggings	36 lb.	27 lb.	34 lb.	53 lb.	33 lb.	31 lb.
Weight capacity	250 lb.	250 lb.	250 lb. 300 lb. ⁵	250 lb. 300 lb. ⁵	250 lb.	250 lb.
Warranty frame/crossbraces	lifetime	3 years	lifetime	lifetime	lifetime	lifetime
Arm type 08 - Permanent	offset padded	padded	n/a	n/a	n/a	n/a
18 - Full-length fixed height, conventional <small>18FB on Tracer SX5, T18 on 9000 Topaz</small>	padded removable	n/a	padded, flip back, non-removable	padded removable	n/a	padded, flip back, removable
28 - Desk-length fixed height, conventional <small>28FB on Tracer SX5, T28 on 9000 Topaz</small>	padded removable	n/a	padded, flip back, non-removable	padded removable	n/a	padded, flip back, removable
19 - Full-length adjustable height, conventional <small>19FB on Tracer SX5, T19 on 9000 Topaz</small>	padded removable	n/a	padded, flip back, non-removable	padded removable	n/a	padded, flip back, removable
29 - Desk-length adjustable height, conventional <small>29FB on Tracer SX5, T29 on 9000 Topaz</small>	padded removable	n/a	padded, flip back, non-removable	padded removable	n/a	padded, flip back, removable
78 - Full-length fixed height, space saver	n/a	n/a	n/a	n/a	padded, flip back, non-removable	padded, flip back, removable
88 - Desk-length fixed height, space saver	n/a	n/a	n/a	n/a	padded, flip back, non-removable	padded, flip back removable
79 - Full-length adjustable height, space saver <small>79JY on 9000 XT and 9000 Jymni</small>	n/a	n/a	n/a	n/a	padded, flip back, non-removable	padded, flip back, removable
89 - Desk-length adjustable height, space saver <small>89JY on 9000 XT and 9000 Jymni</small>	n/a	n/a	n/a	n/a	padded, flip back, non-removable	padded, flip back, removable

† See Program Memorandum (Transmittal B-01-68) for policies and instructions. 1. 20" and 22" only. 2. By seat extension. 3. Available with different wheel and caster packages. 4. By frame modification.

**9000 XT Recliner****9000 Topaz****9000 XDT****Tracer IV****900****900 Full Recliner****9000 Jymni****9000 Jymni Recliner****IVC BARIATRIC HEAVY-DUTY****IVC PEDIATRIC**

K0004 & K0028

K0007

K0007

K0007

K0001 & K0006¹K0001 & K0028
K0006¹ & K0028

K0009

K0009 & K0028

14", 16", 18",
19", 20", 22"20", 22", 24"
26", 28", 30"16-20", 22"
1" increments

20", 22", 24"

14"-24"
1" increments14"-24"
1" increments

10", 12", 14"

10", 12", 14"

16"
17", 18"²

18", 20"

16"-20"
1" increments

18"

13"-22"
1" increments13"-22"
1" increments

10", 12", 14"

10", 12", 14"

21.5", 23.5", 25.5"
26.5", 27.5", 29.5"27.5", 29.5", 31.5"
33.5", 35.5", 37.5"23.5", 24.5", 25.5"
26.5", 27.5", 29.5"

27", 29", 31"

21.5"-31.5"
1" increments21.5"-31.5"
1" increments

17.5", 19.5", 21.5"

17.5", 19.5", 21.5"

36" (53.5" in recline)

35"

30"

32.5"

32"

32"

27.5"

27.5"

19.5"
17.5"³, 18.5"³17.5", 19.5",
15.5"³17.5", 19.5",
21.5"⁴

21"

18" hemi
20" adult
(19", 21", 22", 23", 24")⁴18" hemi
20" adult
(19", 21", 22", 23", 24")⁴

15", 16", 17"

15", 16", 17"

reclining 33"
(23" high back,
10" headrest ext..)adjustable
16", 17", 18"adjustable
15"-19"fixed
16"sectional 14"-24"
permanent 14"-24"reclining 32"
(22" high back,
10" headrest ext.)adjustable
14"-15"reclining 27"
(16" high back,
11" headrest ext.)51 lb. w/o lift pkg.
62 lb. w/lift pkg.

85 lb.

37 lb.

52 lb.

differs per
configurationdiffers per
configuration

28 lb.

41 lb.

250 lb.

700 lb.

350 lb.

350 lb.
450 lb.³250 lb./300 lb.
350 lb./450 lb.

350 lb.

125 lb.

125 lb.

lifetime

lifetime

lifetime

5 years

5 years

5 years

5 years

5 years

n/a

n/a

n/a

n/a

n/a

n/a

n/a

n/a

padded
removablepadded
removablepadded, flip back
removablepadded
removablepadded
removablepadded
removablepadded, flip back
removablepadded
removable

n/a

n/a

padded, flip back
removable

n/a

padded
removable

n/a

padded, flip back
removable

n/a

n/a

n/a

padded, flip back
removable

n/a

padded
removable

n/a

padded, flip back
removable

n/a

n/a

n/a

padded, flip back
removable

n/a

padded
removable

n/a

padded, flip back
removable

n/a

n/a

n/a

padded, flip back
removable

n/a

padded
removable

n/a

padded, flip back
removable

n/a

ation. 5. 300 lb weight capacity on 20" and 22" widths. 6. Add 3/8" to overall width for space saver adjustable arms.



Yes, you can.™

Invacare Corporation
www.invacare.com

USA

One Invacare Way
Elyria, Ohio
44036-2125
(800) 333-6900

Canada

570 Matheson Blvd. E.
Unit 8
Mississauga, Ontario
L4Z 4G4 Canada
(800) 668-5324

Invacare and Tracer are registered trademarks and Yes, you can., IVC, Topaz and Lymni are trademarks of Invacare Corporation. Total One Stop Shopping is a service mark of Invacare Corporation. Ramps are manufactured by Prairie View Industries and distributed by Invacare Corporation. Textilene is a registered trademark of Ludlow Corporation. Specifications are subject to change without notification.



"Invacare says 'Yes, you can.'; and I couldn't have said it better myself."

© 2002
Invacare Corporation

Form No. 00-261
Rev. 10/02