



14427 - Electric Pump (Sold Separately) (Replaces Mason # 8151-EP)

Med-Aire 5" Alternating Pressure and Low Air Loss Overlay System

Item #	Product Description	Product Di	mensions	Product HCPCS	UOM
14025N	Alternating Pressure/Low Air Loss Overlay System (Replaces Mason # EX5000)	80" (L) x 36"	(W) × 5" (H)	E0277	1/ea
	combination therapy overlay system provides alternating pressure and low air loss to optimize		Each one of t removed and	he 20, 5" deep air bladde replaced.	rs are easily
pressure redistribution and manage skin maceration.		•	Pillow function maintains the 3 air cells at the head of		

- Pillow function maintains the 3 air cells at the head of the bed in static mode for patient comfort.
 - CPR valve allows for rapid deflation.
- EZ Lock/Quick Release Tubing Connector has pressure tabs that allow easy and quick disconnect. (Figure B)
- Pump delivers air volume of 8-LPM. (Figure A)
 The nylon/TPU cover material is water resistant, vapor permeable, machine washable and secures to the overlay with straps.

in the home, long term care, or acute care setting.

Designed to prevent, treat and manage pressure ulcers

specifications

-			
Pump Power	110 VAC 160 Hz		
Pump Airflow	8 LPM		
Pump Cycle Time	10 Minutes		
Pump Type	Compressor		
Pump Alarms	No		
Mattress Dimensions	80" x 36" x 5"		
Mattress Cover Material	Fluid-Resistant Nylon		
Weight Capacity	350 lbs.		
Warranty	1 Year Limited		