



Job Name:



Job Type:

Comments:

Quantity:

### 11128: IC Airtight 5" Housing

### Specification Images:



**Collection:** Recessed Lighting

New Construction IC Airtight Housing

Trims: 11132AT, 11136AT, 11137AT, 11120AT, 11154AT, 11135AT, 11134AT, 11155AT, 11139AT, 11151AT, 11140AT

Airtight Construction: Meets airtight requirements for 2.0 CFM or less air leakage.

Safe- Thermally Protected/Listed for Damp Location: IC housing is approved for use in direct contact with insulation.

Housing Adjustment: Housing adjusts vertically for various ceiling thicknesses.

Bar Hanger: Break-away bar hangers easily extend and will not fall out of plaster flange, providing sturdy installation.

Joist Tab: Tab to locate on bottom of joist.

Notch for T-Bar Ceilings: No clips required. Secure bar hanger to T-Bars with wires or screws.

Sealed Trim: One piece sealed trims. No light leaks.

Snap-In Socket: Snap in socket locates lamp in optimum position.

Quick Hit: Integral captive nails included and positioned for fast, easy installation.

Bar Hanger Locking Screw: Tighten screw to lock bar hangers in place.

Hinged Door: The hinged junction box door allows full access for wiring while remaining attached to the recess housing.

Junction Box with Integral Romex Connector: Junction box with integral romex connector, quick-push and lock connector and through

### Dimensions:

<b>Diameter:</b>	5 5/8"
<b>Length:</b>	13 1/2"
<b>Width:</b>	8 7/8"
<b>Height:</b>	7 5/8"

### Features:

- Easily converts to LED with optional lamping
- Meets Title 24 energy efficiency standards

### Material List:

1 Housing - Steel / Aluminum - Raw Steel

### Safety Listing:

UL Listed for Damp Locations / IC  
cUL Listed for Damp Locations / IC

circuit wiring with 4 in, 4 out #12 wire, saves installation time.

UPC #:785652111099

### Shipping Information:

Package Type	Product #	Quantity	UPC	Length	Width	Height	Cube	Weight	UPS Ship
Individual	11128	1	785652111099	14	11	7.5	0.668	2.2	Yes
Master Pack		6	10785652111096	22.25	18.75	8.5	2.052	15.6	Yes
NJ Pallet		192		48	40	73	81.111	499.2	No
NV Pallet		192		48	40	73	81.111	499.2	No

## Trim

11120AT-15  
**5" Open Trim**  
White Steel Trim  
Maximum Wattage:  
75w Par30S  
13.5w LED A-19  
8w LED PAR20

11132AT-71  
**5" Multiplier Trim**  
Antique Bronze Aluminum  
Baffle  
Antique Bronze Aluminum  
Trim  
Maximum Wattage:  
75w Par30L  
50w Par30S  
65w BR-30  
13.5w LED A-19  
15w LED PAR30L  
15w LED BR30

11135AT-15  
**5" Shower Trim**  
Smooth White Glass Diffuser  
White Aluminum Reflector  
White Aluminum Trim  
Maximum Wattage:  
13.5w LED A-19  
8w LED PAR20  
35w Par30L  
8w LED A-19  
Suitable For Shower Light

11151AT-14  
**5" Baffle Trim**  
White Trim / Baffle Aluminum  
Baffle  
White Trim / Baffle Aluminum  
Trim  
Maximum Wattage:  
75w Par30L  
50w Par30S  
65w BR-30  
8w LED A-19  
15w LED PAR30L  
15w LED BR30

11132AT-14  
**5" Multiplier Trim**  
White Trim / Baffle Aluminum  
Baffle  
White Aluminum Trim  
Maximum Wattage:  
75w Par30L  
50w Par30S  
65w BR-30  
13.5w LED A-19  
15w LED PAR30L  
15w LED BR30

11132AT-849  
**5" Multiplier Trim**  
Satin Nickel Aluminum Baffle  
Satin Nickel Aluminum Trim  
Maximum Wattage:  
75w Par30L  
50w Par30S  
65w BR-30  
13.5w LED A-19  
15w LED PAR30L  
15w LED BR30

11136AT-15  
**5" Eyeball Trim**  
White  
White Steel Trim  
Maximum Wattage:  
75w Par30S  
15w LED PAR30L

11151AT-15  
**5" Baffle Trim**  
Black Aluminum Baffle  
White Aluminum Trim  
Maximum Wattage:  
75w Par30L  
50w Par30S  
65w BR-30  
8w LED A-19  
15w LED PAR30L  
15w LED BR30

11132AT-172  
**5" Multiplier Trim**  
Antique Bronze - White Aluminum  
Baffle  
White Aluminum Trim  
Maximum Wattage:  
75w Par30L  
50w Par30S  
65w BR-30  
13.5w LED A-19  
15w LED PAR30L  
15w LED BR30

11132AT-861  
**5" Multiplier Trim**  
Satin Nickel - White Aluminum  
Baffle  
White Aluminum Trim  
Maximum Wattage:  
75w Par30L  
50w Par30S  
65w BR-30  
13.5w LED A-19  
15w LED PAR30L  
15w LED BR30

11137AT-15  
**5" Regressed Eyeball Trim**  
White Steel Trim  
Maximum Wattage:  
75w Par30S  
15w LED PAR30L

11154AT-14  
**5" Open Shower Trim**  
White Trim / Baffle Aluminum  
Baffle  
White Aluminum Trim  
Maximum Wattage:  
50w Par30S  
15w LED PAR30L  
13.5w LED A-19  
75w Par30L  
Suitable For Shower Light

11132AT-22  
**5" Multiplier Trim**  
Polished Aluminum Aluminum  
Baffle  
White Aluminum Trim  
Maximum Wattage:  
75w Par30L  
50w Par30S  
65w BR-30  
13.5w LED A-19  
15w LED PAR30L  
15w LED BR30

11134AT-15  
**5" Shower Trim**  
Clear Glass Diffuser  
White Aluminum Reflector  
White Aluminum Trim  
Maximum Wattage:  
35w Par30L  
8w LED A-19  
8w LED PAR20  
Suitable For Shower Light

11139AT-15  
**5" Wall Wash Trim**  
White Steel Housing  
White Steel Trim  
Maximum Wattage:  
13.5w LED A-19  
8w LED PAR20  
35w Par30L

11155AT-15  
**5" Shower Trim**  
Clear Glass Lens  
White Aluminum Reflector  
White Aluminum Trim  
Maximum Wattage:  
13.5w LED A-19  
8w LED PAR20  
35w Par30L  
8w LED A-19  
Suitable For Shower Light