

## **Installation And Safety Instructions**

this fixture. Fill in Item Number on Carton and File This Sheet For Future Reference. ITEM#

Line art shown may not exactly match the fixture enclosed. However, the installation instructions do apply to

**HC-440** 

072109

This fixture is intended for installation in accordance with the National Electrical Code and local regulations. To assure full compliance with local codes and regulations, check with your local electrical inspector before installation. To prevent electrical shock, turn off electricity at fuse box before proceeding.

- 1. Before doing any electrical work, turn power off at circut breaker or fuse box. Wiring must conform to all electrical codes.
- 2. Remove wall plate and control if any from wall junction box.
- 3. Connect the two black wires on the fan control to the two wires in the junction box. Using the wire connectors (not supplied). Either control wire can be connected to either junction box wire.
- Install fan control into junction box and put on wall plate and control knob.
- 5. Rotate knob to "OFF" position and restore power. Fan control is now operational.

## WIRING DIAGRAM

THIS IS A WIRING DIAGRAM, NOT A MECHANICAL ASSEMBLY OF THE CEILING FAN. REFER TO FAN INSTRUCTIONS FOR MECHANICAL ASSEMBLY AND WIRE COLORS. **POWER POWER TO** COMMON SOURCE FAN 120 VOLT WIRE FAN CONNECTOR JUNCTION **BOX** THREE SPEED CONTROL 120 VOLT 1.25 AMPS FIGURE 1 150 WATTS MAXIMUM



## **Installation And Safety Instructions**

**HC-440** 

Line art shown may not exactly match the fixture enclosed. However, the installation instructions do apply to this fixture. Fill in Item Number on Carton and File This Sheet For Future Reference. ITEM#\_\_\_\_\_

072100

This fixture is intended for installation in accordance with the National Electrical Code and local regulations. To assure full compliance with local codes and regulations, check with your local electrical inspector before installation. To prevent electrical shock, turn off electricity at fuse box before proceeding.

- Before doing any electrical work, turn power off at circut breaker or fuse box. Wiring must conform to all electrical codes.
- 2. Remove wall plate and control if any from wall junction box.
- Connect the two black wires on the fan control to the two wires in the junction box. Using the wire connectors (not supplied). Either control wire can be connected to either junction box wire.
- Install fan control into junction box and put on wall plate and control knob.
- Rotate knob to "OFF" position and restore power. Fan control is now operational.

## **WIRING DIAGRAM**

THIS IS A WIRING DIAGRAM, NOT A MECHANICAL ASSEMBLY OF THE CEILING FAN. REFER TO FAN INSTRUCTIONS FOR MECHANICAL ASSEMBLY AND WIRE COLORS. **POWER POWER TO** COMMON SOURCE FAN **120 VOLT** WIRE FAN CONNECTOR JUNCTION **BOX** THREE SPEED CONTROL 120 VOLT 1.25 AMPS FIGURE 1 150 WATTS MAXIMUM