






Date: _____

Project: _____

Fixture Type: _____

Specifier/Rep: _____


 Certified by  for North American Standard

APPLICATION:

Recessed - Trimless

CONSTRUCTION:
Fixture Material:

Plaster

Fixture Finish:

(See next page for available options)

Available Finish/Size/Lamping Options

Options Available (See next pages)

Component Requirement:

Complete Unit, no component required

ELECTRICAL:
Lamp Category: LED

Power Supply:

Integral

Voltage/Constant Current:

12

(277v or 347v available upon request)

Emergency:

N/A

IP RATING:

IP20

OPTICS:
Diffusor Material:

N/A

Diffusor Finish:

(See next page for available options)

Reflector: N/A

Efficiency:

N/A

PRODUCT FEATURES:

 Fixed Plaster Housing Frame with 3 x 13W LED -
(LED lamp with integral driver included)



Invisibili - Adjustable - 3 x LED 13W

Date: _____

Project: _____

Fixture Type: _____

Specifier/Rep: _____

Available Sizing/Lamp Options:

| Model No | Fixture - Diffuser | Details |
|----------|--------------------|--|
| D8-6268 | White - N/A | L: 49cm / 19 1/4" W: 20cm / 7 3/4" H: 12cm / 4 3/4", One LED, Max. 13W, 12V, (3000°)K, 40° |
| D8-6269 | White - N/A | L: 49cm / 19 1/4" W: 20cm / 7 3/4" H: 12cm / 4 3/4", One LED, Max. 13W, 12V, (6000°)K, 40° |
| D8-6270 | White - N/A | L: 49cm / 19 1/4" W: 20cm / 7 3/4" H: 12cm / 4 3/4", One LED, Max. 13W, 12V, (3000°)K, 40° |
| D8-6271 | White - N/A | L: 49cm / 19 1/4" W: 20cm / 7 3/4" H: 12cm / 4 3/4", One LED, Max. 13W, 12V, (6000°)K, 40° |

Date: _____

Project: _____

Fixture Type: _____

Specifier/Rep: _____

Installation Guide

