

Date: _____

Project: _____



Fixture Type: _____


Specifier/Rep: _____



15 x 15 cm
6" x 6"

21 x 21 cm
8 1/4" x 8 1/4"



Certified by  for North American Standard

APPLICATION:

Recessed - Trimless

CONSTRUCTION:

Fixture Material:

Plaster

Fixture Finish:

(See next page for available options)

Available Finish/Size/Lamping Options

Options Available (See next pages)

Component Requirement:

Complete Unit, no component required

ELECTRICAL:

Lamp Category: LED

Power Supply:

Integral

Voltage/Constant Current:

12

(277v or 347v available upon request)

Emergency:

N/A

IP RATING:

N/A

OPTICS:

Diffusor Material:

N/A

Diffusor Finish:

(See next page for available options)

Reflector: N/A

Efficiency:

N/A

PRODUCT FEATURES:

Fixed Plaster Housing Frame with LED - (LED lamp with integral driver included)



Invisibili - Adjustable - 1 x LED 13W

Date: _____

Project: _____

Fixture Type: _____

Specifier/Rep: _____

Available Sizing/Lamp Options:

Model No	Fixture - Diffuser	Details
D8-6260	White - N/A	L: 20cm / 7 3/4" W: 20cm / 7 3/4" H: 12cm / 4 3/4", One LED, Max. 13W, 12V, (3000°)K, 40°
D8-6261	White - N/A	L: 20cm / 7 3/4" W: 20cm / 7 3/4" H: 12cm / 4 3/4", One LED, Max. 13W, 12V, (6000°)K, 40°
D8-6262	White - N/A	L: 20cm / 7 3/4" W: 20cm / 7 3/4" H: 12cm / 4 3/4", One LED, Max. 13W, 12V, (3000°)K, 40°
D8-6263	White - N/A	L: 20cm / 7 3/4" W: 20cm / 7 3/4" H: 12cm / 4 3/4", One LED, Max. 13W, 12V, (6000°)K, 40°

Date: _____

Project: _____

Fixture Type: _____

Specifier/Rep: _____

Installation Guide

