




Date: _____


Project: _____

Fixture Type: _____

Specifier/Rep: _____



△ WITH LED (D8-6041)

Certified by  for North American Standard

APPLICATION:

Recessed - Trimless

CONSTRUCTION:

Fixture Material:

Plaster

Fixture Finish:

(See next page for available options)

Available Finish/Size/Lamping Options

Options Available (See next pages)

Component Requirement:

Complete Unit, no component required

ELECTRICAL:

Lamp Category: LED

Power Supply:

Integral

Voltage/Constant Current:

12

(277v or 347v available upon request)

Emergency:

N/A

IP RATING:

N/A

OPTICS:

Diffusor Material:

N/A

Diffusor Finish:

(See next page for available options)

Reflector: N/A

Efficiency:

N/A

PRODUCT FEATURES:

Plaster Housing Frame with 13W LED adjustable
Metal White Spot (LED lamp with integral driver included)



Invisibili - Adjustable - 8" - LED 13w

Date: _____

Project: _____

Fixture Type: _____

Specifier/Rep: _____

Available Sizing/Lamp Options:

Model No	Fixture - Diffuser	Details
D8-6224	White - N/A	L: 21.5cm / 8 1/2" W: 21.5cm / 8 1/2" H: 7cm / 2 3/4", One LED, Max. 13W, 12V, (3000°)K, 40°
D8-6225	White - N/A	L: 21.5cm / 8 1/2" W: 21.5cm / 8 1/2" H: 7cm / 2 3/4", One LED, Max. 13W, 12V, (6000°)K, 40°

Date: _____

Project: _____

Fixture Type: _____

Specifier/Rep: _____

Installation Guide

