HAND WASH SINK

HEAVY-DUTY • 16 ga, T-304 S/S

specifications


LIFETIME GUARANTEE

ITEM#


H68-128

MODFI#

PROJECT



5"



MATERIAL

• 16 gauge, type 304 stainless steel -Entire unit

MECHANICAL

- Backsplash is 8" tall with a 2" wide return.
- (2) faucet holes, 11/8" diameter on
- Z-style wall hanger and integral bracing are
 All seams are TIG welded and ground to a provided for securing unit to the wall.
- Drain opening is 17/8", recessed.
- Flat strainer drain is 11/2" IPS.
- Supply is 1/2" IPS, hot and cold.

FEATURES

6"

- Sink bowl is 'True Gauge', not drawn.
- Apron front and sides stabilize unit and provide extra load bearing support.
- Large 20" x 15" sink compartment.
- Coved compartment is 3/4" radius (vertical) and 1/4" (horizontal).
- Rear centered drain.
- smooth #4 satin finish.
- Custom configurations are available.
- NSF approved.
- ADA and TAS compliant.
- Lifetime warranty.
- Proudly made in the USA.

ACCESSORIES

- FG-105 5" gooseneck faucet
- FA-100 Wrist blade handles

We welcome the opportunity to help you design and configure equipment to suit your specific needs.

In keeping with our policy of continuing product improvement, we reserve the right to change product specifications without notice.

GRIFFIN PRODUCTS, INC.

303 Blue Bird Parkway Wills Point, TX 75169 (800) 379-9709 tel (903) 873-6389 fax



www.griffinproducts.com © 2006 Griffin Products, Inc.

- WA-151 flat strainer drain
- Z-style wall hanger

HAND WASH SINK

HEAVY-DUTY • 16 ga, T-304 S/S


specifications


LIFETIME GUARANTEE

ITEM# H65-232

MODFI #

PROJECT





MATERIAL

• 16 gauge, type 304 stainless steel -Entire unit

MECHANICAL

- Backsplash is 21/2" tall with a 1" wide return.
- (3) faucet holes, 11/8" diameter on 2" centers.
- Z-style wall hanger and integral bracing are provided for securing unit to the wall.
- Drain opening is 17/8", recessed.
- Flat strainer drain is 1½" IPS.
- Supply is ½" IPS, hot and cold.

FEATURES

6"

- Sink bowl is 'True Gauge', not drawn.
- Apron front and sides stabilize unit and provide extra load bearing support.
- Large 20" x 14" sink compartment.
- Coved compartment is ¾" radius (vertical) and 1/4" (horizontal).
- Rear centered drain.
- All seams are TIG welded and ground to a smooth #4 satin finish.
- Custom configurations are available.
- NSF approved.
- ADA and TAS compliant.
- Lifetime warranty.
- · Proudly made in the USA.

ACCESSORIES

- FG-205 5" gooseneck faucet
- FA-100 Wrist blade handles

We welcome the opportunity to help you design and configure equipment to suit your specific needs.

In keeping with our policy of continuing product improvement, we reserve the right to change product specifications without notice.

GRIFFIN PRODUCTS, INC.

303 Blue Bird Parkway Wills Point, TX 75169 (800) 379-9709 tel (903) 873-6389 fax



www.griffinproducts.com © 2006 Griffin Products, Inc.

- WA-151 flat strainer drain
- Z-style wall hanger

HAND WASH SINK

HEAVY-DUTY • 16 ga, T-304 S/S

specifications


LIFETIME GUARANTEE


ITEM#


H65-234

MODFI#

PROJECT







MATERIAL

• 16 gauge, type 304 stainless steel -Entire unit

MECHANICAL

- Backsplash is 21/2" tall with a 1" wide return.
- (3) faucet holes, 11/8" diameter on 4" centers.
- Z-style wall hanger and integral bracing are
 Rear centered drain. provided for securing unit to the wall.
- Drain opening is 17/8", recessed.
- Flat strainer drain is 1½" IPS.
- Supply is ½" IPS, hot and cold.

FEATURES

- Sink bowl is 'True Gauge', not drawn.
- Apron front and sides stabilize unit and provide extra load bearing support.
- Large 20" x 14" sink compartment.
- Coved compartment is 3/4" radius (vertical) and 1/4" (horizontal).
- All seams are TIG welded and ground to a smooth #4 satin finish.
- Custom configurations are available.
- NSF approved.
- ADA and TAS compliant.
- Lifetime warranty.
- Proudly made in the USA.

ACCESSORIES

- FG-205 5" gooseneck faucet
- FA-100 Wrist blade handles

We welcome the opportunity to help you design and configure equipment to suit your specific needs.

In keeping with our policy of continuing product improvement, we reserve the right to change product specifications without notice.

GRIFFIN PRODUCTS, INC.

303 Blue Bird Parkway Wills Point, TX 75169 (800) 379-9709 tel (903) 873-6389 fax



www.griffinproducts.com © 2006 Griffin Products, Inc.

- WA-151 flat strainer drain
- Z-style wall hanger

HAND WASH SINK

HEAVY-DUTY • 16 ga, T-304 S/S

specifications


LIFETIME GUARANTEE


ITEM#

H63-232

MODEL#

PROJECT





MATERIAL

• 16 gauge, type 304 stainless steel -Entire unit

MECHANICAL

- Backsplash is 2½" tall with a 1" wide return.
- (3) faucet holes, 11/8" diameter on 2" centers.
- Z-style wall hanger and integral bracing are provided for securing unit to the wall.
- Drain opening is 17/8", recessed.
- Flat strainer drain is 11/2" IPS.
- Supply is 1/2" IPS, hot and cold.

FEATURES

6'

- Sink bowl is 'True Gauge', not drawn.
- Apron front and sides stabilize unit and provide extra load bearing support.
- Large 17" x 17" sink compartment.
- Coved compartment is ¾" radius (vertical) and ¼" (horizontal).
- Rear centered drain.
- All seams are TIG welded and ground to a smooth #4 satin finish.
- Custom configurations are available.
- NSF approved.
- ADA and TAS compliant.
- Lifetime warranty.
- Proudly made in the USA.

ACCESSORIES

- FG-205 5" gooseneck faucet
- FA-100 Wrist blade handles

We welcome the opportunity to help you design and configure equipment to suit your specific needs.

In keeping with our policy of continuing product improvement, we reserve the right to change product specifications without notice.

GRIFFIN PRODUCTS, INC.

303 Blue Bird Parkway Wills Point, TX 75169 (800) 379-9709 tel (903) 873-6389 fax



www.griffinproducts.com © 2006 Griffin Products, Inc.

- WA-151 flat strainer drain
- Z-style wall hanger

HAND WASH SINK

HEAVY-DUTY • 16 ga, T-304 S/S

specifications


LIFETIME GUARANTEE


ITEM#

H63-234

MODFI#

PROJECT





MATERIAL

• 16 gauge, type 304 stainless steel -Entire unit

MECHANICAL

- Backsplash is 21/2" tall with a 1" wide return.
- (3) faucet holes, 11/8" diameter on 4" centers.
- Z-style wall hanger and integral bracing are
 Rear centered drain. provided for securing unit to the wall.
- Drain opening is 17/8", recessed.
- Flat strainer drain is 1½" IPS.
- Supply is ½" IPS, hot and cold.

FEATURES

- Sink bowl is 'True Gauge', not drawn.
- Apron front and sides stabilize unit and provide extra load bearing support.
- Large 17" x 17" sink compartment.
- Coved compartment is 3/4" radius (vertical) and 1/4" (horizontal).
- All seams are TIG welded and ground to a smooth #4 satin finish.
- Custom configurations are available.
- NSF approved.
- ADA and TAS compliant.
- Lifetime warranty.
- Proudly made in the USA.

ACCESSORIES

- FG-205 5" gooseneck faucet
- FA-100 Wrist blade handles

We welcome the opportunity to help you design and configure equipment to suit your specific needs.

In keeping with our policy of continuing product improvement, we reserve the right to change product specifications without notice.

GRIFFIN PRODUCTS, INC.

303 Blue Bird Parkway Wills Point, TX 75169 (800) 379-9709 tel (903) 873-6389 fax



www.griffinproducts.com © 2006 Griffin Products, Inc.

- WA-151 flat strainer drain
- Z-style wall hanger

HAND WASH SINK


HEAVY-DUTY • 16 ga, T-304 S/S


specifications LIFETIME GUARANTEE

H 60-128

MODEL#

PROJECT





MATERIAL

• 16 gauge, type 304 stainless steel -Entire unit

MECHANICAL

- Backsplash is 8" tall with a 2" wide return.
- (2) faucet holes, 11/8" diameter on 8" centers.
- Z-style wall hanger is provided for securing unit to the wall.
- Drain opening is 17/8", recessed.
- Flat strainer drain is 11/2" IPS.
- Supply is 1/2" IPS, hot and cold.

FEATURES

- Sink bowl is 'True Gauge', not drawn.
- Sink features a 14" x 10" compartment recessed in a die formed countertop rim.
- Coved compartment is 3/4" radius (vertical) and 1/4" (horizontal).
- All seams are TIG welded and ground to a smooth #4 satin finish.
- Custom configurations are available.
- NSF approved.
- Lifetime warranty.
- Proudly made in the USA.

ACCESSORIES

- FG-105 5" gooseneck faucet
- FA-100 Wrist blade handles

We welcome the opportunity to help you design and configure equipment to suit your specific needs.

In keeping with our policy of continuing product improvement, we reserve the right to change product specifications without notice.

GRIFFIN PRODUCTS, INC.

303 Blue Bird Parkway Wills Point, TX 75169 (800) 379-9709 tel (903) 873-6389 fax



www.griffinproducts.com © 2006 Griffin Products, Inc.

- WA-151 flat strainer drain
- Z-style wall hanger

HAND WASH SINK

HEAVY-DUTY • 16 ga, T-304 S/S

specifications


LIFETIME GUARANTEE


ITEM#


H60-228

MODEL#

PROJECT







MATERIAL

• 16 gauge, type 304 stainless steel -Entire unit

MECHANICAL

- Backsplash is 8" tall with a 2" wide return.
- (2) faucet holes, 11/8" diameter on 8" centers.
- Z-style wall hanger is provided for securing unit to the wall.
- Drain opening is 17/8", recessed.
- Flat strainer drain is 11/2" IPS.
- Supply is 1/2" IPS, hot and cold.

FEATURES

- Sink bowl is 'True Gauge', not drawn.
- Sink features a 14" x 10" compartment recessed in a die formed countertop rim.
- Coved compartment is 3/4" radius (vertical) and 1/4" (horizontal).
- All seams are TIG welded and ground to a smooth #4 satin finish.
- Custom configurations are available.
- NSF approved.
- Lifetime warranty.
- Proudly made in the USA.

ACCESSORIES

- FG-205 5" gooseneck faucet
- FA-100 Wrist blade handles

We welcome the opportunity to help you design and configure equipment to suit your specific needs.

In keeping with our policy of continuing product improvement, we reserve the right to change product specifications without notice.

GRIFFIN PRODUCTS, INC.

303 Blue Bird Parkway Wills Point, TX 75169 (800) 379-9709 tel (903) 873-6389 fax



www.griffinproducts.com © 2006 Griffin Products, Inc.

- WA-151 flat strainer drain
- Z-style wall hanger

HAND WASH SINK

HEAVY-DUTY • 16 ga, T-304 S/S


specifications


LIFETIME GUARANTEE


H60-110P

MODEL#

PROJECT







MATERIAL

• 16 gauge, type 304 stainless steel -Entire unit

MECHANICAL

- Backsplash is 8" tall with a 2" wide return.
- (1) faucet hole, 11/8" diameter.
- Z-style wall hanger is provided for securing unit to the wall.
- Drain opening is 17/8", recessed.
- Flat strainer drain is 1½" IPS.
- Supply is 1/2" IPS, hot and cold.

Included:

- FA-400 Foot control package
- WA-151 Flat strainer drain
- Z-style wall hanger

FEATURES

- Sink bowl is 'True Gauge', not drawn.
- Sink features a 14" x 10" compartment recessed in a die formed countertop rim.
- Coved compartment is ¾" radius (vertical) and ¼" (horizontal).
- Sink rests on a heavy gauge pedestal base with 4" inset spacing for foot control.
- Pedestal base has a removable front panel for quick and easy access to plumbing.
- All seams are TIG welded and ground to a smooth #4 satin finish.
- Custom configurations are available.
- NSF approved.
- Lifetime warranty.
- · Proudly made in the USA.

ACCESSORIES

• FA-400 Foot control package (includes faucet and valve) - included

We welcome the opportunity to help you design and configure equipment to suit your specific needs.

In keeping with our policy of continuing product improvement, we reserve the right to change product specifications without notice.

GRIFFIN PRODUCTS, INC.

303 Blue Bird Parkway Wills Point, TX 75169 (800) 379-9709 tel (903) 873-6389 fax



H60 SERIES

HAND WASH SINK

HEAVY-DUTY • 16 ga, T-304 S/S

specifications


LIFETIME GUARANTEE


ITEM#


H60-110W

MODEL#

PROJECT







MATERIAL

• 16 gauge, type 304 stainless steel -Entire unit

MECHANICAL

- Backsplash is 8" tall with a 2" wide return.
- (1) faucet hole, 11/8" diameter.
- Z-style wall hanger and integral bracing are provided for securing unit to the wall.
- Drain opening is 17/8", recessed.
- Flat strainer drain is 1½" IPS.
- Supply is 1/2" IPS, hot and cold.

Included:

- FA-300 Knee control package
- WA-151 Flat strainer drain
- Z-style wall hanger

FEATURES

- Sink bowl is 'True Gauge', not drawn.
- Sink features a 14" x 10" compartment recessed in a die formed countertop rim.
- Coved compartment is 34" radius (vertical) and 14" (horizontal).
- Sink rests on a heavy gauge enclosure with opening for knee control.
- Enclosure has an open bottom for quick and easy access to plumbing.
- All seams are TIG welded and ground to a smooth #4 satin finish.
- Custom configurations are available.
- NSF approved.
- Lifetime warranty.
- Proudly made in the USA.

ACCESSORIES

• FA-300 Knee control package (includes faucet and valve) - included

We welcome the opportunity to help you design and configure equipment to suit your specific needs.

In keeping with our policy of continuing product improvement, we reserve the right to change product specifications without notice.

GRIFFIN PRODUCTS, INC.

303 Blue Bird Parkway Wills Point, TX 75169 (800) 379-9709 tel (903) 873-6389 fax



H₃₀

HAND WASH SINK

ECONOMY UNIT • 20 Ga S/S

specifications


LIMITED GUARANTEE


ITEM#

H30-124C

MODEL#

PROJECT





MATERIAL

• 20 gauge, 300 series stainless

MECHANICAL

- Backsplash is 8" tall with a 2" wide return.
- (2) faucet holes, 11/8" diameter on 4" centers.
- Z-style wall hanger is provided for securing unit to the wall.
- Basket drain is 11/2" IPS.
- Supply is 1/2" IPS, hot and cold.

FEATURES

- Sink features a 14" x 10" compartment.
- Coved compartment is 2" radius, vertical and horizontal.
- Seamless construction.
- Die formed countertop rim.
- NSF approved.
- · Limited warranty.
- Proudly made in the USA.

ACCESSORIES

• WL-100 Mini lever waste with overflow

We welcome the opportunity to help you design and configure equipment to suit your specific needs.

In keeping with our policy of continuing product improvement, we reserve the right to change product specifications without notice.

Included:

- Gooseneck faucet
- Basket drain
- Z-style wall hanger

GRIFFIN PRODUCTS, INC.

303 Blue Bird Parkway Wills Point, TX 75169 (800) 379-9709 tel (903) 873-6389 fax



HAND WASH SINK

ECONOMY UNIT • 20 Ga S/S

specifications


LIMITED GUARANTEE


ITEM#


H30-224C

MODFI#

PROJECT







MATERIAL

• 20 gauge, 300 series stainless

MECHANICAL

- Backsplash is 8" tall with a 2" wide return.
- (2) Faucet holes, 11/8" diameter on 4"
- Z-style wall hanger is provided for securing unit to the wall.
- Basket drain is 1½" IPS.
- Supply is 1/2" IPS, hot and cold.

FEATURES

- Sink features a 14" x 10" compartment.
- Coved compartment is 2" radius, vertical and horizontal.
- Seamless construction.
- Die formed countertop rim.
- NSF approved.
- Limited warranty.
- Proudly made in the USA.

ACCESSORIES

• WL-100 Mini lever waste with overflow

We welcome the opportunity to help you design and configure equipment to suit your specific needs.

In keeping with our policy of continuing product improvement, we reserve the right to change product specifications without notice.

Included:

- Deck mount faucet
- Basket drain
- Z-style wall hanger

GRIFFIN PRODUCTS, INC.

303 Blue Bird Parkway Wills Point, TX 75169 (800) 379-9709 tel (903) 873-6389 fax

HAND WASH SINKS

MULTI-STATION • 16 ga, T-304 S/S

specifications


LIFETIME GUARANTEE


ITEM#


MS-248

MODEL#

PROJECT







MATERIAL

- 16 gauge, type 304 stainless
 -Entire sink
 -Tubular braces
- Type 304 stainless steel
 -Sockets
 -Flat strainer drain

MECHANICAL

- Backsplash is 9" tall with a 2" wide return.
- Tile edge is 1" tall with pre-drilled holes, 1/4" diameter.
- Faucet holes are 11/8" diameter on 8" centers.
- Tubular braces are 15/8" dia. tubing with flanged fittings to the wall.
- Drain opening is 3½", recessed.
- Flat strainer drain is 1½" IPS.
- Supply is ½" IPS, hot and cold.

Included:

- WA-351 flat strainer drain
- Tubular wall braces

FEATURES

- Unibody construction provides maximum durability
- Sanitary rolled rim is 11/2" wide.
- Sink compartment is square corner design.
- Tile edge has pre-drilled mounting holes to securely fasten sink to the wall.
- Tubular wall braces provide additional load bearing support.
- All seams are TIG welded and ground to a smooth #4 satin finish.
- "Hands-free" and ADA configurations are available.
- Custom configurations are available.
- Lifetime warranty.
- Proudly made in the USA.

ACCESSORIES

- FG-105 5" gooseneck faucet
- FA-100 Wrist blade handles

We welcome the opportunity to help you design and configure equipment to suit your specific needs.

In keeping with our policy of continuing product improvement, we reserve the right to change product specifications without notice.

GRIFFIN PRODUCTS, INC.

303 Blue Bird Parkway Wills Point, TX 75169 (800) 379-9709 tel (903) 873-6389 fax



HAND WASH SINKS

MULTI-STATION • 16 ga, T-304 S/S

specifications


LIFETIME GUARANTEE


ITEM#


MS-360

MODEL#

PROJECT







MATERIAL

- 16 gauge, type 304 stainless
 -Entire sink
 -Tubular braces
- Type 304 stainless steel
 -Sockets
 -Flat strainer drain

MECHANICAL

- Backsplash is 9" tall with a 2" wide return.
- Tile edge is 1" tall with pre-drilled holes, ¼" diameter.
- Faucet holes are 11/8" diameter on 8" centers.
- Tubular braces are 15/8" dia. tubing with flanged fittings to the wall.
- Drain opening is 3½", recessed.
- Flat strainer drain is 1½" IPS.
- Supply is 1/2" IPS, hot and cold.

Included:

- WA-351 flat strainer drain
- Tubular wall braces

FEATURES

- Unibody construction provides maximum durability.
- Sanitary rolled rim is 11/2" wide.
- Sink compartment is square corner design.
- Tile edge has pre-drilled mounting holes to securely fasten sink to the wall.
 Tubular wall braces provide additional load
- bearing support.

 All seams are TIG welded and ground to a
- smooth #4 satin finish.

 "Hands-free" and ADA configurations are
- available.
- Custom configurations are available.
- Lifetime warranty.
- Proudly made in the USA.

ACCESSORIES

- FG-105 5" gooseneck faucet
- FA-100 Wrist blade handles

We welcome the opportunity to help you design and configure equipment to suit your specific needs.

In keeping with our policy of continuing product improvement, we reserve the right to change product specifications without notice.

GRIFFIN PRODUCTS, INC.

303 Blue Bird Parkway Wills Point, TX 75169 (800) 379-9709 tel (903) 873-6389 fax



HAND WASH SINKS

MULTI-STATION • 16 ga, T-304 S/S

specifications


LIFETIME GUARANTEE


ITEM#


MS-372

MODEL#

PROJECT







MATERIAL

- 16 gauge, type 304 stainless
 -Entire sink
 -Tubular braces
- Type 304 stainless steel
 -Sockets -Flat strainer drain

MECHANICAL

- Backsplash is 9" tall with a 2" wide return.
- Tile edge is 1" tall with pre-drilled holes, 1/4" diameter.
- Faucet holes are 11/8" diameter on 8" centers.
- Tubular braces are 15/8" dia. tubing with flanged fittings to the wall.
- Drain opening is 3½", recessed.
- Flat strainer drain is 1½" IPS.
- Supply is 1/2" IPS, hot and cold.

Included:

- WA-351 flat strainer drain
- Tubular wall braces

FEATURES

- Unibody construction provides maximum durability
- Sanitary rolled rim is 11/2" wide.
- Sink compartment is square corner design.
- Tile edge has pre-drilled mounting holes to securely fasten sink to the wall.
- Tubular wall braces provide additional load bearing support.
- All seams are TIG welded and ground to a smooth #4 satin finish.
- "Hands-free" and ADA configurations are available.
- Custom configurations are available.
- Lifetime warranty.
- Proudly made in the USA.

ACCESSORIES

- FG-105 5" gooseneck faucet
- FA-100 Wrist blade handles

We welcome the opportunity to help you design and configure equipment to suit your specific needs.

In keeping with our policy of continuing product improvement, we reserve the right to change product specifications without notice.

GRIFFIN PRODUCTS, INC.

303 Blue Bird Parkway Wills Point, TX 75169 (800) 379-9709 tel (903) 873-6389 fax



HAND WASH SINKS

MULTI-STATION • 16 ga, T-304 S/S

specifications


LIFETIME GUARANTEE


ITEM#


MS-496

MODEL#

PROJECT







MATERIAL

- 16 gauge, type 304 stainless
 -Entire sink
 -Tubular braces
- Type 304 stainless steel
 -Sockets
 -Flat strainer drain

MECHANICAL

- Backsplash is 9" tall with a 2" wide return.
- Tile edge is 1" tall with pre-drilled holes, ¼" diameter.
- Faucet holes are 11/8" diameter on 8" centers.
- Tubular braces are 15/8" dia. tubing with flanged fittings to the wall.
- Drain opening is 3½", recessed.
- Flat strainer drain is 1½" IPS.
- Supply is 1/2" IPS, hot and cold.

Included:

- WA-351 flat strainer drain
- Tubular wall braces

FEATURES

- Unibody construction provides maximum durability.
- Sanitary rolled rim is 11/2" wide.
- Sink compartment is square corner design.
- Tile edge has pre-drilled mounting holes to securely fasten sink to the wall.
- Tubular wall braces provide additional load bearing support.
- All seams are TIG welded and ground to a smooth #4 satin finish.
- "Hands-free" and ADA configurations are available.
- Custom configurations are available.
- Lifetime warranty.
- Proudly made in the USA.

ACCESSORIES

- FG-105 5" gooseneck faucet
- FA-100 Wrist blade handles

We welcome the opportunity to help you design and configure equipment to suit your specific needs.

In keeping with our policy of continuing product improvement, we reserve the right to change product specifications without notice.

GRIFFIN PRODUCTS, INC.

303 Blue Bird Parkway Wills Point, TX 75169 (800) 379-9709 tel (903) 873-6389 fax



JS

JUMBO SINK

TUBA SINK • 14 ga, T-304 S/S

specifications

LIFETIME GUARANTEE


J S - 4 _ _


MODEL#

PROJECT

A ———		
→ B - →		
'		<u>↓</u>
Ø3 1/2"	30"	33 1/2"

\checkmark	MODEL	Α	В
	JS-423	42"	45"
	JS-483	48"	51"





MATERIAL

- 14 gauge, type 304 stainless
 -Entire sink
- Type 304 stainless steel

 Basket drain
 Bullet feet

 Legs and leg sockets

MECHANICAL

- Backsplash is 12" tall with a 2" wide return.
- Tile edge is 1" tall with pre-drilled mounting holes, 1/4" diameter.
- Faucet holes are 11/8" diameter on 8" centers.
- Sink legs are 15/8" dia. with adjustable feet.
- Drain opening is 31/2", recessed.
- Basket drain is 11/2" IPS.
- Supply is ½" IPS, hot and cold.

FEATURES

- Unibody construction provides maximum durability
- Large 30" deep sink compartment.
- Sanitary rolled rim is 1½" wide.
- Sink compartment is square corner design.
- Leg sockets are welded directly to 14 gauge stainless C-channels providing lateral load support.
- Tile edge is provided with pre-drilled mounting holes to securely fasten sink to the wall.
- All seams are TIG welded and ground to a smooth #4 satin finish.
- Custom configurations are available.
- · Lifetime warranty.
- Proudly made in the USA.

ACCESSORIES

- FG-105 5" gooseneck faucet
- FS-114 14" swing spout faucet
- FA-100 Wrist blade handles
- FA-200 Articulating swing arm

We welcome the opportunity to help you design and configure equipment to suit your specific needs.

In keeping with our policy of continuing product improvement, we reserve the right to change product specifications without notice.

GRIFFIN PRODUCTS, INC.

303 Blue Bird Parkway Wills Point, TX 75169 (800) 379-9709 tel (903) 873-6389 fax

m GRIFFIN

www.griffinproducts.com
© 2006 Griffin Products, Inc.

Included:

WA-350 basket drain

UTILITY SINK

16 ga, T-304 S/S

specifications


LIFETIME GUARANTEE


ITEM#


T60-144

MODEL#

PROJECT







MATERIAL

- 16 gauge, type 304 stainless
 -Sink compartment
 -Backsplash
 -Sink legs
- Type 304 stainless steel

 Basket drain
 Bullet feet

MECHANICAL

- Backsplash is 6" tall with a 2" return.
- Faucet holes are 11/8" diameter on 8"
- Sink legs are 15/8" dia. with adjustable feet.
- Drain opening is 3½", recessed.
- Basket drain is 11/2" IPS.
- Supply is 1/2" IPS, hot and cold.

FEATURES

- Unibody construction provides maximum durability.
- Sanitary rolled rim is 11/2" wide.
- Sink compartment is square corner design.
- Leg sockets are welded directly to sink body providing proper load support.
- All seams are TIG welded and ground to a smooth #4 satin finish.
- Flood level is 14".
- Compatibile with DR series drainboards.
- Custom configurations are available.
- Lifetime warranty.
- Proudly made in the USA.

ACCESSORIES

- FG-105 5" gooseneck faucet
- FS-112 12" swing spout faucet
- FA-100 Wrist blade handles
- WL-200 2" IPS lever drain

We welcome the opportunity to help you design and configure equipment to suit your specific needs.

In keeping with our policy of continuing product improvement, we reserve the right to change product specifications without notice.

GRIFFIN PRODUCTS, INC.

303 Blue Bird Parkway Wills Point, TX 75169 (800) 379-9709 tel (903) 873-6389 fax



www.griffinproducts.com © 2006 Griffin Products, Inc.

Included:

• WA-350 basket drain

LT

UTILITY SINK

LAUNDRY TUB • 16 ga, T-304 S/S


specifications


LIFETIME GUARANTEE


LT-118

MODFI#

PROJECT







MATERIAL

- 16 gauge, type 304 stainless
 -Sink compartment
 - -Backsplash -Sink legs
- Type 304 stainless steel

 Basket drain
 Bullet feet

MECHANICAL

- Backsplash is 4" tall with pre-drilled mounting holes, 1/4" diameter.
- Faucet holes are 11/8" diameter on 4" centers.
- Sink legs are 15/8" dia. with adjustable feet.
- Drain opening is 31/2", recessed.
- Basket drain is 11/2" IPS.
- Supply is ½" IPS, hot and cold.

FEATURES

- Unibody construction provides maximum durability
- Sanitary rolled rim is 11/2" wide.
- Sink compartment is square corner design.
- Leg sockets are welded directly to sink body providing proper load support.
- All seams are TIG welded and ground to a smooth #4 satin finish.
- Flood level is 14".
- Compatibile with DR series drainboards.
- Custom configurations are available.
- Lifetime warranty.
- Proudly made in the USA.

ACCESSORIES

- FG-205 5" gooseneck faucet
- FS-108 8" swing spout faucet
- FA-100 Wrist blade handles
- WL-200 2" IPS lever drain

We welcome the opportunity to help you design and configure equipment to suit your specific needs.

In keeping with our policy of continuing product improvement, we reserve the right to change product specifications without notice.

GRIFFIN PRODUCTS, INC.

303 Blue Bird Parkway Wills Point, TX 75169 (800) 379-9709 tel (903) 873-6389 fax



www.griffinproducts.com © 2006 Griffin Products, Inc.

Included:

• WA-350 basket drain

MOP SINK

FREE-STANDING • 16 ga, T-304 S/S

specifications


LIFETIME GUARANTEE


ITEM#


UM-188

MODEL#

PROJECT







MATERIAL

- 16 gauge, type 304 stainless
 -Sink compartment
 -Backsplash
 -Sink legs
- Type 304 stainless steel

 Basket drain
 Bullet feet

MECHANICAL

- Backsplash is 6" tall with a 2" return.
- Faucet holes are 11/8" diameter on 8"
- Sink legs are 15/8" dia. with adjustable feet.
- Drain opening is 3½", recessed.
- Basket drain is 11/2" IPS.
- Supply is 1/2" IPS, hot and cold.

FEATURES

- Unibody construction provides maximum durability
- Sanitary rolled rim is 11/2" wide.
- Sink compartment is square corner design.
- Leg sockets are welded directly to sink body providing proper load support.
- All seams are TIG welded and ground to a smooth #4 satin finish.
- Flood level is 14".
- Compatibile with DR series drainboards.
- Custom configurations are available.
- · Lifetime warranty.
- Proudly made in the USA.

ACCESSORIES

- FG-105 5" gooseneck faucet
- FS-108 8" swing spout faucet
- FA-100 Wrist blade handles
- WL-200 2" IPS lever drain

We welcome the opportunity to help you design and configure equipment to suit your specific needs.

In keeping with our policy of continuing product improvement, we reserve the right to change product specifications without notice.

GRIFFIN PRODUCTS, INC.

303 Blue Bird Parkway Wills Point, TX 75169 (800) 379-9709 tel (903) 873-6389 fax

(903) 8/3-6389 fax www.griffinproducts.com © 2006 Griffin Products, Inc.



• WA-350 basket drain

UM

MOP SINK

FLOOR UNIT • 16 ga, T-304 S/S

specifications


LIFETIME GUARANTEE


ITEM#


UM-220

MODEL#

PROJECT







MATERIAL

- 16 gauge, type 304 stainless
 -Sink compartment
 -Backsplash
 -Sink Apron
- Type 304 stainless steel
 -Basket drain

MECHANICAL

- Backsplash is 1½" tall.
- Drain opening is 3½", recessed.
- Free flow drain is 2" IPS.

FEATURES

- Unibody construction provides maximum durability
- Sink rim is 11/2" wide, all sides.
- Sink compartment is square corner design
- Sink rests on 3-sided apron enclosure.
- All seams are TIG welded and ground to a smooth #4 satin finish.
- Sink compartment is 8" deep.
- Custom configurations are available.
- Lifetime warranty.
- Proudly made in the USA.

We welcome the opportunity to help you design and configure equipment to suit your specific needs.

In keeping with our policy of continuing product improvement, we reserve the right to change product specifications without notice

GRIFFIN PRODUCTS, INC.

303 Blue Bird Parkway Wills Point, TX 75169 (800) 379-9709 tel (903) 873-6389 fax

m GRIFFIN Inc. PRODUCTS, INC.

TROUGH URINAL

SINGLE STATION • 16 ga, T-304 S/S

specifications


LIFETIME GUARANTEE


ITEM# TI


TU2-180

MODEL#

PROJECT







MATERIAL

• 16 gauge, type 304 stainless

MECHANICAL

- Tile edge is 1" tall with pre-drilled holes, 1/4" diameter.
- ¾" FPT for direct installation of flush valve.
- Drain opening is 17/8", recessed.
- Flat strainer drain is 11/2" IPS.
- Supply is 34".

FEATURES

- Unibody construction provides maximum durability.
- Flat end design enables installation of multiple units in sequence.
- Integral flush reservoir provides a consistent wash for the entire length.
- Pitched rear section ensures consistent flow to sink drain.
- Tile edge with pre-drilled holes and wall hanger provide simple and secure mounting to the wall.
- All seams are TIG welded and ground to a smooth #4 satin finish.
- Compatibile with motion sensor valves installations.
- Custom configurations are available.
- Lifetime warranty.
- Proudly made in the USA.

ACCESSORIES

- FV-100 Metered push valve
- FV-200 Metered handle valve
- WA-500 Beehive drain

We welcome the opportunity to help you design and configure equipment to suit your specific needs.

In keeping with our policy of continuing product improvement, we reserve the right to change product specifications without notice.

GRIFFIN PRODUCTS, INC.

303 Blue Bird Parkway Wills Point, TX 75169 (800) 379-9709 tel (903) 873-6389 fax



www.griffinproducts.com © 2006 Griffin Products, Inc.

- WA-151 flat strainer drain
- Z-style wall hanger

TROUGH URINAL

MULTI-STATION • 16 ga, T-304 S/S


specifications


LIFETIME GUARANTEE


TU2-360

MODEL#

PROJECT







MATERIAL

• 16 gauge, type 304 stainless

MECHANICAL

- Tile edge is 1" tall with pre-drilled holes, 1/4" diameter.
- ¾" FPT for direct installation of flush valve.
- Drain opening is 17/8", recessed.
- Flat strainer drain is 11/2" IPS.
- Supply is ¾".

FEATURES

- Unibody construction provides maximum durability
- Flat end design enables installation of multiple units in sequence.
- Integral flush reservoir provides a consistent wash for the entire length.
- Pitched rear section ensures consistent flow to sink drain.
- Tile edge with pre-drilled holes and wall hanger provide simple and secure mounting to the wall.
- All seams are TIG welded and ground to a smooth #4 satin finish.
- Compatibile with motion sensor valves installations.
- Custom configurations are available.
- Lifetime warranty.
- Proudly made in the USA.

ACCESSORIES

- FV-100 Metered push valve
- FV-200 Metered handle valve
- WA-500 Beehive drain

We welcome the opportunity to help you design and configure equipment to suit your specific needs.

In keeping with our policy of continuing product improvement, we reserve the right to change product specifications without notice.

GRIFFIN PRODUCTS, INC.

303 Blue Bird Parkway Wills Point, TX 75169 (800) 379-9709 tel (903) 873-6389 fax



www.griffinproducts.com
© 2006 Griffin Products, Inc.

- WA-151 flat strainer drain
- Z-style wall hanger

TU2

TROUGH URINAL

MULTI-STATION • 16 ga, T-304 S/S

specifications


LIFETIME GUARANTEE


ITEM#


TU2-480

MODEL#

PROJECT







MATERIAL

• 16 gauge, type 304 stainless

MECHANICAL

- Tile edge is 1" tall with pre-drilled holes, 1/4" diameter.
- ¾" FPT for direct installation of flush valve.
- Drain opening is 17/8", recessed.
- Flat strainer drain is 11/2" IPS.
- Supply is 34".

FEATURES

- Unibody construction provides maximum durability.
- Flat end design enables installation of multiple units in sequence.
- Integral flush reservoir provides a consistent wash for the entire length.
- Pitched rear section ensures consistent flow to sink drain.
- Tile edge with pre-drilled holes and wall hanger provide simple and secure mounting to the wall.
- All seams are TIG welded and ground to a smooth #4 satin finish.
- Compatibile with motion sensor valves installations.
- Custom configurations are available.
- Lifetime warranty.
- Proudly made in the USA.

ACCESSORIES

- FV-100 Metered push valve
- FV-200 Metered handle valve
- WA-500 Beehive drain

We welcome the opportunity to help you design and configure equipment to suit your specific needs.

In keeping with our policy of continuing product improvement, we reserve the right to change product specifications without notice.

GRIFFIN PRODUCTS, INC.

303 Blue Bird Parkway Wills Point, TX 75169 (800) 379-9709 tel (903) 873-6389 fax



www.griffinproducts.com © 2006 Griffin Products, Inc.

- WA-151 flat strainer drain
- Z-style wall hanger

TROUGH URINAL

MULTI-STATION • 16 ga, T-304 S/S


specifications


LIFETIME GUARANTEE


ITEM# TU2-600

MODFI #

PROJECT







MATERIAL

• 16 gauge, type 304 stainless

MECHANICAL

- Tile edge is 1" tall with pre-drilled holes, 1/4" diameter.
- 34" FPT for direct installation of flush valve.
- Drain opening is 17/8", recessed.
- Flat strainer drain is 11/2" IPS.

• Supply is 34".

Included:

- WA-151 flat strainer drain
- Z-style wall hanger

FEATURES

- Unibody construction provides maximum
- Flat end design enables installation of multiple units in sequence.
- Integral flush reservoir provides a consistent wash for the entire length.
- Pitched rear section ensures consistent flow to sink drain.
- Tile edge with pre-drilled holes and wall hanger provide simple and secure mounting to the wall.
- All seams are TIG welded and ground to a smooth #4 satin finish.
- Compatibile with motion sensor valves installations.
- Custom configurations are available.
- Lifetime warranty.
- · Proudly made in the USA.

ACCESSORIES

- FV-100 Metered push valve
- FV-200 Metered handle valve
- WA-500 Beehive drain

We welcome the opportunity to help you design and configure equipment to suit your specific needs.

In keeping with our policy of continuing product improvement, we reserve the right to change product specifications without notice.

GRIFFIN PRODUCTS, INC.

303 Blue Bird Parkway Wills Point, TX 75169 (800) 379-9709 tel (903) 873-6389 fax