

JULIEN

Donnez vie à vos idées.
Make your ideas real.

SPECIFICATIONS



Category: **Granix - Kitchen sink**
Type: **Undermount single bowl**
Product Name: **Triumph - Medium undermount**

MODEL: **065 100 - Black** **065 130 - White**
065 110 - Brown **065 140 - Inox**
065 120 - Beige **065 150 - Jet Black**

FEATURES:

- Manufactured in Germany
- 80-85% natural quartz content for excellent resistance to scratches and chips
- High-quality acrylic resin providing a highly resistant hardened composite material
- Non-porous material providing excellent stain resistance and ease of maintenance
- Anti-bacterial material with natural silver ions reducing bacterial growth by up to 95%
- Natural sound dampening properties
- Center 3-1/2" drain placement
- 6 available colors - solid throughout the sink
- Limited lifetime warranty

AVAILABLE COLOURS:



SINK DIMENSIONS:

Model	Overall	Bowl (s)	Depth	Recommended Cabinet size
065 100	23 1/8 x 18 1/8	20 3/4 x 15 3/4	7	27
065 110				
065 120				
065 130				
065 140				
065 150				


WARRANTY:

Julien inc. offers a LIMITED LIFETIME WARRANTY on its Granix sinks, ensuring them against defects of material and workmanship. For further details on our product warranty, please refer to our catalog or Web site.

- All dimensions are in inches
- Cutout template supplied with every sink and available on our web site

PRODUCT SPECIFICATIONS:

Sink to be undermount single bowl. Sink to be manufactured from a composite of quartz particles, acrylic resin and silver ions. Quartz content is a minimum of 80-85%. Sink to feature non-porous material and solid color throughout. Sink overall dimensions to be 23 1/8" left-to-right and 18 1/8" front-to-back. Bowl dimensions to be 20 3/4" left-to-right and 15 3/4" front-to-back. Sink to be Julien Granix collection with bowl depth of 7".



PROJECT/JOB INFORMATION:

Project/Job name: _____
Specifier: _____
Contractor: _____

This specification is subject to change without notice. Julien assumes no responsibility for the use of superseded or voided specifications.