Material Safety Data Sheet

Radnor Thoriated Tungsten Electrodes

1. Product and company identification

Product name	: Thoriated Tungsten Electrodes
Trade name	: EWTh-1 or EWTh-2; Thoria Tungsten Electrodes; TIG Welding Electrodes; GTA Welding Electrodes
Material uses	: TIG Welding.
Supplier	: Radnor Products, PO Box 6675, Radnor, PA 19087
In case of emergency Broduct type	: (886) 734-3438 : Solid.
Product type	; 50110.

2. Hazards identification

Emergency overview		
Color	Gray.	
Physical state	Solid.	
Odor	Odorless.	
Signal word	WARNING!	
Hazard statements	CONTAINS MATERIAL THAT CAN CAUSE TARGET ORGAN DAMAGE. CANCER HAZARD - CONTAINS MATERIAL WHICH CAN CAUSE CANCER.	
Precautions	Avoid exposure - obtain special instructions before use. Do not breathe dust. Do not on skin or clothing. Use only with adequate ventilation. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling.	
OSHA/HCS status	This material is considered hazardous by the OSHA Hazard Communication Standar (29 CFR 1910.1200).	d
Routes of entry	Dermal contact. Eye contact. Inhalation. Ingestion.	
Potential acute health effect		
Inhalation	No known significant effects or critical hazards.	
Ingestion	No known significant effects or critical hazards.	
Skin	No known significant effects or critical hazards.	
Eyes	Dust particules or fumes may cause eye irritation.	
Potential chronic health effe		
Chronic effects	Contains material that can cause target organ damage.	
Carcinogenicity	Contains material which can cause cancer. Risk of cancer depends on duration and level of exposure.	
Mutagenicity	No known significant effects or critical hazards.	
Teratogenicity Developmental effects	No known significant effects or critical hazards. No known significant effects or critical hazards.	
Fertility effects	No known significant effects or critical hazards.	
Target organs	Contains material which causes damage to the following organs: blood, upper respiratory tract, skin, eye, lens or cornea.	

2. Hazards identification

Over-exposure signs/symptoms

Inhalation	: No specific data.
Ingestion	: No specific data.
Skin	: No specific data.
Eyes	: No specific data.
Medical conditions aggravated by over- exposure	: Repeated or prolonged exposure to the substance can produce target organs damage. Prolonged or repeated contact may cause skin irritation.

See toxicological information (section 11)

3. Composition/information on ingredients

United States

United States						
Name Tungsten Thorium oxide			CAS nui 7440-33-7 1314-20-1	mber	6	<mark>∕6</mark> 60 - 100 ∣ - 5
Canada						
Name Tungsten Thorium oxide			CAS nui 7440-33-7 1314-20-1	mber	6	<mark>∕6</mark> 60 - 100 ∣ - 5
Mexico				Cla	assifi	ication
Name Tungsten Thorium oxide	CAS number UN number % 7440-33-7 Not regulated. 60 - 100 1314-20-1 Not regulated. 1 - 5	IDLH - -	H 1 1	F 1 1	R 0 0	Special

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

	the upper and lower eyelids. Get medical attention.
Skin contact	: In case of contact, immediately flush skin with plenty of water for at least 20 minutes. Get medical attention.
Inhalation	: Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Get medical attention.
Ingestion	: Wash out mouth with water. Do not induce vomiting unless directed to do so by medica personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
Notes to physician	: No specific treatment. Treat symptomatically.

i annia anni y or the product	
Extinguishing media	
Suitable	: Use an extinguishing agent suitable for the surrounding fire.
Not suitable	: None known.
Special exposure hazards	 Welding arcs and sparks can ignite combustibles. Refer to ANSI Z49.1 "SAFETY IN WELDING AND CUTTING" published by the American Welding Society for fire prevention and protection information during welding.

5. Fire-fighting measures

Hazardous thermal decomposition products

: Decomposition products may include the following materials: metal oxide/oxides

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions	: Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).
Environmental precautions	 Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for cleaning up	
Small spill	 Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	: Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

7. Handling and storage

Handling

Storage

Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator.

: Keep container tightly closed. Keep container in a cool, well-ventilated area. Nobody should be permanent or not longer than necessary in a close area to the stored electrodes, because of the beta and gamma radiation and probably additional measurements should be taken to protect from the beta and gamma radiation.

8. Exposure controls/personal protection

United States

Ingredient	Exposure limits
Tungsten	NIOSH REL (United States, 12/2001). STEL: 10 mg/m ³ 15 minute(s). TWA: 5 mg/m ³ 10 hour(s).

Canada

Occupational exposure limits		TWA (8 hours)		STEL (15 mins)			Ceiling				
Ingredient	List name	ppm	mg/m³	Other	ppm	mg/m³	Other	ppm	mg/m³	Other	Notations
Tungsten, as W Tungsten	AB 6/2008 BC 6/2008	-	5 5	-	-	10 10	-	-	-	-	[A]

Notes: [A]as W

<u>Mexico</u>

Ingredient	Exposure limits	
Tungsten	NOM-010-STPS (Mexico, 9/2000). LMPE-CT: 10 mg/m ³ , (as W) 15 minute(s). LMPE-PPT: 5 mg/m ³ , (as W) 8 hour(s).	

Consult local authorities for acceptable exposure limits.

8. Exposure controls/personal protection

_	
Recommended monitoring procedures	: Personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
Engineering measures	: Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits.
Hygiene measures	: Ensure that eyewash stations and safety showers are close to the workstation location. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.
Personal protection	
Respiratory	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: Use appropriate NIOSH approved dust respirator if PEL/TLV may be exceeded.
Hands	: Use gloves appropriate for work or task being performed. Recommended: Natural rubber (latex).
Eyes	: Safety eyewear should be used when there is a likelihood of exposure. Recommended: Safety glasses with side shields.
Skin	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Lab coat.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

•	· ·
Physical state	: Solid.
Color	: Gray.
Odor	: Odorless.
Boiling/condensation point	: 5660°C (10220°F)
Melting/freezing point	: >3400°C (>6152°F)
Relative density	: 19
Solubility	: Insoluble in the following materials: cold water and hot water.
Boiling/condensation point Melting/freezing point Relative density	: 5660°C (10220°F) : >3400°C (>6152°F) : 19

10. Stability and reactivity

Chemical stability	: The product is stable.
Conditions to avoid	: Avoid exposure - obtain special instructions before use.
Materials to avoid	: Incompatible with some strong acids.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Hazardous polymerization	: Under normal conditions of storage and use, hazardous polymerization will not occur.

11. Toxicological information

Acute toxicity Product/ingredient name Thorium dioxide	Result LD50 Intratracheal	Species Rat		Se 40 mg/kg	Exposure
<u>Chronic toxicity</u> Carcinogenicity Classification					
Product/ingredient name Thorium dioxide	ACGIH	EPA -	NIOSH -	NTP Proven.	OSHA -

12. Ecological information

Environmental effects

: Not established

13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. This material and its container must be disposed of in a safe way. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Empty containers or liners may retain some product residues. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	UN2909	RADIOACTIVE MATERIAL, EXCEPTED PACKAGE- ARTICLES MANUFACTURED FROM NATURAL URANIUM [OR] DEPLETED URANIUM [OR] NATURAL THORIUM	7	-		-
TDG Classification	UN2909	RADIOACTIVE MATERIAL, EXCEPTED PACKAGE- ARTICLES MANUFACTURED FROM NATURAL URANIUM [OR] DEPLETED URANIUM [OR] NATURAL THORIUM	7	-		-
Mexico Classification	UN2909	RADIOACTIVE MATERIAL, EXCEPTED PACKAGE- ARTICLES MANUFACTURED FROM NATURAL URANIUM [OR] DEPLETED URANIUM [OR] NATURAL THORIUM	7	-		-
IMDG Class	UN2909	RADIOACTIVE MATERIAL, EXCEPTED PACKAGE- ARTICLES MANUFACTURED FROM NATURAL URANIUM [OR] DEPLETED URANIUM [OR] NATURAL THORIUM	7	-		-

					Thoriated Tungsten Electrodes
14. Transport information					
IATA-DGR Class	UN2909	RADIOACTIVE MATERIAL, EXCEPTED PACKAGE- ARTICLES MANUFACTURED FROM NATURAL URANIUM [OR] DEPLETED URANIUM [OR] NATURAL THORIUM	7	-	-
PG* · Packing group	I			AED	C · 161

PG* : Packing group

Exemption to the above classification may apply.

AERG : 161

15. Regulatory information

United States

United States						
HCS Classification	1	Carcinogen Target organ effects				
U.S. Federal regulations	:	TSCA 8(a) PAIR: Tungsten United States inventory (TSCA 8b): All compon	ents are listed or ex	xempted.		
		SARA 302/304/311/312 extremely hazardous se SARA 302/304 emergency planning and notific SARA 302/304/311/312 hazardous chemicals: T SARA 311/312 MSDS distribution - chemical in Tungsten: Immediate (acute) health hazard, Delar oxide: Delayed (chronic) health hazard	cation: No products Fungsten; Thorium Iventory - hazard i	s were found. oxide i dentification :		
		Clean Water Act (CWA) 307: No products were f	ound.			
		Clean Water Act (CWA) 311: No products were f	ound.			
		Clean Air Act (CAA) 112 accidental release pre	evention: No produ	cts were found.		
		Clean Air Act (CAA) 112 regulated flammable s	substances: No pro	oducts were found.		
		Clean Air Act (CAA) 112 regulated toxic substa	ances: No products	were found.		
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	-	Not listed				
Clean Air Act Section 602 Class I Substances	:	Not listed				
Clean Air Act Section 602 Class II Substances	:	Not listed				
DEA List I Chemicals (Precursor Chemicals)	:	Not listed				
DEA List II Chemicals (Essential Chemicals)	:	Not listed				
<u>SARA 313</u>						
		Product name	CAS number	Concentration		
Form R - Reporting requirements	÷	Thorium dioxide	1314-20-1	1 - 5		
Supplier notification	:	Thorium dioxide	1314-20-1	1 - 5		

SARA 313 notifications must not be detached from the MSDS and any copying and redistribution of the MSDS shall include copying and redistribution of the notice attached to copies of the MSDS subsequently redistributed.

15. Regulatory information

· • · · · · · · · · · · · · · · · · ·				
State regulations	Connecticut H Florida substa Illinois Chemi Illinois Toxic listed. Louisiana Ref Louisiana Ref Louisiana Spi Massachuset Massachuset Oxide Michigan Crit Minnesota Ha New Jersey H Tungsten;Thor New Jersey S New Jersey T New York Acu New York Tox Pennsylvania Tungsten;Thor	Hazardous Materia ances: None of the cal Safety Act: No Substances Discle porting: None of the II: None of the com ts Spill: None of the com ts Substances: The ical Material: None zardous Substance azardous Substance pill: None of the co oxic Catastrophe utely Hazardous Si cic Chemical Relea RTK Hazardous Si ium oxide	e components are liste ponents are listed. e components are listed e following components of the components are ces: None of the compo nces: The following cor mponents are listed. Prevention Act: None ubstances: None of the se Reporting: None of	components are listed. are listed. t: None of the components are d. d. are listed: Tungsten;Thorium e listed. onents are listed. nponents are listed. of the components are listed. e components are listed. f the components are listed. ing components are listed:
California Prop. 65 WARNING: This product c	ontains a chemical k	nown to the State o	of California to cause c	ancer.
Ingredient name	<u>Can</u>	<u>cer</u> <u>Reprodu</u>	<u>ctive</u> <u>No significa</u> level	nt risk <u>Maximum</u> <u>acceptable dosage</u> level
Thorium dioxide	Yes.	No.	No.	No.
<u>Canada</u>				
WHMIS (Canada)	: Class D-2A: M	aterial causing othe	er toxic effects (Very to	kic).

Canadian lis	ete

: CEPA Toxic substances: The following components are listed: Thoriated Tungsten Electrodes Canadian ARET: None of the components are listed.

Canadian NPRI: The following components are listed: Thorium dioxide **Alberta Designated Substances:** None of the components are listed. **Ontario Designated Substances:** None of the components are listed. **Quebec Designated Substances:** None of the components are listed.

Canada inventory

: All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.



International regulations

15. Regulatory information

International lists	:	Australia inventory (AICS): All components are listed or exempted. China inventory (IECSC): Not determined. Japan inventory: Not determined. Korea inventory: All components are listed or exempted. New Zealand Inventory of Chemicals (NZIoC): Not determined. Philippines inventory (PICCS): Not determined.
Chemical Weapons Convention List Schedule I Chemicals	1	Not listed
Chemical Weapons Convention List Schedule II Chemicals	1	Not listed
Chemical Weapons Convention List Schedule III Chemicals	:	Not listed


16. Other information	ntion	
United States		
Label requirements	CONTAINS MATERIAL WHI	AINS MATERIAL WHICH CAN CAUSE CANCER. IICH CAUSES DAMAGE TO THE FOLLOWING ORGANS ATORY TRACT, SKIN, EYE, LENS OR CORNEA.
Hazardous Material Information System (U.S.A.)	:	
	Health	* 1
	Flammability	0
	Physical hazards	0
Coution LIMICO rotingo are h		th 0 representing minimal betards or risks, and 4

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

÷.

National Fire Protection Association (U.S.A.)



16. Other information

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.