
GEM - model: G334

LED Crystal Collection







Fixture Type:	
Catalog Number:	
Project:	
Location:	

PRODUCT DESCRIPTION

Crafted with carved dimples that glow with millions of sparkles, this lustrous crystal pendant is meticulously crafted with unparalleled elegance in mind.

FEATURES

- · Available in LED only
- Can be used on canopies, all Quick Connect™ systems and line voltage rail and track systems
- All socket sets include 72" wire that may be cut in the field
- 5 year WAC Lighting product warranty
- UL & CUL Listed

CONSTRUCTION

- Shade: Clear optical glass with carved and polished pattern
- LED Socket Set: Aluminum w/clear glass lens
- MP Canopy: Steel

- Adapters Solorail™, Duorail™: Copper
- Adapters 120V Track, Linear Track, Flexrail1 and 2: Polycarbonate

COMPATIBLE SYSTEMS

Canopy (MP)

LED light source

Includes:

- Shade
- Quick Adjust™ Canopy (shown)
- Socket Set
- Lamp



The patent pending Quick Adjust™ Canopy has an adjustable cable that stores inside the canopy housing for easy in-field height adjustments.

Sold as a complete unit with a single Order Number, no adapters needed.

Quick Connect™ (QP)

LED light source

Includes:

- Shade
- Threaded Male Connector (shown)
- Socket Set
- Lamp



For use on Linear Track, 120V Track, SolorailTM, DuorailTM, Flexrail1TM and Flexrail2TM with proper Quick ConnectTM adapter (sold separately).

Can also be used on any Quick Connect $\mbox{\sc M}$ Canopy (sold separately) no adapter needed.

Threaded Male Connector easily joins with all Quick Connect $^{\mathsf{TM}}$ Adapters and Canopies.

For Lamp Specifications and Ordering Information see next page.

WAC Lighting www.waclighting.com Phone (800) 526.2588 • Fax (800) 526.2585 **Headquarters/Eastern Distribution Center** 615 South Street • Garden City, NY 11530 Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center 168 Brea Canyon Road • City of Industry, CA 91789 Phone (800) 526.2588 • Fax (800) 526.2585

GEM – model: G334 LED Crystal Collection






SOCKET SET and LAMP INFORMATION

LEDme®

LED: 12V/3.4W, 119 lumens, 3000K, CRI 80 (included)

- May be dimmed w/electronic low voltage (ELV) dimmer
- Threaded ring used to secure shade to socket
- 50,000 hour rated life
- · Energy efficient
- No projected Ultraviolet or Infrared radiation



ORDER NUMBER

LEDme®

System		Model #	Shade Color	Finish
MP-LED	Canopy	334	CL	BN
QP-LED	Quick Connect™			CH
				DB

Canopy (MP) models ordered as complete unit.

Quick Connect™ (QP) models must be ordered with an adapter or canopy, see next page for ordering info.



Example: MP-LED334-CL/CH

SHADE COLORS

CL-Clear



FINISHES

BN-Brushed Nickel



DB-Dark Bronze







GEM - model: G334

Quick Connect[™] Adapters and Canopies




QUICK CONNECT™ ADAPTERS (order one per fixture)

Solorail™	Model #	Finish
H	LM-QADP	BN CH DB

Duorail™	Model #	Finish
B	LM2-QADP	BN CH DB


Linear	Model #	Finish
	SADP	BK BN WT







ORDER NUMBER



Example: LM-QADP-BN

QUICK CONNECT™ CANOPIES with INTEGRAL DRIVER



QUICK CONNECT™ CANOPIES for use with REMOTE TRANSFORMER

	•				
QMP-MI-TR	BN	QMP-1RN-TR	BN	QMP-1SQ-TR	BN
	СН		СН		CH
	DB		DB		DB

ORDER NUMBER

Model # Finish
-

Example: QMP-60ERN-BN

FINISHES

BK-Black BN-Brushed Nickel CH-Chrome DB-Dark Bronze FR-Frosted MR-Mirror PT-Platinum WT-White

WAC Lighting www.waclighting.com Phone (800) 526.2588 • Fax (800) 526.2585 Headquarters/Eastern Distribution Center 615 South Street • Garden City, NY 11530 Phone (516) 515.5000 • Fax (516) 515.5050 Western Distribution Center 168 Brea Canyon Road • City of Industry, CA 91789 Phone (800) 526.2588 • Fax (800) 526.2585