Large Bulk Head (Compact Fluorescent)






Outdoor

GENERAL PRODUCT INFORMATION:

This product is suitable for wet locations.

This instruction shows a typical installation.







CAUTION - RISK OF FIRE

This product requires installation by a qualified electrician. Before installing be sure to read all instructions and DISCONNECT POWERTO THE ELECTRICAL BOX.


Install the Fixture




- Remove all the cap screws from the front of the fixture.
- 2 Lift the shade off of the fixture.




- Attach the crossbar to the electrical box using the two #8-32 screws provided.
- Loosen or tighten the crossbar nipple so it protrudes 1.5" from the crossbar.



- Connect the fixture to a suitable ground in accordance with local electrical codes.
- Connect the black fixture wire to the hot power line wire with a wire nut.
- Connect the white fixture wire to the neutral power line wire with a wire nut.



- 8 Slip the hole in the center of the fixture onto the nipple.
- Make sure the fixture is level, and secure the fixture to the nipple with a lock washer and nut.




CAUTION: To reduce the risk of a burn or electric shock during relamping, disconnect the power to the fixture.


Use **MAX 42 Watt** type triple tube G24Q-4 base compact fluorescent lamp.



- Push the lamp base completely into the socket.
- Before continuing, turn on power to the fixture to verify all connections are good.



If installing in a wet location, caulk around the base with waterproof construction sealant.



Replace the shade and tighten the cap screws to secure the shade to the fixture.

SAVETHESE INSTRUCTIONS!



7400 Linder Ave, Skokie, IL 60077 800.323.3226 - 847.626.6300

www.lbllighting.com

© 2008 LBL Lighting. All rights reserved. The "LBL Lighting" graphic is a registered trademark of LBL Lighting. LBL Lighting reserves the right to change specifications for product improvements without notification.

A Generation Brands Company