# STERLING.


#### Features

- Compression molded from our exclusive solid Vikrell<sub>®</sub> material
- Gentle sloping back, neck, and armrest in bath design
- Bath and integral apron eliminates installation step
- Tongue-and-groove 4-piece modular design allows for easy "snap together" installation
- Durable high-gloss finish
- 10-year consumer/3-year commercial limited warranty
- 3" (76 mm) wainscot/tile ledge
- 16" (406 mm) bath depth (floor to top of threshold)
- 60-1/4" (1530 mm) x 43-1/2" (1105 mm) x 73-1/4" (1861 mm) complete unit rough-in dimensions include flange
- 60" (1524 mm) x 42" (1067 mm) x 72" (1829 mm) complete unit finished dimensions


## **Codes/Standards Applicable**

Specified model meets or exceeds the following:

- ASTM E162
- ASTM E662
- CSA B45.5/IAPMO Z124
- HUD, UM Bulletin 73A
- NAHB Research Foundation, Inc.



71110110



42" (1067 mm) OVAL BATH AND WALL SURROUND

#### **Colors/Finishes**

- 0: White
- Other: Refer to Price Book for additional colors/finishes

## **Specified Model**

Model	Complete Unit Description	Colors/Finishes	
71110110	42" (1067 mm) oval bath and wall surround, left drain	0	Other
71110120	42" (1067 mm) oval bath and wall surround, right drain (shown)	0	Other
71110310	42" (1067 mm) oval bath and wall surround, left drain - 3 pack	0	Other
71110320	42" (1067 mm) oval bath and wall surround, right drain - 3 pack	0	D Other
Model	Wall Component Description	Colors/Finishes	
71114100	Complete wall set	0 🗆 0	□ Other

For more information

visit SterlingPlumbing.com

or call 1-800-STERLING

# **ENSEMBLE**<sup>TM</sup>

# **Technical Information**


Fixture*:						
Basin area:						
Bathing well		40" (1016 mm) x 27" (686 mm)				
Top area		52" (1321 mm) x 35" (889 mm)				
To overflow:						
Water depth		11″ (279 mm)				
Capacity		55 gal (208.2 L)				
* Approximate measurements for comparison only.						
Model	Door width		Door maximum height			
All 58-		1/2″ (1486 mm)	55-3/4" (1416 mm)			

#### **Installation Notes**

Install this product according to the installation guide. Size the drain cutout to fit the drain assembly that will be used.

End stud positioning is critical.

Studs should be positioned roughly as shown.



**Product Diagram** 

